

SCIENCE.

FRIDAY, DECEMBER 26, 1884.

A CHRISTMAS GREETING.

ALTHOUGH still an infant, having scarcely attained the age of two years, *Science* does not appear to-day in its usual leading-strings, but has been granted a certain license in accord with the season, of which it does not in the half know the meaning, and has been decked in a new dress to fit the day. That what the child says may be rambling, is to be expected: that what it may mean shall be clear, its lisps shall be translated. First look at its new dress, all salmon and brown. 'Arbor scientiæ' does not mean that the plant is a scientific tree, nor yet a tree upon which science grows, but rather the tree is to symbolize the fact that science does grow. Inside the cover you will find a picture of the sun, taken at the Harvard college observatory, but of a composite nature, as all the prominences with which it is circled were actually observed, though not all at one time.

The sun has in all times been worshipped by some; but since it has been reduced to nothing more than a ball of fire rolling on through space, according to laws fixed by Sir Isaac Newton, his worshippers have many of them abandoned him. Still to a few faint souls it occurred that their old favorite could not fail them so utterly; and they have sought to show his influence on the growth of wheat, the price of stocks, and the pointing of the compass: of this there is more in the opening article. They would also call attention to the effect the sun has in bringing out the flowers, and the early birds, and the insects that the birds may have whereon to feed. 'We had not meant to give the sun-worshippers such vantage-ground; but, looking down the pages, we find something about tornadoes, about the variations of temperature at different points in the United States, and a map showing by lines the points at which the average mean temperature for the year is the same, — phenomena which depend on the sun,

— and certain advice to farmers which would be of little avail if the sun should fail to perform its part. Whether earthquakes can be made to depend on the sun, we dare not say; but there are those who would not deny him even that power.

But at last we find some small evidence of a revolt against the tyranny of the sun. For years people would rise as the sun rose, they aimed to eat their dinners as the sun crossed the meridian, and they donned their nightcaps as the sun went down. A few wise men have long pointed out that the sun had by no means the regular habit he had the credit for; that often good people had eaten their pudding, and got well into their broth, before the sun had crossed the noon-mark. This is all changed. Man now gets up by a railway-whistle, eats his dinner by a railway-whistle, and counts his sleepless hours at night by railway-whistles. That it may be clear just how these whistles blow, we give a map showing the limits of railway-time. So the sun at last has lost a part of his former pre-eminence, and yielded it to the railway-king.

The natural instinct with each of us is to live within himself; he is quite startled when, at times, he notes that he is only one among a large community; and, as we view with indifference the toils of some distant Tasmanian, so does the Tasmanian live in utter ignorance of our toils. The maps of the stars we give are from some point in the solar system. We look at the stars as pretty, bright objects in a frosty sky. Suppose the maps made from the point of view of a dweller in the planetary system about σ Draconis: would our sun be given?

The innovations which science has brought to pass have startled a few; to allay which fear, *Science*, casting about in search of an anchor still left to which a well-regulated life may be moored, has hit upon the almanac, and therefore gives up the closing pages to such data of sun and moon risings and settings, of high tides and low tides, of planets good and planets bad, as may enable all its readers to know at least when it is day, and when night.

SUN-SPOTS AND THE EARTH.


"If dusky spots are varied on his brow,
And, streaked with red, a troubled color show;—
That sullen mixture shall at once declare
Winds, rain, and storms, and elemental war."

DRYDEN.

ONE of the most interesting questions of modern astronomy is whether sun-spots produce any effect upon terrestrial affairs, and, if so, of what nature is their influence, and how extensive?

It is an important question too; for, if they really do exert any thing like a commanding authority, then our knowledge of the laws that regulate their extent and frequency will give us a power of prediction, in respect to coming seasons, of the greatest value in all agricultural and commercial operations.

It was ascertained long ago (first by our own Henry), that as a sun-spot is darker, so also it is



SUN-SPOT AS SEEN JUNE 30, 1883

cooler, than the bright surface of the sun. According to the observations of Professor Langley, the black nucleus or *umbra* of a spot emits only about fifty-four per cent as much heat as an equal area of the normal surface; and the *penumbra*, the shaded fringe around the nucleus, about eighty per cent. If, then, any considerable portion of the solar surface were ever covered by the spots, we should reasonably expect a notable falling-off in the sun's light and heat, and an unmistakable effect upon climates and the weather.

It has been found, however, that, even in the most extreme cases yet observed, the portion of the sun's surface actually occupied by the spots is relatively very small, seldom amounting to a five-hundredth of the whole, and then only for a few days at a time. The direct temperature effect of

sun-spots is therefore still more minute, never reaching a thousandth of the sun's whole heat.

But while their direct effect is thus insensible, it does not seem impossible, nor even improbable, that the spots might be indicative of an abnormal condition of things upon the sun's surface, such as would seriously affect the earth's revenue of heat. We might suppose, for instance, that they are symptoms of a general chilling of the solar surface, or, on the other hand, that they are caused by some ebullition from beneath the surface, which would, on the whole, raise the temperature instead of lowering it, and so compensate, or even over-balance, the effect of their darkness.

In regard to this, it is now only possible to say that the change, if any, is too slight to be detected by our present means of observation. It is earnestly to be hoped, that before long some apparatus and method of observation may be devised delicate enough to deal with the problem; but at present they do not exist, and no one knows with certainty whether the sun's radiation is increased or diminished when sun-spots are most prevalent.

A priori, then, we have no reason for expecting any perceptible effect of sun-spots upon the earth's conditions. But, on the other hand, it would not do to assume that they have none; that a variation in the sun's heat, even too small to be directly measurable, may not *indirectly* produce very important consequences by disturbing some nicely adjusted equilibrium. The gentlest touch of a child's finger may depress a key, and fire a mine. It is easy to imagine many ways in which an extremely slight change in the temperature might occasion, if it did not strictly cause, such alterations in the cloudiness, or in the direction and velocity of winds, as would seriously modify the climates and the fertility of large regions of the earth. The question is simply one of fact.

Since, however, it has been discovered that there is a somewhat regular, though unexplained, increase and decrease in the number and extent of the sun-spots (with a period of about eleven years), we are in a position to investigate the subject statistically. It is only necessary to compare the tabulated data relating to the spots with those relating to temperature, barometric pressure, magnetic disturbance, rainfall, height of water in rivers, — every thing, in fact, that fluctuates in our terrestrial affairs: we may even justifiably and properly include in our inquiries such matters as the price of grain and stocks, financial crises, and epidemic diseases. If in any case we find that in a sufficiently long run



THE SUN
COMPILED FROM SEVERAL DATES
Scale of miles

0 100 200 300 400 500 600 700 800 800,000 miles.

Harvard College Observatory 1873.

J.H. Buffords Sons New York Boston & Chicago

the variations in the sun-spot data correspond exactly to those relating to the element under examination, we shall be compelled to admit some sort of a causal connection; and that, even if the nature of the connection is inscrutable.

Numerous such comparisons have been made during the past twenty-five years. So far the results must be pronounced indecisive, except as regards the effects of solar disturbances upon terrestrial magnetism. Here all the investigations agree in showing an intimate connection, the mechanism of which is, however, still unknown. When sun-spots are numerous and active, we always have magnetic storms upon the earth, manifested by the


of Prague, from all the observations he could collect in Germany up to 1870, obtained a purely negative result. Discrepancies of the same sort appear in the results of other investigators, with reference to the rainfall and the height of rivers in different parts of the earth; though, on the whole, they seem to show a slight increase in the rainfall (one or two per cent) at or near the time of spot-maximum.

It is to be remarked, however, that these discrepancies and contradictions by no means disprove the reality of sun-spot influence. It is quite possible, and even likely, as Dr. Gould and others have pointed out, that slight changes in the sun's

radiation might be felt mainly by their effect in disturbing atmospheric currents, and so altering the distribution of heat and moisture, rather than by any general effect. In this case, the effects in neighboring regions would evidently be exactly opposite in character.

As matters stand, it is clear, in the first place, that a much longer period of observations will be needed to settle the question decisively as to the reality of sun-spot influence; and, in the next place, that, if the influence is real, it is only slight, and so masked by

other effects as to be difficult of detection. There can be no reasonable expectation that the ordinary variations in the state of the solar surface will prove to be dominant, or even very important, in terrestrial meteorology, or in human conditions that depend upon climate and the weather.



SUN-SPOT AS SEEN JULY 25, 1883.

aurora-borealis and by strong disturbance of our compass-needles.

The investigations in regard to other elements have, as Professor Langley says, "nearly every one brought out some result which might be plausible if it stood alone, but which is apt to be contradicted by the others." For instance: Dr. Gould in South America, and Mr. Stone at the Cape of Good Hope, think they have detected a slight lowering of temperature, amounting to one or two degrees, at the time of sun-spot maximum; while at Edinburgh, Smyth reaches a similar conclusion, except that the minimum temperature follows the sun-spot maximum at an interval of about two years. On the other hand, Chambers, from twenty-eight years' observations in India, finds a *rise of temperature* coinciding with the sun-spot maximum; and, in opposition to all the others, Jelinek

THE INSECTS OF THE YEAR.

"Fairy bands
Sailing, 'mid the golden air,
In skiffs of yielding gossamer."

HOGG.

THE seasonal appearance of insects varies. Some species are found during several months, others at all times of the year; some vary in date of appearance with the earliness or lateness of the

season, while others appear quite punctually, regardless of the season. In the same locality the peach will blossom one year in February, another not till May; and there is similar variation in the first appearance of spring insects. The irregularity lessens, however, as the growing season advances. July is more uniform than April. From Boston to Enterprise, Fla., one may travel in a couple of days in January from ice-bound midwinter to summer temperature, and, with the progress southward, activity in both plant and insect life increases. In a country so vast that it represents sub-boreal and sub-tropical temperatures at one and the same time, it were eminently improper to speak of the appearance of an insect without specifying the latitude. The midwinter difference between Maine and Florida, however, is not the difference between dead of winter, and height of summer; because there is, even in the subtropical sections, a winter or hibernating period when insect-life is comparatively at a stand-still, or dormant.

For calendar purposes the country may be divided into northern, middle, and southern; and, where not otherwise stated, the following index to the first appearance of some of our more conspicuous insects will have reference to some middle latitude. St. Louis is a very good point, being central between the Atlantic and the Rocky Mountains, our northern boundary and the Gulf; while Washington is another, lying well between our northernmost and southernmost borders. Between the Gulf and Lake Superior there is a difference in earliness of spring forms of nearly two months, or of four to five days with each degree of latitude, as the history of the Rocky-Mountain locust (*Caloptenus spretus*) and of the army-worm (*Leucania unipuncta*) shows. This difference, as already indicated, diminishes for summer forms. Development quickens in adaptation to the shorter northern season; and a widely distributed species, that does not mature till August in Missouri, or even Texas, may appear but a few days later in Minnesota.

January.—Hushed in a frosty cradle, as most lower life is at this season, the snow-fleas (genus *Podura*)—little, black, springing creatures not more than one-twentieth of an inch in length—may nevertheless be seen during a mild spell, abounding on the snow, even in the more northern states. To the southward, whenever the temperature is above freezing-point, the farmer will start from his corn-shocks various hibernating bugs, as the chinch-bug (*Blissus leucopterus*) and the tarnished plant-bug

(*Lygus lineolaris*); while the housekeeper may be alarmed by the buzzing of the paper-wasps (genus *Polistes*), and particularly *Polistes metricus* and *P. annularis*. Still farther south many butterflies, especially the yellows (genus *Colias*) and the whites (genus *Pieris*), so common everywhere later in the season, may be observed.

February.—In average or normal years the insect-life of this month resembles that of the preceding. On mild days swarms of small gnats (*Chironomidae*) dance in the air near still waters, while near larger streams small sombre-colored Neuroptera (*Perlidae*) will often fly. The wingless female of the spring canker-worm moth (*Paleacrita vernata*) ascends the trunks of apple and elm trees, while the male, with ample wings, flits about her. In the extreme north the remarkable wingless and spider-like dipteron (*Chionea valga*) and the equally remarkable neuropteran (*Boreus nivoriundus*), also wingless in the female sex, may be seen upon the snow; while in the south our heaviest-bodied butterfly (*Megathymus yuccae*) and our most graceful species (*Heliconia charitonia*) are conspicuous,—the one darting swiftly among the yuccas, the other slowly sailing through the dense underbrush of the shady hammocks.

March.—Insect activity now rapidly increases. With the thawing of the ice in ponds and ditches, the water-beetles (*Dytiscidae*) appear, while in the woods many species of ants (*Formica*) make their way from their subterranean abodes. Many pine-boring beetles (*Buprestidae* and *Scolytidae*) are seen, and a small dung-beetle (*Aphodius inquinatus*) flies in countless numbers. The velvety brown larva of *Telephorus* will follow the melting snow, the brown and black hedge-hog caterpillar (*Arctia isabella*) will scamper across a sun-warmed path, and the dipterous *Bibio* larvae will be found in masses under decaying leaves in the garden. Of butterflies, the mourning-cloak (*Vanessa antiopa*), with its beautiful purple-brown and cream-margined wings, somewhat the worse for wear, is conspicuous; and, of moths, the cotton-worm moth (*Aletia xyliana*), the army-worm moth (*Leucania unipuncta*), and *Platyhyphenia scabra*, are noteworthy in the south.

April.—The first flowers of spring, and especially the catkins of willows and poplars, teem with insects of many orders, but especially the Hymenoptera of the genera *Andrena*, *Halictus*, *Melissodes*, and *Nomada*, which have issued from their underground nests. The honey-bee (*Apis mellifica*), the carpenter-bee (*Xylocopa virginica*), and the bumble-

bee (*Bombus*) are conspicuous. Among Coleoptera, the blister-beetles (*Meloidae*) and the tiger-beetles (*Cicindelidae*) are noticeable; and the painted clytus (*Cyllene pictus*), with its black-and-yellow banded coat, will be common in houses where hickory-wood is used in the fires. Among Lepidoptera, the 'blues' (*Lycaenidae*), the monarch or milkweed butterfly (*Danais archippus*), the Graptas, and *Eudamus bathyllus* will be seen. Among Orthoptera, the *Acridium americanum* and *Oedipoda phoenicoptera* will be noticeable among wintering forms on account of their large size.

May. — In this month the hibernated legion is warmed to new life, and the number of species occurring is too great to warrant special indication. The large tiger swallow-tail (*Papilio turnus*) darts swiftly about, while a lot of humbler butterflies are seen. Those gigantic beauties of the night, the *Cecropia* moth (*Platysamia cecropia*) and the *Polyphemus* moth (*Telea polyphemus*), are seen hanging listless as they just issue from their cocoons, or pass bat-like at dusk overhead. Some of the hawk-moths (*Sphingidae*) already begin to hover at twilight, humming-bird fashion, over honeysuckle and other honey-yielding flowers. The carpenter moth (*Xyleutes robiniae*) will be found early in the morning, resting on the trunk of the black locust, from which the empty pupal exuvium sticks out as an index. A host of Hymenoptera make their advent; and noticeably the gigantic saw-fly (*Cimbex americana*) will be found ovipositing in willow leaves, and the pigeon *Tremex* (*Tremex columba*) in old maple trunks. The buffalo-gnat (*Simulium*) swarms in the lower Mississippi country to the injury of all kinds of stock. The fruit-grower finds the plum curculio (*Conotrachelus nenuphar*) making its dreaded crescent-mark on his fruit, and the canker-worms blighting his apple-trees. The house-keeper observes with dread the various clothes-moths (*Tinea*) and the carpet-beetle (*Anthrenus scrophulariae*). But the latter part of the month is chiefly characterized, first, by the hosts of delicate May-flies (*Ephemeridae*) which issue from our rivers in the sub-imago state, and, attracted to the light, crowd on windows and around lamps; second, by the swarms of more robust May-beetles (*Lachnosterna fusca*), which begin to defoliate oak-groves and poplar-trees.

June. — During this leafy month, when nature's pulses beat most strongly, insect-life is at its acme. The army-worm marches through meadow and grain-field, and a host of destructive species gather force and spread dismay. The woods and meadows

abound in gaudy butterflies, and multiform caterpillars feed voraciously. The commoner firefly (*Photinus pyralis*) rises slowly from the moist ground at eve, and intermits its soft, glowing light. But the month is chiefly characterized by the appearance of that singular periodical, or seventeen-year Cicada (*Cicada septendecim*), with its *tredecim*, or thirteen-year race. The woods rattle with its hoarse beat about the first of the month, and broods appear in some locality or other nearly every year. The present year (1885) is a memorable one; for a very extensive seventeen-year brood, which appeared last in 1868, and has been fully recorded every seventeen years since 1715, may be looked for on Long Island and in Monroe county, N.Y., in south-eastern Massachusetts, in parts of Vermont, Pennsylvania, Delaware, Maryland, Virginia, District of Columbia, in north-western Ohio, in south-eastern Michigan, in Indiana, and in Kentucky.

July. — With the great heat of July there is less variety of insect-life than in June, and the month is chiefly notable for the tormentors. Horse-flies (*Tabanidae*) interfere with the ploughman's work, mosquitoes swarm to such an extent in the north-west as to render travel for both man and beast positively dangerous, while the bot-flies (*Oestridae*) attack horses, cattle, and sheep. The nests of the tent-caterpillar (*Clisiocampa americana*) and of the fall web-worm (*Hyphantria textor*) disfigure orchard and forest, and the tumble-dungs (*Canthon*) assiduously roll their balls of dung. The harsh rattle of the dog-day harvest-fly (*Cicada canicularis*) is also first heard.

August. — In this month the fossorial Hymenoptera most abound, and the numerous locusts (*Acrididae*) begin to get their wings, and reach their greatest destructiveness. The katydids and the tree-cricket also become full-fledged, and join the other insect stridulators which fill the late summer and autumn nights with sound. The cotton-worm does its greatest mischief in the south, and the chinch-bug leaves the wheat-fields for the maize. Many true bugs (*Hemiptera*) get their wings, among which the wheel-bug (*Reduvius novenarius*) is conspicuous. The dragon-flies (*Libellulidae*) are more numerous, and the mantis (*Mantis carolina*) and the walking-stick (*Diapheromera femorata*) acquire full growth, and are more noticeable than formerly.

September. — Many of the insects of the preceding month are still more noticeable in this, while few new ones appear. The blister-beetles and a vast number of smaller Hymenoptera abound on the flowers of the golden-rod; and most species are

busy providing for their issue, or preparing for winter quarters.

October.—This is the month when spiders of all kinds are most noticeable, their gossamer threads glistening high up in the air, or their webs disfiguring shrubs and buildings. Immigrant plant-lice come on the wing to store away the winter egg on congenial trees; and the other insects most noticeable are those which hibernate, and are getting ready to do so. The buck moth (*Hemileuca maia*) flies quietly, with its delicate crape-like wings, among the dropping leaves of the forest, and is the species most peculiar to the month.

November.—In this month most insects are hushed in death or torpor; but the fall canker-worm moths will rise from the ground after a severe frost, and many hibernating Hymenoptera and Coleoptera will take an airing when the weather is mild. The cluster-fly (*Pollenia rudis*) holds out against the cold much longer than the house-fly, which it so much resembles.

December.—Nothing peculiar marks this month; but most of the species mentioned for both November and January may be seen in December, when the temperature and circumstances favor.

WEATHER FORECASTS.

*"Another storm brewing; I hear it
Sing i' the wind."*

SHAKESPEARE.

THE methods by which weather forecasts are made are based almost wholly upon facts of observation rather than upon established deductions of science. This is unavoidable, because atmospheric movements are very complicated, and because the science of meteorology is not yet sufficiently advanced to satisfactorily explain them in the detail necessary for successful forecasting.

The leading fact upon which predictions depend is that atmospheric conditions advance in a direction generally easterly. The motion may vary in velocity, but in direction is usually between north-east and south-east, rarely towards any other point of the compass. During this advance, changes in condition may occur; and it is necessary to foresee the character of these changes, as well as the direction, and rate of motion. The indications of the barometer are the chief aid in understanding the weather conditions themselves, and the changes which may be expected. At any given moment there exist, in the territory occupied

by the United States, differences in the atmospheric pressure which may amount to two inches in the height of the barometer. Usually there are one or more areas of pressure above the average, and one or more below the average, the pressures at intermediate points lying between the highest and lowest values. Each of these areas of high and of low pressure is accompanied by its peculiar conditions, and is moving towards the Atlantic coast with varying velocity. Thus the low area, if its centre is more than two or three tenths of an inch below the average pressure, is accompanied by clouds, and rain or snow, and forms a storm. The area of high pressure is usually attended by clear skies; and the radiation of solar heat to the earth during the day, or from the earth at night, is unchecked by clouds: consequently in summer, when the days are long, the temperatures which accompany an area of high pressure are above the average; while in winter, when the nights are long, low temperatures are found with high pressures. Many similar facts have been learned from the study of meteorological observations, upon which dependence is placed in weather-predicting.

Under the auspices of the U.S. signal-service, observations are made three times each day at a hundred and twenty-nine stations suitably located. Each of these observations is made at the same moment (seven A.M., three P.M., and eleven P.M., Washington time), and includes determinations of the atmospheric pressure, the temperature and humidity of the air, the direction and velocity of the wind, the kinds and motion of clouds, and other meteorological data. The results are at once telegraphed to the central office, and maps formed which show graphically the conditions at the moment of observation, and the changes which have occurred in the past few hours. From these maps a detailed prediction is made for the twenty-four hours following, based upon the conditions which exist at the time, the changes which have occurred, and the changes which, former experience shows, usually follow similar conditions.

The weather prediction thus assumes that coming changes will agree with the changes noted in former times under like circumstances. This is true on the average; but, whenever exceptions occur, the prediction fails. Increased skill in predicting depends upon increased skill in anticipating these exceptional cases. At the present time the government predictions are verified in eight cases out of ten. Reliable forecasts cannot be made for a period longer than twenty-four hours,

though it is hoped that an increase in the time may be successfully made at some future day. There is needed a better understanding of the laws which underlie atmospheric changes, so that empirical generalizations may give way to scientific deductions.

EARTHQUAKES IN THE UNITED STATES AND CANADA.

*"Some say, the earth
Was feverous, and did shake."*

SHAKESPEARE.

THE part of the earth's surface occupied by the United States is not generally regarded as much affected by earthquakes. As compared with some other localities, this is true; yet records show that moderate earthquakes are not so infrequent here as is usually supposed.

In the twelve years from 1872 to 1883 inclusive, three hundred and sixty-four earthquakes have been recorded as occurring in Canada and the United States, not including Alaska. Their geographical distribution may be expressed in this way. Suppose the country divided into three districts,—one extending from the Pacific Ocean eastward, to include Idaho, Utah, and Arizona, which may be called the Pacific slope; the second extending from Montana, Wyoming, Colorado, and New Mexico eastward, to include Ohio, Kentucky, Tennessee, and Alabama, which may be called the Mississippi valley; and the third, or Atlantic slope, extending eastward again to the Atlantic Ocean, and including the Appalachian region from the St. Lawrence to Florida and Georgia. Then the distribution of these three hundred and sixty-four earthquakes has been

Pacific slope	151
Mississippi valley	66
Atlantic slope	147
	364

These numbers indicate that about once in twelve days an earthquake occurs *somewhere* in the United States or Canada, and about once a month one occurs somewhere on the Atlantic slope.

It is quite likely, also, that for every earthquake which is of sufficient intensity to get itself noted in the midst of our busy American life, several lighter tremors may have occurred, which, although not violent enough to attract the attention of any one, would yet have left their record on a properly constructed seismoscope.

So, if any of our readers feel disposed to set up a seismoscope, they need not be deterred by the paucity of shocks in our country. A seismoscope anywhere along our eastern seaboard, or, still better, on the western coast, might fairly be expected to record ten or a dozen shocks in the course of the year, and might detect a much larger number. Such observations would be of high scientific value.

TEMPERATURE AND ITS CHANGES IN THE UNITED STATES.

*"For hot, cold, moist, and dry, four champions fierce
Strive here for mastery."*

MILTON.


IN the United States the changes of temperature with the seasons are of several types. These are illustrated in the accompanying diagrams, constructed chiefly from our signal-service reports; the thermometric scale being indicated by marks for every twenty degrees Fahrenheit on the left, and for every ten degrees Centigrade on the right, of each local division. The middle horizontal line shows the measure of that arithmetical abstraction commonly known as the mean annual temperature; and the adjoining lines above and below indicate how much variation there may be in the means of different years. In this respect, St. Vincent, Minn., has a much more irregular climate than Key West. The dots connected by a fine, dotted, curved line, represent the mean monthly temperature, beginning with October on the left side, descending to the January minimum, crossing the mean annual line about April, on the way to the July maximum, and descending again to October on the right margin. In illustration of the least annual variation, a curve is introduced for the equatorial station of Singapore, at the extremity of the Malay Peninsula, where the mean annual change is only seven degrees (F.); and, in contrast with this torrid uniformity, we find Yakutsk, Siberia, in the so-called temperate zone, giving the greatest known annual variation, on account of being far north, and far within a great continental region. St. Vincent, the coldest of the signal-service stations, is probably our nearest approach to this extreme variability.

The irregularity of the monthly means in different years is shown by short transverse lines above and below the dots: these are farther apart in winter than in summer, on account of the frequency of winter storms which produce great and sudden

changes of temperature.¹ A rough measure of the average daily range for summer and winter is seen in the vertical lines drawn through the July and January dots: these are commonly longer in summer than in winter. The hottest and coldest records for every month are marked by A and V.

curve than the winter colds fall below it, while the reverse is the case with New Orleans. The extreme variation between winter minimum and summer maximum, even of different years, is only 23° F. at Singapore: our least variable station is Key West, with a maximum change of 53° F. Yuma,

Arizona, although well known as often excessively hot, confines its variations within 93°; Denver has a recorded change of 134° from 105° to -29°; while Fort Benton, Montana, leads the list with a change of 167°, between 108° and -59°, but even this is exceeded at Yakutsk. The contrast between eastern and western coasts is seen in the variability of Boston as compared with St. Michel, on the coast of France in about the same latitude, the latter being warmer and less variable because it lies to the leeward of a temperate ocean, while Boston is to leeward of an untempered land; and again in comparing Boston (in latitude 42° 21') with Sitka (in latitude 57° 3'), and recognizing the small difference in their mean temperatures, and the decided decrease in



Denver is thus seen to be warmer but more variable than Pike's Peak. In San Francisco the summer heat extremes rise higher above the mean

variability, annual and diurnal, in going from the east coast to the west. The effect of going inland is to increase changes of temperature; for, while the sea is conservative of its warmth or cold, the land allows great and rapid variations. If the climatic zones had been first named in this country, ours would never have been called the 'temperate.'

¹ The variation of monthly means for Boston is large, in comparison with that of the other diagrams, partly because it is taken from a thirty-five year record instead of from the eleven or fewer years of the signal-service reports.

THE COMING OF THE ROBIN AND OTHER EARLY BIRDS.

*"Hast thou named all the birds without a gun?
Loved the wild-rose, and left it on its stalk?"*

EMERSON.

THE migration of birds is a subject which is attracting much attention in many parts of the world. From earliest historic times, naturalists and philosophers have written, speculated, and theorized upon the periodic appearance and disappearance of the species with which they were familiar; and the coming and going of many were considered of ominous portent.

In more recent times, ornithologists have watched the movements of birds with increasing interest, and have accurately recorded the facts observed. But it is only within the last few years that any thing like a systematic co-operative attempt to study bird-migration has been made. The work was begun in Germany, and was soon afterwards undertaken in Great Britain. In the United States, co-operative work was commenced in the Mississippi valley in the spring of 1882, under the superintendence of Prof. W. W. Cooke. The investigation of this subject was deemed of such importance that the American ornithologists' union, at its first congress, determined to extend it over the whole of North America, and for this purpose appointed a special committee. This committee prepared a circular (of which six thousand copies were distributed), setting forth the objects in view, and the methods by which they were to be attained. Through the co-operation of the department of marine of Canada, and of the lighthouse boards of the United States and Newfoundland, blank schedules were also supplied to the keepers of lighthouses, lightships, and beacons, throughout the whole of North America. The committee has already received returns from nearly a thousand stations, which are scattered over the whole country, extending, in the east, from Sombrero Key, Fla., to Newfoundland, and, in the west, from Arizona and southern California to British Columbia.

Most birds migrate chiefly by night. In clear weather they fly high, often from one to two miles above the country over which they are passing; while during dark nights, particularly in foggy weather, they often lose the way, become confused, and fly directly toward any light that may chance to lie within the field of vision. Thus, every year many thousands dash themselves to death against lighthouses and lightships. Birds whose summer

and winter homes are widely separated often shorten their long journeys by crossing great lakes, broad bays, extensive seas, and sometimes even considerable stretches of open ocean; and observations in various parts of the world, carried on over many years, have demonstrated that the places of crossing are not accidental, but that certain definite courses are followed season after season with surprising regularity and precision. These 'avenues' or 'lines' of migration, though most strongly marked in aquatic, marsh, and river-dwelling species, are not limited to the neighborhood of large bodies of water, but may be traced throughout the entire range of migration. It is also well known that in nearly all birds the same individuals return to identical localities year after year.

The following statement of the times of arrival of the robin (*Merula migratoria*) at various places will serve to show in a general way the progress of its advance over the greater part of North America during the spring of 1884.¹

Our common robin winters in vast numbers as far north as North Carolina, and more sparingly in southern New England, New York, and even in southern Ontario north of Lake Erie. On its northward journey, Dr. Wheaton's observers in the middle-eastern district found it at Columbus, O., Feb. 13; Cleveland, O., Feb. 24; Petersburg, Mich., Feb. 19; Battle Creek and Locke, Mich., March 10; Sault St. Marie, April 1. In the Atlantic district, Dr. Fisher's returns show it at Long-Island City, N.Y., Feb. 10; Sing Sing, N.Y., Feb. 14; Lockport, N.Y., Feb. 16; Watertown, N.Y., March 13; Lake George, N.Y., March 20; Hammondville (near Lake Champlain), N.Y., March 24; Boonville, N.Y., March 21; Locust Grove, N.Y., March 25. In Ontario, Mr. McIlwraith reports it at Hamilton, March 17; and at Ottawa, March 14. In New England a few wintered in the southern portions, and their march northward was irregular and often interrupted. Mr. Sage's observers recorded them from East Hartford, Conn., Feb. 2; Greenfield, Mass., Feb. 3; Thetford, Vt., Feb. 22; Hanover, N.H., March 21; Waterborough, Me., March 23; Calais, Me., March 30; Moosehead Lake, Me., April 9. In Quebec and the maritime provinces, Mr. Chamberlain's report shows them at Montreal, March 30; Quebec, April 14; Grand Menan Island, March 10; Halifax, March 18;

¹ These data, by permission of the council of the American ornithologists' union, have been selected from a part of the returns on the species named.

St. John, N.B., March 20; Prince Edward Island, April 15; Godbout, on the north shore of the mouth of the St. Lawrence, May 21; Point Rich, Newfoundland, May 1; and Greenly Island, off Labrador, May 20. In the Mississippi valley, Prof. W. W. Cooke has ascertained that robins usually winter north to about latitude 39°, but that the unusual cold of January, 1884, drove the bulk of them south of the parallel of 37°. Returning, the regular advance began March 9, and in a single week they spread over Illinois and eastern Nebraska to latitude 41° 51'; March 16 there was a slight advance in Iowa; on the 19th and 20th they pushed forward in Iowa, Illinois, and Wisconsin (but not in Nebraska), to latitude 43°; March 21 there was a sudden spreading over Wisconsin to latitude 45°. In the Red-river country, latitude 47° was attained April 3; and one week later the first robin of the season sang at Oak Point, Manitoba, latitude 50° 30'. From Mr. Belding's notes, it appears that the western race of the robin (*Merula migratoria propinqua*) winters more or less abundantly throughout the greater part of California, moving northward in February, March, and April. Its nest and eggs were found at Seattle, Washington Territory, May 1. In Alaska our robin has been seen in the Chilkat region as early as the end of April, and at Nulato about the middle of May.

The following statement shows approximately the average dates of arrival, in the latitude of New-York City and southern Connecticut, of a number of common and well-known birds. The yearly variation is considerable, and is greatest in the early-comers, amounting in some cases to upwards of two weeks. The robin (*Merula migratoria*) may be expected about the middle of February; wood-thrush (*Turdus mustelinus*), first week in May; brown thrasher (*Harporhynchus rufus*), May 1; catbird (*Mimus Carolinensis*), May 1; blue-bird (*Sialia sialis*), early in February; house-wren (*Troglodytes aedon*), May 1; yellow-rumped warbler (*Dendroica coronata*), middle of April; barn-swallow (*Hirundo erythrogastra horreorum*), April 25; scarlet tanager (*Pyranga rubra*), May 10; red-eyed vireo (*Vireo olivaceus*), May 6; rose-breasted grosbeak (*Zamelodia ludoviciana*), May 12; indigo-bird (*Passerina cyanea*), May 12; chewink (*Pipilo erythrophthalmus*), May 1; bobolink (*Dolichonyx oryzivorus*), May 10; red-winged blackbird (*Agelaius phoeniceus*), March 1; Baltimore oriole (*Icterus galbula*), May 8; king-bird (*Tyrannus Carolinensis*), May 8; pewee (*Sayornis fuscus*),

early March; whippoorwill (*Caprimulgus vociferus*), May 1; night-hawk (*Chordeiles pepetue*), May 10; chimney-swift (*Chaetura pelagica*), latter part of April; humming-bird (*Trochilus colubris*), May 5; kingfisher (*Ceryle alcyon*), flicker (*Colaptes auratus*), and fish-hawk (*Pandion haliaetus Carolinensis*), late in March.

TORNADOES, AND HOW TO ESCAPE THEM.

*"Blow, winds, and crack your cheeks! Rage! blow!
You cataracts and hurricanes, spout
Till you have drench'd our steeples, drown'd the cocks!*

Nay, get thee in. I'll pray, and then I'll sleep."

SHAKESPEARE.

TORNADOES are among the most characteristic features of the central states of the Union. Their opportunity comes when a broad cyclonic disturbance of our regular westerly winds brings cold air of the north-western plains down to meet warm southerly winds from the Gulf of Mexico. A moderate number of miles east of the average contact-lines of these two currents, the tornadoes are formed, when they appear at all. A number of them frequently occur at about the same time, for the contrasts of temperature and moisture that permit the development of one are generally widespread enough to produce several more. Fig. 1 illustrates the tracks of the tornadoes of Feb. 19, 1883, when the southern states were swept over by




FIG. 1.

a large number of these storms,—in Kentucky and Alabama about noon, in eastern Alabama and Georgia during the afternoon, and in the Carolinas

after sunset, — the progress of their region of occurrence across the country corresponding to the passage of the broad cyclonic storm that gave them birth. The signal-service report states that about a thousand persons were killed, more than twice as many wounded, and three or four million dollars' worth of property destroyed, by these storms on this single day. This was the first and severest visitation of the year.

The distinguishing mark of the tornado is its dark, pendent funnel-cloud at the centre of the most violent winds. The rules published by the signal-service for escaping from such a storm, when it is seen approaching, are based on the regularity with which tornadoes move to the north-east, or at least to some point between east and north, along a tolerably straight course, at a rate of about thirty



FIG. 2.

miles an hour. If seen to the north-west or south-east, the tornado will, in all probability, pass to one side of the observer. If seen in the south-west, a few moments' watching will serve to discover whether the funnel-cloud is advancing so as to pass north-west or south-east of the observer; then, without waiting too long, let him run to the open side. If the funnel-cloud seems to come directly toward the observer, he should run to the north-west, because the winds on that side are a little less violent than on the other, and the chance of escape there is correspondingly better. In regions where tornadoes occur frequently, every

house should be provided with an underground chamber or dug-out, easily reached, and guarded by a strong grated door. This is the only retreat on the storm-path in which safety can be found. The effect of a tornado on the buildings of a western town is seen in fig. 2, copied from a photograph taken by D. H. Cross at Grinnell, Io., shortly after its destruction on June 17, 1882.

BLOOMING-TIMES FOR FLOWERS.

*"And 'tis my faith that every flower
Enjoys the air it breathes."*

WORDSWORTH.

THE pressure brought to bear on every branch of industry in this rapidly moving nineteenth century has not failed to produce its effect on students of natural history; and comparatively few of the present active workers find time to leisurely ramble, observe, and philosophize, as, for example, Gilbert White did a century ago. Yet there is scarcely a lover of nature, however closely confined to his study or laboratory, who does not listen for the first twitter of the bluebird, or delight in the first bunch of violets brought by the spring, and find himself cheered by the chirp of the last robins, and the flowers of the witch-hazel, on the threshold of winter. For such and all lovers of nature, this effort to indicate the usual time at which a few typical plants of the different seasons may fairly be said to be coming into full bloom is made as a reminder of seasons that are gone, and a prompter for those to come.

Like the birds, flowers vary much in their habits. Some stay with us through the entire open season, and push their heads up at the very edge of the snow or in the heat of midsummer; some come at their appointed time, last but a few days or weeks, and disappear completely, be the season what it may; and others, usually regular in their blooming, feel the stimulus of a long, warm autumn, like the last, and anticipate the following spring by unfolding more or less profusely.

Every region has its own climatic peculiarities and its proper spring and autumn; and, though the limits of these may vary somewhat from year to year, there is usually some close observer of nature to be found, who prides himself on knowing a sheltered place where he is certain to find the trailing-arbutus or pasque-flower at about the same

date every year. But one spray of arbutus does not make a spring, and the lovely May-flower may not reach its prime of beauty and fragrance for some time after the most sheltered plants open their buds. Even in the same neighborhood, differences in exposure and elevation defy an exact tabulation of the periods of leafing, flowering, and fruiting; and the moderating influence of a body of water may retard the blooming of early species in its immediate vicinity for days or even weeks.

In a country covering nearly twenty-five degrees of latitude and fifty-five of longitude, with lofty mountains and tablelands and low valleys, diversified by great lakes and rivers, and embracing every variety of climate from the subtropical to the subarctic, with excesses of humidity in one region and of drought in another, it is impossible to arrange the phenomena of the seasons so as to include the whole.

On comparing the data obtainable, however, a few general features are found common to a great part of the country. Whatever their exact date of leafing or flowering may be, there are certain genera — like the maples, poplars, and elms among trees, and the violets and wakerobins among herbs — that precede most of their fellows; and, except in very anomalous seasons, their species succeed each other with the same regularity. Where the same plant extends from the Gulf to New England, it naturally blooms earlier in the warmer region; but it is noticeable that the difference, greatest in the flowers of early spring, becomes less marked as the season advances, under the accelerating heat of the northern summer, so that there is often little difference in the flowering of summer and autumnal plants. In general the same rule applies to species occurring over a considerable range of altitude, and is now and then illustrated nicely by a species with a wide distribution on both high and low ground.

FLORAL CALENDAR.¹

Blooming all the year in favorable seasons. —

Chickweed, dandelion (N.), Cherokee rose (Al.), Eschscholtzia, Anagallis (Cal.).

Jan. 1–10. — Ranunculus californicus (Cal.).

Jan. 10–20. — Ribes sanguineum (Cal.).

Jan. 20–30. — Red cedar (Al.).

Feb. 1–10. — Scoliopus (Cal.), red maple (Al.), Salix scouleriana (O.).

¹ Based on the notes of Dr. Mohr for Mobile, Ala. (Al.); Professor Porter for middle Colorado (3–6,000 feet, Col.; 8–10,000 feet, Col.); Mr. Rattan for San Francisco, Cal. (Cal.); Mr. Hay for St. John, N.B. (C.); Mr. Howell for Oregon (O.); and the writer for Wisconsin and New York (N.).

Feb. 10–20. — Trillium ovatum (Cal.), wild plum, trailing-arbutus (Al.).

Feb. 20–28. — Choke-berry, blue violet (Al.), Dentaria (O.).

March 1–10. — Cottonwood, sassafras (Al.), Nemophila Menziesii, Viola pedunculata (Cal.), Trillium ovatum (O.).

March 10–20. — Oaks, Pinus taeda (Al.), Phacelia tanacetifolia, Nemophila aurita (Cal.).

March 20–30. — Locust, flowering dogwood (Al.), Gilia multicaulis (Cal.), Ribes sanguineum (O.).

April 1–10. — Violets, Gilia achilleaefolia (Cal.), magnolia, wild cherry, Oxalis violacea (Al.), skunk-cabbage (N.).

April 10–20. — Gilia androsacea (Cal.), hickories (Al.), red maple, cottonwood, red cedar, pasque-flower (N.), Delphinium bicolor (Col.), Nardosmia palmata (C.), Erythronium (O.).

April 20–30. — Ceanothus thyrsiflorus (Cal.), poison sumach, blue flag (Al.), trailing-arbutus, sugar-maple (N.), Thlaspi alpestre (Col.), spring beauty (C.).

May 1–10. — Calochortus alba (Cal.), smooth sumach (Al.), ash, spring beauty, Erythronium, Trillium, golden currant (N.), spring beauty, pasque-flower (Col.), Clematis Douglasii (Col.).

May 10–20. — Calochortus Weedii (Cal.), sun-dews, New-Jersey tea (Al.), blue violet, wild plum, wild cherries (N.), Viola Nuttallii (Col.), Mertensia alpina (Col.), trailing-arbutus (C.).

May 20–30. — Calochortus pulchella (Cal.), sweet bay, dwarf palmetto (Al.), barberry, oaks, apple (N.), spring beauty (Col.), Trillium (C.).

June 1–10. — Lilium pardalinum (Cal.), St. Johns worts (Al.), blue flag, choke-berry (N.), Sophora sericea (Col.), golden currant (Col.), Calypso (C.).

June 10–20. — Mentzelia laevicaulis (Cal.), Virginia-creeper (Al.), raspberry, locust (N.), Lepachys columnaris (Col.), Anemone multifida (Col.).

June 20–30. — Rosa carolina (Al.), laurel, sun-dews, Aquilegia coerulea (N.), Delphinium azureum, Gilia aggregata (Col.), Zygadenus glaucus (Col.), Cypripedium acaule (C.).

July 1–10. — Sabbatia, Aster paludosus (Al.), Virginia-creeper, Rosa carolina (N.), Cleome integrifolia (Col.), pasque-flower (Col.).

July 10–20. — Gentiana oregana (Cal.), Habenaria ciliaris (Al.), New-Jersey tea, smooth sumach (N.), Pentstemon glabra (Col.), Gilia aggregata, Viola canina (Col.), Habenaria pycodes (C.).

July 20-30. — *Rhexia*, *Zygadenus* (Al.), poison sumach (N.), *Grindelia squarrosa* (Col.), *Aquilegia coerulea* (Col.), *Lilium canadense* (C.).

Aug. 1-10. — *Zauschneria* (Cal.), *Petalostemon corymbosum* (Al.), *Sabbatia*, *Habenaria ciliaris* (N.), *Helianthus petiolaris* (Col.), *Erythronium grandiflorum* (Col.), *Rubus villosus* (C.).

Aug. 10-20. — *Chrysopsis mariana* (Al.), sun-flowers (N.), *Malvastrum coccineum* (Col.), *Aster canescens* (Col.), *lovage* (C.).

Aug. 20-30. — *Lilium catesbaei*, *Liatris elegans* (Al.), *Solidago altissima* (N.), *Solidago missouriensis* (Col.), *Gentiana Parryi* (Col.), *Impatiens* (C.), *Aster Douglasii* (O.).

Sept. 1-10. — *Nabalus Frazeri* (Al.), beech-drops, *Liatris*, Indian pipe (N.), *Aster spectabilis* (C.), golden-rods (O.).

Sept. 10-20. — Golden-rods (Al.), golden-rods, sow-thistle, *Nabalus Frazeri* (N.) (C.).

Sept. 20-30. — *Gerardia purpurea* (Al.), gentians, *Acalypha* (N.).

Oct. 1-10. — *Aster tradescanti* (Al.), asters (N.).

Oct. 10-20. — *Gentiana ochroleuca* (Al.).

Oct. 20-30. — *Gentiana elliotii* (Al.).

Nov. — *Spiranthes brevifolia* (Al.), witch-hazel (N.).

IMPORTANT AGRICULTURAL STATISTICS.

Live-stock in the United States in 1880, excluding ranch-stock, horses, mules, cows, and swine in cities, and those belonging to persons not owning or occupying farms.

Horses	10,357,981	Sheep	35,191,656
Cows (milk)	12,443,593	Swine	47,687,951
Other cattle	22,488,590		

The leading states in the raising of live-stock are as follows.

Illinois, horses	1,023,082
New York, milk-cows	1,437,855
Texas, other cattle	3,387,967
Ohio, sheep	4,902,486
Iowa, swine	6,034,316

Average yield per acre of cereals in the United States, 1880.

	Bush.		Bush.
Indian corn	28+	Barley	22+
Wheat	13-	Rye	10+
Oats	25+	Buckwheat	14-

Cereals raised in the United States in 1880.

	Bush.		Bush.
Indian corn	1,754,861,535	Barley	44,113,495
Wheat	559,479,505	Rye	19,831,595
Oats	407,858,999	Buckwheat	11,817,327

The leading states in the production of cereals.

	Bush.		Bush.
Illinois, Indian corn	325,793,481	Iowa, oats	50,610,591
Iowa, Indian corn	275,024,247	New York, oats	37,575,506
Missouri, Ind'n corn, 202,485,721		Pennsylvania, oats	33,841,439
Indiana, Indian corn, 115,482,300		Wisconsin, oats	32,905,320
Ohio, Indian corn	111,877,124	California, barley	12,579,561
Kansas, Indian corn, 105,729,325		Wisconsin, barley	5,043,118
Illinois, wheat	51,110,503	Pennsylvania, rye	3,683,621
Indiana, wheat	47,284,855	Illinois, rye	3,121,785
Ohio, wheat	46,014,869	New York, rye	2,634,690
Michigan, wheat	25,552,543	Wisconsin, rye	2,298,513
Minnesota, wheat	34,601,030	New York, buck-wheat	4,461,200
Iowa, wheat	31,154,205	Pennsylvania, buck-wheat	3,573,326
California, wheat	29,017,707		
Illinois, oats	63,189,200		

Average yield of corn and wheat per acre (in bushels).

	Corn.	Wheat.
Alabama	12+	6-
California	27+	15+
Massachusetts	35+	16+
New York	33+	15+
Illinois	36+	16-
Pennsylvania	33-	13+
Florida	9-	5+
Georgia	9+	7-
Minnesota	33+	11+

Implements and workmen.

Agricultural implements, number and value (1880).

Number of establishments	1,943
Number of hands employed	39,580
Capital invested	\$62,109,668
Wages of workmen	15,359,610
Value of material	31,531,170
Value of implements manufactured	68,640,486
Number of reapers and mowers manufactured	162,337
Number of grain-cradles manufactured	167,492
Number of scythes manufactured	1,244,264
Number of horse-rakes manufactured	95,625

Farms.

Number of farms in the United States in 1880, 4,008,907.

States then having 200,000 and upwards.

Illinois	255,741	Missouri	215,575
Ohio	247,189	Pennsylvania	213,541
New York	241,058		

Cotton raised in 1880.

Total in the United States, 5,735,257 bales of 475 pounds each.

States producing 500,000 bales and upwards.

	Bales.		Bales.
Mississippi	955,808	Arkansas	608,256
Georgia	814,441	South Carolina	522,548
Texas	803,642	Louisiana	508,569
Alabama	699,654		

The extremes of production are Missouri, $\frac{6}{100}$ of a bale; Florida, $\frac{22}{100}$ per acre.

A FEW PERTINENT HINTS TO FARMERS.

Fences and farm-buildings.

SEASON fence-posts one year before using. Cut oak and cedar in February, chestnut and most other woods in August. To insure durability, soak the lower ends of posts in brine before setting. In the east the cost of fencing is equal to the value of the live-stock. To tear down a fence without splitting the boards, strike the side of the post near the top a sharp blow, in line with the fence, with a heavy sledge-hammer. To drive nails into very hard wood, dip their points in oil. Use steel nails for fencing. Paint in cool, cloudy weather. Use little lead and much oil for first coat. It does not pay to paint barns which are boarded vertically. Lime will remove moss from roofs.

Care of cattle.

Try standing and lying on a hard plank floor twenty-three consecutive hours, and you will use the stanchions for kindlings, and build a covered barnyard. Feed cattle but twice daily, always before milking: give water as often, at a temperature of 55° ; it is safer to scrimp food than water. Meal, if fed alone, especially to young calves, should be spread thinly on the bottom of troughs, so that it will be eaten slowly, and be insalivated. Allow one cubic foot of air-space for each pound of live weight. Temperature of cow-stables should range from 45° to 55° .


Hints on breeding.

Keep a mature thoroughbred bull at the head of the herd. Use selected common cows. Raise all female calves, and as many males as circumstances will admit, except badly marked or weak ones and those from two-year-old heifers. Uniformity in color, shape, and general characteristics, adds much to beauty and value. Heifers tried two years, if not satisfactory, should be fattened and sent to the shambles. Weigh the milk of each cow at least one day in each week. Stop guessing, and get facts. Selection, food, and care are the three great elements of success and improvement. Boys and cattle should be raised on the farm, not in the city.

Suggestions about dairying.

Procure a number of glass tubes, sixteen inches long, one inch in diameter, and closed at one end. With two strips of leather and tacks, fasten them upon a board two feet long and sixteen inches wide.

Place under them a paper ten inches wide, ruled with lines a tenth of an inch apart. Fill each tube to the depth of ten inches with one cow's milk. The lines will designate the per cent of cream. Provide a metal dasher for each tube, and attach the handles of them to a common horizontal handle. Churn all the milk in the tubes at one operation, and note the per cent of butter in each tube. By this method it was proved, that, while one cow produced a hundred and eighty dollars' worth of milk in a year, another produced only forty dollars' worth. Nitrogenous foods,




A CREAM-TESTER.

such as cottonseed-meal and clover-hay, tend to produce large quantities of milk, the butter from which is inclined to be oily. Heat-producing foods, such as corn-meal, do not tend to largely increase the flow of milk, but to improve the quality and quantity of the butter. Animals part with the fat of the body more easily than they extract fat from their food: hence it is economy to moderately fatten the cow when dry. Sweet skimmed milk is worth, to feed in connection with other food to a good breed of pigs, one cent per quart. Two quarts of milk drawn from the cow by the calf is worth three quarts fed to it from a pail. Calves are more cheaply raised in winter than in summer.

A few facts about manures.

The value of the manure of a thousand-pound cow, liberally fed, ranges from five to ten cents per day, exclusive of bedding. Milch-cows take from their food about twenty per cent of its manurial value; fattening stock, about five per cent; young animals and dry cows, ten per cent.



OUTLINE MAP WITH DIALS SHOWING **Standard Railway Time**

PROPOSED BY W. F. ALLEN,
(Secretary Railway Conventions and Editor Travelers' Official Guide.)

ENDORSED BY GENERAL AND SOUTHERN TIME CONVENTIONS,
APRIL 11 AND 19, 1883,
ADOPTED BY THE CONVENTIONS OF
OCTOBER 11 AND 17, 1883.
AND ORDERED TO TAKE EFFECT ON
NOVEMBER 19, 1883.

- INTERCOLONIAL STANDARD TIME 60TH MERIDIAN
- EASTERN " 75TH.
 - CENTRAL " 90TH.
 - MOUNTAIN " 105TH.
 - PACIFIC " 120TH.

CHRONOLOGICAL CYCLES, 1885.

Dominical letter	D
Epact	14
Lunar cycle or Golden number	5
Solar cycle	18
Roman indiction	13
Julian period.	6598

FIXED AND MOVABLE FESTIVALS OF
THE CHURCH, 1885.

Epiphany	Jan. 6.
Septuagesima Sunday	Feb. 1.
Quinquagesima (Shrove Sunday)	Feb. 15.
Ash Wednesday	Feb. 18.
First Sunday in Lent	Feb. 22.
St. Patrick	March 17.
Palm Sunday	March 29.
Good Friday	April 3.
Easter Sunday	April 5.
Low Sunday	April 12.
Rogation Sunday	May 10.
Ascension Day (Holy Thursday)	May 14.
Pentecost (Whit Sunday)	May 24.
Trinity Sunday	May 31.
Corpus Christi	June 4.
St. John Baptist (Midsummer Day)	June 24.
Michaelmas Day	Sept. 29.
First Sunday in Advent	Nov. 29.
Christmas Day	Dec. 25.

MORNING AND EVENING STARS, 1885.

MERCURY will be visible as morning-star about Jan. 26, May 25, and Sept. 15; and as evening-star about April 8, Aug. 6, and Nov. 30.

VENUS will be morning-star till May 4, then evening-star the rest of the year.

MARS will be evening-star till Feb. 11, then morning-star the rest of the year.

JUPITER will be morning-star till Feb. 18, then evening-star till Sept. 8, and morning-star again the rest of the year.

SATURN will be evening-star till June 18, then morning-star till Dec. 26, and evening-star again the rest of the year.

SEASONS, 1885.

(Eastern standard.)

Spring begins	March 20, 5 ^h A.M.
Summer "	June 21, 2 ^h A.M.
Autumn "	Sept. 22, 4 ^h P.M.
Winter "	Dec. 21, 10 ^h A.M.

TIDE TABLE.

THE table of tides is limited to points on the Atlantic coast, as the tides on the Pacific coast are of so complicated a character that it would be impossible to refer to them by the simple table of reduction as given. The actual times of the occurrence of high and low water are much affected by the force of the wind, a difference of fifteen minutes between prediction and observation often being brought about.

	Correction to New-York (standard time) tide to obtain tide in standard time elsewhere.		Mean range.
	H.	M.	
Intervals to be applied to the standard time of high water at New York, found in the calendar pages.			
Eastport, Me.	Add	3 33	18.2
Mount Desert Island, Me.	"	2 32	9.9
Belfast, Me.	"	2 38	9.7
Portland, Me.	"	2 55	9.1
Portsmouth, N.H.	"	3 3	8.6
Newburyport, Mass.	"	3 17	7.5
Ipswich, Mass.	"	3 6	9.0
Rockport, Mass.	"	2 36	8.6
Gloucester, Mass.	"	2 44	8.9
Marblehead, Mass.	"	2 51	9.3
Salem, Mass.	"	2 54	9.2
Plymouth, Mass.	"	2 59	10.2
Provincetown, Mass.	"	2 59	9.2
Hyannis, Mass.	"	4 0	3.3
Nantucket, Mass.	"	4 15	3.0
Vineyard Haven, Mass.	"	3 22	1.6
Wood's Holl (north side), Mass.	Sub.	0 21	4.0
Wood's Holl (south side), Mass.	Add	0 14	1.6
New Bedford entrance (Dumpling R.), Mass.	Sub.	0 20	3.7
Fall River, Mass.	"	0 8	4.7
Newport, R.I.	"	0 33	3.9
Point Judith, R.I.	"	0 45	3.1
Montauk Point, R.I.	Add	0 4	1.9
Watch Hill, R.I.	"	0 44	2.7
Stonington, Conn.	"	0 52	2.7
New London, Conn.	"	1 12	2.5
Norwich, Conn.	"	1 57	3.1
New Haven, Conn.	"	2 57	6.0
Bridgeport, Conn.	"	3 1	6.5
New Rochelle, N.Y.	"	3 14	7.6
West Point, N.Y.	"	2 55	2.7
Albany and Greenbush, N.Y.	Sub.	2 48	2.3
Brooklyn (navy-yard), N.Y.	Add	0 47	4.4
Newark, N.J.	"	0 46	5.0
Sandy Hook, N.J.	Sub.	0 36	4.7
Barnegat, N.J.	Add	1 38	0.9
Cape May Landing, N.J.	"	0 16	4.8
Delaware Breakwater, Del.	Sub.	0 3	3.5
Delaware City, Del.	Add	2 59	6.3
New Castle, Del.	"	3 52	6.5
Philadelphia, Penn.	"	5 42	6.0
Annapolis, Md.	Sub.	3 19	0.9
Baltimore, Md.	"	1 24	1.3
Havre de Grace, Md.	Add	1 38	1.5
Point Lookout, Md.	"	4 58	1.4
Washington (Long Bridge), D.C.	Sub.	0 20	2.8
Norfolk (navy-yard), Va.	Add	1 5	2.7
Richmond, Va.	Sub.	3 25	3.6
Hatteras Inlet, N.C.	"	0 56	2.0
Beaufort, N.C.	"	0 35	2.8
Wilmington, N.C.	Add	1 15	2.7
Smithville, N.C.	Sub.	0 35	4.4
Charleston (new Custom-House wharf), S.C.	"	0 19	5.1
Beaufort, S.C.	"	0 42	7.3
Savannah (dry dock), Ga.	"	0 25	6.5
Fernandina, Fla.	"	0 44	6.1
St. John's River (entrance), Fla.	"	1 1	5.3
St. Augustine, Fla.	"	0 17	4.1
Cape Florida, Fla.	"	0 9	1.3
Key West, Fla.	Add	1 4	1.2
Cedar Keys, Fla.	"	4 52	1.9

ECLIPSES, 1885.

IN the year 1885 there will be four eclipses, — two of the sun, and two of the moon.

I. An annular eclipse of the sun, March 16; visible in North America generally as a partial eclipse, — being annular within a belt 35 miles wide, drawn through Weaverville and Fort Bidwell, Cal.; Idaho and Boise Cities, Idaho; Bannack City and Gallatin, Montana; Hudson Bay and Greenland, — occurring as follows: —

STANDARD TIME:	Begins.		Ends.		Annular.
	H.	M.	H.	M.	H. M.
Bangor, Me.	0	23 A.	2	58 A.	— —
Boston, Mass.	0	20 A.	2	53 A.	— —
New York, N.Y.	0	13 A.	2	46 A.	— —
Philadelphia, Penn.	0	10 A.	2	43 A.	— —
Buffalo, N.Y.	0	2 A.	2	42 A.	— —
Pittsburg, Penn.	11	58 M.	2	38 A.	— —
Cincinnati, O.	10	48 M.	1	29 A.	— —
Chicago, Ill.	10	45 M.	1	30 A.	— —
Nashville, Tenn.	10	41 M.	1	22 A.	— —
St. Louis, Mo.	10	37 M.	1	20 A.	— —
Omaha, Neb.	10	28 M.	1	15 A.	— —
Baltimore, Md.	0	7 A.	2	40 A.	— —
Washington, D.C.	0	6 A.	2	39 A.	— —
Charleston, S.C.	11	57 M.	2	24 A.	— —
Savannah, Ga.	10	54 M.	1	21 A.	— —
Jacksonville, Fla.	10	53 M.	1	17 A.	— —
Raleigh, N.C.	0	0 A.	2	31 A.	— —
Mobile, Ala.	10	33 M.	1	11 A.	— —
New Orleans, La.	10	28 M.	1	8 A.	— —
Memphis, Tenn.	10	33 M.	1	15 A.	— —
Galveston, Tex.	10	15 M.	1	0 A.	— —
St. Paul, Minn.	10	38 M.	1	25 A.	— —
Denver, Col.	9	10 M.	0	1 A.	— —
Salt Lake City, Utah	9	3 M.	11	52 M.	— —
Santa Fé, N. Mex.	9	3 M.	11	53 M.	— —
San Francisco, Cal.	7	48 M.	10	30 M.	— —
Portland, Ore.	8	2 M.	10	41 M.	— —
Boise City, Idaho	9	3 M.	11	49 M.	10 23 M.
Bannack, Montana	9	8 M.	11	57 M.	10 30 M.
Weaverville, Cal.	7	52 M.	10	33 M.	9 8 M.
Fort Bidwell, Cal.	7	57 M.	10	39 M.	9 14 M.

Duration of annulus, from $\frac{1}{2}$ to $\frac{3}{4}$ of a minute.

II. A partial eclipse of the moon, March 30; invisible in America; visible in Asia, Australia, eastern portions of Europe and Africa, and the western Pacific Ocean.

III. A total eclipse of the sun, Sept. 8; invisible in North America; visible chiefly in the South Pacific Ocean.

IV. A partial eclipse of the moon, Sept. 23, 24; visible in North and South America and the Atlantic and Pacific Oceans, happening as follows: —

STANDARD TIME:	Eastern.		Central.		Mountain.	Pacific.
	D.	H. M.	D.	H. M.	D.	H. M.
Moon enters penumbra	24	0 0 M.	23	11 0 A.	23	10 0 A.
Moon enters shadow	24	1 14 M.	24	0 14 M.	23	11 14 A.
Middle of the eclipse	24	2 48 M.	24	1 48 M.	24	0 48 M.
Moon leaves shadow	24	4 22 M.	24	3 22 M.	24	2 22 M.
Moon leaves penumbra	24	5 36 M.	24	4 36 M.	24	3 36 M.


Magnitude of eclipse = 0.79 (moon's diameter = 1).

SYMBOLS.


☉ . . . The Sun.	♂ . . . Mars.
☾ . . . The Moon.	♃ . . . Jupiter.
☿ . . . Mercury.	♄ . . . Saturn.
♀ . . . Venus.	♅ . . . Uranus.
♁ . . . The Earth.	♆ . . . Neptune.
☾ . . . Moon runs high.	
☾ . . . Moon runs low.	
♊ . . . Conjunction, or having the same longitude or right ascension.	
☾ . . . Quadrature, or differing 90° in longitude or right ascension.	
♋ . . . Opposition, or differing 180° in longitude or right ascension.	
♊ . . . Ascending node.	
♋ . . . Descending node.	
S . . . Appended to the stars, 'souths,' or crosses the meridian.	
♈ . . . Aries.	♎ . . . Libra.
♉ . . . Taurus.	♏ . . . Scorpio.
♊ . . . Gemini.	♐ . . . Sagittarius.
♋ . . . Cancer.	♑ . . . Capricornus.
♌ . . . Leo.	♒ . . . Aquarius.
♍ . . . Virgo.	♓ . . . Pisces.

SUN-TIME AND CLOCK-TIME.

ONE very often hears some friend say, when extolling the merits of his watch, that he sets the sun by it. It is doubtless supposed by many that the sun is most regular in its habits, and crosses the meridian exactly at noon; and it was with a feeling of regret at parting company with a so-supposed faithful time-keeper, that many set their watches to standard time on the 19th of November, 1883. If the orbit of the earth were perfectly circular, and the sun revolved around an axis perpendicular to the plane of the orbit, then the sun would have the reliable character with which it is now credited; but, unfortunately, the orbit is not circular, and the earth revolves about an axis inclined to the plane of the orbit, so that the apparent motion of the sun varies in rate from time to time through the year. And as it is convenient for us to have our days of equal length, the mean time to which we set our clocks differs from solar time by as much as fifteen minutes on the 10th of February, and fully sixteen minutes on the 27th of October. The relation between mean time (the time we use on our clocks and watches) and solar or apparent time (that of the sun-dial) is readily



ANNULAR SOLAR ECLIPSE OF MARCH 16, 1885.



TOTAL SOLAR ECLIPSE OF SEPTEMBER 8, 1885.

seen from the accompanying diagram; and what is meant by the equation of time, which is nothing more than the difference between mean time and

solar time, may be seen by a glance, and is given by the length of a horizontal line running from the vertical line through the zero of the scale, to a point on the curve corresponding to the date for which the equation of time is desired. For all ordinary purposes, the diagram is sufficiently accurate; although, of course, it has not all the refinements which might be suggested, as, in fact, a single diagram could not be given for all years.

NEW MAPS OF THE HEAVENS.

*"Nature and Nature's laws lay hid in night.
God said, 'Let Newton be!' and all was light."*

POPE.

THE accompanying maps represent the heavens from the north pole to 30° south of the equator, and include all stars to the $4\frac{1}{2}$ magnitude inclusive. In some instances those of the $4\frac{1}{2}$ magnitude have been incorporated for the sake of configuration, and convenience of identification.

The maps also include portions of the milky way, the paths of the planets during the year, with their location in these paths at certain definite intervals. From these the position of any planet for any date can be obtained with sufficient accuracy for finding-purposes.

The numbers around the circumference of the circular map, and at the top and bottom of the rectangular maps, indicate hours of right ascension; and the other figures along the line of 0 and 12 hours, every ten degrees of declination. The curving line represents the ecliptic or apparent path of the sun in the heavens.

The months at the borders indicate the part of the heavens that would be on the meridian at nine o'clock in the evening at the various times expressed. Thus, on Jan. 1, the stars along the line of 3.7 hours would be crossing the meridian at nine o'clock in the evening, and on Feb. 1 those on the meridian of 5.8 hours, etc.

RATES OF DOMESTIC POSTAGE.

Letters and all other written matter, whether sealed or unsealed, and all other matter sealed, nailed, sewed, tied, or fastened in any manner, so that it cannot be easily examined, per half-ounce, or fraction thereof, 2 cents; *postal-cards*, each 1 cent; *printed matter* (except newspapers and periodicals), in unsealed wrappers only, each two ounces, or fraction thereof, 1 cent (limit of weight four pounds, except for a single book, which may weigh more; prepayment compulsory); *newspapers and periodicals*, in unsealed wrappers, each four ounces, or fraction thereof, 1 cent; *mailable merchandise*, in packages easily opened for examination, per ounce, or fraction thereof, 1 cent (limit of weight four pounds; prepayment compulsory); registration-fee on letters or other articles, 10 cents.




DIAGRAM SHOWING COMPARISON OF MEAN (OR CLOCK) TIME WITH SOLAR (OR APPARENT) TIME AT THE SEVERAL SEASONS OF THE YEAR. THE PERPENDICULAR CENTRAL LINE REPRESENTS MEAN TIME, AND THE CURVED LINE SOLAR TIME, AT MEAN NOON. (Borrowed, by permission, from the *Popular science monthly*.)

seen from the accompanying diagram; and what is meant by the equation of time, which is nothing more than the difference between mean time and

solar time, may be seen by a glance, and is given by the length of a horizontal line running from the vertical line through the zero of the scale, to a point on the curve corresponding to the date for which the equation of time is desired. For all ordinary purposes, the diagram is sufficiently accurate; although, of course, it has not all the refinements which might be suggested, as, in fact, a single diagram could not be given for all years.

NEW MAPS OF THE HEAVENS.

*"Nature and Nature's laws lay hid in night.
God said, 'Let Newton be!' and all was light."*

POPE.

THE accompanying maps represent the heavens from the north pole to 30° south of the equator, and include all stars to the $4\frac{1}{2}$ magnitude inclusive. In some instances those of the $4\frac{1}{2}$ magnitude have been incorporated for the sake of configuration, and convenience of identification.

The maps also include portions of the milky way, the paths of the planets during the year, with their location in these paths at certain definite intervals. From these the position of any planet for any date can be obtained with sufficient accuracy for finding-purposes.

The numbers around the circumference of the circular map, and at the top and bottom of the rectangular maps, indicate hours of right ascension; and the other figures along the line of 0 and 12 hours, every ten degrees of declination. The curving line represents the ecliptic or apparent path of the sun in the heavens.

The months at the borders indicate the part of the heavens that would be on the meridian at nine o'clock in the evening at the various times expressed. Thus, on Jan. 1, the stars along the line of 3.7 hours would be crossing the meridian at nine o'clock in the evening, and on Feb. 1 those on the meridian of 5.8 hours, etc.

RATES OF DOMESTIC POSTAGE.

Letters and all other written matter, whether sealed or unsealed, and all other matter sealed, nailed, sewed, tied, or fastened in any manner, so that it cannot be easily examined, per half-ounce, or fraction thereof, 2 cents; *postal-cards*, each 1 cent; *printed matter* (except newspapers and periodicals), in unsealed wrappers only, each two ounces, or fraction thereof, 1 cent (limit of weight four pounds, except for a single book, which may weigh more; prepayment compulsory); *newspapers and periodicals*, in unsealed wrappers, each four ounces, or fraction thereof, 1 cent; *mailable merchandise*, in packages easily opened for examination, per ounce, or fraction thereof, 1 cent (limit of weight four pounds; prepayment compulsory); registration-fee on letters or other articles, 10 cents.







DIAGRAM SHOWING COMPARISON OF MEAN (OR CLOCK) TIME WITH SOLAR (OR APPARENT) TIME AT THE SEVERAL SEASONS OF THE YEAR. THE PERPENDICULAR CENTRAL LINE REPRESENTS MEAN TIME, AND THE CURVED LINE SOLAR TIME, AT MEAN NOON. (Borrowed, by permission, from the *Popular science monthly*.)








NORTHERN HEAVENS WITHIN 60° OF THE POLE.



MAP II. THE EQUATORIAL REGIONS BETWEEN 30°N AND 30°S.



MAP III. THE EQUATORIAL REGIONS BETWEEN 30°N AND 30°S.



STANDARD TIME.

FOR the convenience of the travelling public, there have been adopted by the railroads of the United States and the Dominion of Canada, and to a certain extent by the municipalities of the two countries, five different standards of time, extending from Nova Scotia to the Pacific coast, being as follows:—

NAME.	Central meridian.
Intercolonial	60° = 4 ^h west from Greenwich.
Eastern	75° = 5 ^h “ “ “
Central	90° = 6 ^h “ “ “
Mountain	105° = 7 ^h “ “ “
Pacific	120° = 8 ^h “ “ “

The calculations of this almanac are given in *local mean time*, except where otherwise stated. To change to ‘standard time,’ apply a *plus* or *minus* correction, to be found by subtracting the central longitude of the adopted standard from the longitude of the place, reduced to time.

For example: the standard of Boston is the ‘Eastern’ one, carrying (as per schedule above) the longitude of 75°, or 5 hours, which, subtracted from Boston’s longitude, 71° 4′ = 4^h 44^m, gives a *minus* result of 3° 56′, or 16 minutes, to be *subtracted* from the printed mean-time values for Boston.


Again: the standard for St. Paul—the ‘Central’ one—is 6 hours, which, subtracted from St. Paul’s longitude of 6^h 12^m, leaves a correction of 12 minutes to be *added*, in order to change to St. Paul’s standard.

The following table gives the correction for a number of the principal cities of the continent:—

STANDARD TIME-TABLE.

Correction to be applied to local mean time to obtain standard time.


	Standard.	Correc- tion.		Standard.	Correc- tion.		Standard.	Correc- tion.
		M.			M.			M.
Eastport, Me.	Intercolonial.	+28	Erie, Penn.	Central.	-40	Jacksonville, Fla.	Central.	-33
Bangor, Me.	Eastern.	-25	Cleveland, O.	“	-33	Pensacola, Fla.	“	-11
Augusta, Me.	“	-21	Columbus, O.	“	-28	Lexington, Ky.	“	-23
Portland, Me.	“	-19	Toledo, O.	“	-26	Louisville, Ky.	“	-18
Concord, N.H.	“	-14	Cincinnati, O.	“	-22	Knoxville, Tenn.	“	-24
Manchester, N.H.	“	-14	Detroit, Mich.	“	-28	Nashville, Tenn.	“	-13
Montpelier, Vt.	“	-10	Lansing, Mich.	“	-22	Memphis, Tenn.	“	-
Burlington, Vt.	“	-7	Grand Haven, Mich.	“	-15	Montgomery, Ala.	“	-15
Boston, Mass.	“	-16	Fort Wayne, Ind.	“	-19	Huntsville, Ala.	“	-13
Springfield, Mass.	“	-10	Indianapolis, Ind.	“	-16	Mobile, Ala.	“	-8
Northampton, Mass.	“	-9	Chicago, Ill.	“	-10	Holly Springs, Miss.	“	-2
Newport, R.I.	“	-15	Cairo, Ill.	“	-3	Jackson, Miss.	“	+1
Providence, R.I.	“	-14	Springfield, Ill.	“	-2	New Orleans, La.	“	-
Hartford, Conn.	“	-9	Galena, Ill.	“	+2	Shreveport, La.	“	+15
New Haven, Conn.	“	-8	Quincy, Ill.	“	+6	Little Rock, Ark.	“	+9
Albany, N.Y.	“	-5	Milwaukee, Wis.	“	-8	Fort Gibson, Ind. Ter.	“	+21
New York, N.Y.	“	-4	Janesville, Wis.	“	-4	Galveston, Tex.	“	+19
Utica, N.Y.	“	+1	Madison, Wis.	“	-3	Houston, Tex.	“	+21
Syracuse, N.Y.	“	+5	Superior City, Wis.	“	+8	Dallas, Tex.	“	+27
Rochester, N.Y.	“	+11	Dubuque, Io.	“	+3	Austin, Tex.	“	+31
Buffalo, N.Y.	“	+16	Davenport, Io.	“	+3	San Antonio, Tex.	“	+34
Newark, N.J.	“	-3	Des Moines, Io.	“	+14	Cheyenne, Wyoming.	Mountain.	-1
Trenton, N.J.	“	-1	Duluth, Minn.	“	+9	Denver, Col.	“	-
Philadelphia, Penn.	“	+1	St. Paul, Minn.	“	+12	Santa Fé, N. Mex.	“	+4
Harrisburg, Penn.	“	+7	Minneapolis, Minn.	“	+13	Helena, Montana	“	+28
Pittsburg, Penn.	“	+20	St. Louis, Mo.	“	+1	Salt Lake City, Utah	“	+28
Wilmington, Del.	“	+2	Jefferson City, Mo.	“	+9	Virginia City, Nev.	Pacific.	-2
Baltimore, Md.	“	+6	Kansas City, Mo.	“	+18	San Diego, Cal.	“	-11
Washington, D.C.	“	+8	St. Joseph, Mo.	“	+19	Sacramento, Cal.	“	+6
Norfolk, Va.	“	+5	Lawrence, Kan.	“	+21	San Francisco, Cal.	“	+10
Richmond, Va.	“	+10	Topeka, Kan.	“	+23	Olympia, Wash. Ter.	“	+11
Lynchburg, Va.	“	+17	Omaha, Neb.	“	+24	Portland, Ore.	“	+11
Wheeling, W. Va.	“	+23	Lincoln, Neb.	“	+27			-
Wilmington, N.C.	“	+12	Yankton, Dakota	“	+29	Quebec, Quebec	Eastern.	-15
Raleigh, N.C.	“	+15	Bismark, Dakota	“	+43	Montreal, Quebec	“	-6
Charleston, S.C.	“	+20	Savannah, Ga.	“	-36	Ottawa, Ontario	“	+3
Columbia, S.C.	“	+24	Milledgeville, Ga.	“	-27	Toronto, Ontario	“	+18



THE SUN AND THE PLANETS, THEIR COMPARATIVE DIMENSIONS.

THE accompanying illustration (borrowed from Guillemin's 'Le ciel') shows at a glance the relative size of the sun and planets. The sun is represented in an abnormally spotted condition, it being doubtful whether he ever displays so pitted a face. The small planets, or asteroids, one or more of which are discovered each month, could not be represented on so small a scale, as they would be invisible, the actual diameters of some not being more than a few miles. The overwhelming size of the sun is well brought out; its volume is six hundred times that of all the planets; and, if placed in a balance, it would outweigh seven hundred and forty times their total mass. The following table shows the relative masses and densities of the planets:—

PLANETS.	MASS.	DENSITY.	PLANETS.	MASS.	DENSITY.	PLANETS.	MASS.	DENSITY.	PLANETS.	MASS.	DENSITY.
Mercury . .	0.075	1.376	Earth . . .	1.000	1.000	Jupiter . .	309.028	0.243	Uranus . . .	18.542	0.220
Venus . . .	0.787	0.905	Mars . . .	0.109	0.692	Saturn . . .	92.394	0.133	Neptune . .	15.771	0.211



MAP OF THE SOLAR SYSTEM.

THE orbits of the five inner planets and of many of the periodic comets are given in the accompanying diagram, which is drawn approximately to scale, the orbits of the satellites being enlarged to prevent confusion. Saturn would appear at a distance of 3.62 inches from the sun, if its orbit were drawn on the same scale, Uranus at a distance of 7.29 inches, and Neptune at a distance of 12.28 inches. The shaded portion indicates the region within which the asteroids, or smaller planets, are found; and the orbit of the largest of these, and those longest known, — Vesta, Ceres, Pallas, and Juno, — are given. The earth has one moon; Mars, two; Jupiter, four; Saturn, eight; Uranus, four; and Neptune, one. Ceres, the first asteroid, was found in 1801, Pallas in 1802, Juno in 1804, and Vesta in 1807. The first asteroids discovered ranged between 300 and 600 kilometres in diameter; while the smaller ones, which have been more recently found, often are not more than from 20 to 50 kilometres in diameter (10 to 25 miles). The distance of the sun from the earth is said to be 92,500,000 miles; and the distance of the nearest fixed star, if given on the same scale as the diagram, would be 78,000 inches (about a mile and a quarter).

SHAKSPEARE.

*"Announced by all the trumpets of the sky,
Arrives the snow, and, driving o'er the fields,
Seems nowhere to alight. . . . The housemates sit
Around the radiant fireplace, enclosed
In a tumultuous privacy of storm."* EMERSON.

JANUARY, 1885.

Mean time is used unless otherwise specified.				PLANETARY PHENOMENA.	LATITUDE OF BOSTON.			LATITUDE OF WASHINGTON.			LATITUDE OF CHARLESTON, S.C.			HIGH WATER, NEW YORK. (Standard Time.)		First Month. 31 Days.	
Day of Month.	Day of Week.	Moon's Constellation.			Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Morn. H. M.	Eve. H. M.	BIRTHDAYS OF SCIENTIFIC CELEBRITIES.	
1	1	Th.	♈	♁ 1st. Algenib s. 5.20 A.	7 30	4 39	5 41	7 19	4 49	5 50	7 3	5 6	6 2	7 53	8 35	1810. — Charles Ellet, American engineer.	
2	2	Fr.	♈	Venus rises 5.8 M.	7 30	4 40	6 52	7 19	4 50	6 59	7 3	5 7	7 10	8 43	9 21	1822. — R. J. E. Clausius, German physicist.	
3	3	Sa.	♈	♁ ♀ ☉ inferior.	7 30	4 41	8 2	7 19	4 51	8 8	7 3	5 7	8 16	9 32	10 14	1819. — Piazzi Smyth, Scotch astronomer.	
1. Sunday after New Year.				Day's Length:	9h. 12m.			9h. 53m.			10h. 5m.						
4	4	Su.	♈	♁ ♀ ☉	7 30	4 42	9 11	7 19	4 52	9 15	7 3	5 8	9 19	10 21	11 8	1743. — Sir Joseph Banks, English naturalist.	
5	5	M.	♈	Polaris s. 6.18 A.	7 30	4 43	10 18	7 19	4 53	10 20	7 4	5 9	10 21	11 8	11 8	1643. — Sir Isaac Newton, Eng. mathematician.	
6	6	Tu.	♈	♁ stationary; ♁ ☉ ♁.	7 30	4 44	11 22	7 19	4 54	11 22	7 4	5 10	11 21	0 2	0 0	1818. — Thomas Hill, American mathematician.	
7	7	W.	♈	♁ 7th. ☉ in ♈.	7 29	4 45	Morn.	7 19	4 55	Morn.	7 4	5 11	Morn.	0 54	0 53	1825. — J. E. Hilgard, American geodesist.	
8	8	Th.	♈	Mars sets 5.25 A.	7 29	4 46	0 23	7 19	4 56	0 21	7 4	5 11	0 17	1 53	1 49	1833. — Sir Henry Roscoe, English chemist.	
9	9	Fr.	♈	♁ gr. Hel. Lat. N.	7 29	4 47	1 23	7 19	4 57	1 20	7 4	5 12	1 13	2 54	2 51		
10	10	Sa.	♈	Achernar s. 6.11 A.	7 29	4 48	2 22	7 19	4 58	2 17	7 4	5 13	2 8	3 54	3 55	1808. — Wilhelm Schimper, German botanist.	
2. 1st Sunday after Epiphany.				Day's Length:	9h. 21m.			9h. 41m.			10h. 11m.						
11	11	Su.	♈	Hamel s. 6.34 A.	7 28	4 49	3 18	7 18	4 59	3 12	7 3	5 14	3 1	4 51	4 58	1825. — William Spottiswoode, Eng. physicist.	
12	12	M.	♈	Jupiter rises 8.23 A.	7 28	4 50	4 11	7 18	5 0	4 4	7 3	5 15	3 51	5 40	5 54	1825. — Bayard Taylor, American traveller.	
13	13	Tu.	♈	♁ ♀ ☉; ☉ in apogee.	7 28	4 51	5 1	7 18	5 1	4 53	7 3	5 16	4 40	6 24	6 41	1716. — Don Antonio de Ulloa, Span. physicist.	
14	14	W.	♈	♁ ♀ ☉; ☉ stationary.	7 27	4 53	5 49	7 18	5 2	5 41	7 3	5 17	5 28	7 0	7 22	1801. — Adolphe T. Brongniart, French botanist.	
15	15	Th.	♈	Algol s. 7.18 A.	7 27	4 54	6 34	7 17	5 3	6 26	7 3	5 18	6 14	7 35	7 57	1861. — M. F. Maury, American hydrographer.	
16	16	Fr.	♈	♁ 16th. ☉ ♀ ☉.	7 26	4 55	Sets.	7 17	5 4	Sets.	7 2	5 19	Sets.	8 4	8 29	1780. — Parker Cleaveland, Amer. mineralogist.	
17	17	Sa.	♈	Aldebaran s. 8.39 A.	7 26	4 56	6 33	7 16	5 5	6 39	7 2	5 19	6 49	8 31	9 0	1706. — Benjamin Franklin, Amer. philosopher.	
3. 2d Sunday after Epiphany.				Day's Length:	9h. 32m.			9h. 50m.			10h. 18m.						
18	18	Su.	♈	Saturn sets 4.31 M.	7 25	4 57	7 33	7 15	5 6	7 38	7 2	5 20	7 44	8 58	9 33	1825. — E. Frankland, English chemist.	
19	19	M.	♈	Capella s. 9.10 A.	7 24	4 58	8 33	7 15	5 8	8 36	7 1	5 21	8 40	9 30	10 7	1735. — James Watt, Scotch mechan. engineer.	
20	20	Tu.	♈	Rigel s. 9.7 A.	7 24	5 0	9 34	7 15	5 9	9 35	7 1	5 22	9 36	10 5	10 43	1775. — A. M. Ampère, French physicist.	
21	21	W.	♈	☉ in ♈.	7 23	5 1	10 37	7 14	5 10	10 37	7 1	5 23	10 34	10 42	11 28	1813. — John C. Fremont, Am. eng. and explorer.	
22	22	Th.	♈	Canopus s. 10.11 A.	7 22	5 2	11 42	7 14	5 11	11 40	7 0	5 24	11 35	11 24	12 4	1798. — Charles Davies, Amer. mathematician.	
23	23	Fr.	♈	♁ 23d. Uranus rises 9.58 A.	7 22	5 4	Morn.	7 13	5 12	Morn.	7 0	5 25	Morn.	0 21	0 16	1796. — F. J. Hugl, Swiss alpinist.	
24	24	Sa.	♈	♁ ♀ ♀; ☉ ♀ ☉.	7 21	5 5	0 48	7 12	5 13	0 40	6 59	5 26	0 36	1 18	1 17	1761. — Robert Hare, American chemist.	
4. 3d Sunday after Epiphany.				Day's Length:	9h. 45m.			10h. 2m.			10h. 28m.						
25	25	Su.	♈	Sirius s. 10.18 A.	7 21	5 6	1 55	7 12	5 14	1 49	6 59	5 27	1 40	2 26	2 30	1767. — Robert Boyle, Irish physicist.	
26	26	M.	♈	♁ gr. elong. W. 24° 53'; ☉ ♀ ☉.	7 20	5 7	3 2	7 11	5 15	2 55	6 58	5 28	2 44	3 38	3 51	1626. — J. L. Lagrange, French mathematician.	
27	27	Tu.	♈	Neptune sets 1.41 M.	7 18	5 9	4 7	7 10	5 17	3 59	6 58	5 29	3 46	4 49	5 8	1799. — S. G. Morton, American ethnologist.	
28	28	W.	♈	☉ in perigee.	7 17	5 10	5 8	7 10	5 18	5 1	6 57	5 30	4 47	5 51	6 17	1608. — G. A. Borelli, Italian mathematician.	
29	29	Th.	♈	♁ stationary.	7 16	5 11	6 2	7 9	5 19	5 56	6 57	5 31	5 44	6 47	7 17	1683. — Emanuel Swedenborg, Swedish philos.	
30	30	Fr.	♈	♁ 30th. ☉ in ♈.	7 15	5 13	Rises.	7 8	5 20	Rises.	6 56	5 32	Rises.	7 39	8 11	1700. — Daniel Bernoulli, Swiss mathematician.	
31	31	Sa.	♈	♁ ♀ ☉.	7 14	5 14	6 47	7 7	5 21	6 53	6 55	5 33	6 57	8 27	9 2		
MOON'S PHASES. (Standard Time.)				EASTERN.	CENTRAL.	MOUNTAIN.		PACIFIC.		A BRIEF GUIDE TO THE DECADE.							
				d. h. m.	d. h. m.	d. h. m.		d. h. m.		Jan. 1, 1880, fell on Thursday.				Jan. 1, 1886, will fall on Friday.			
FULL MOON				1 0 26 M.						" 1881, " " Saturday.				" 1887, " " " Saturday.			
LAST QUARTER				7 10 36 A.	7 9 36 A.	7 8 36 A.		7 7 36 A.		" 1882, " " Sunday.				" 1888, " " " Sunday.			
NEW MOON				16 3 36 M.	16 2 36 M.	16 1 36 M.		16 0 36 M.		" 1883, " " Monday.				" 1889, " " " Tuesday.			
FIRST QUARTER				23 8 26 A.	23 7 26 A.	23 6 26 A.		23 5 26 A.		" 1884, " " Tuesday.				" 1890, " " " Wednesday.			
FULL MOON				30 11 19 M.	30 10 19 M.	30 9 19 M.		30 8 19 M.									

"The wintry west extends his blast,
And hail and rain does blow;
Or the stormy north sends driving forth
The blinding sleet and snow."

BURNS.

FEBRUARY, 1885.

"And once I learned how marvellous winter was,
When past the fence-rails, downy-gray with rime,
I creaked adventurous o'er the spangled crust
That made familiar fields seem far and strange."

LOWELL.

Mean time is used unless otherwise specified.				PLANETARY PHENOMENA.	LATITUDE OF BOSTON.			LATITUDE OF WASHINGTON.			LATITUDE OF CHARLESTON, S.C.			HIGH WATER, NEW YORK. (Standard Time.)		Second Month. 28 Days.
Day of Year.	Day of Month.	Day of Week.	Moon's Constellation.		Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Morn. H. M.	Eve. H. M.	
5. Septuagesima Sunday.				Day's Length:	roh. 2m.			roh. 16m.			roh. 39m.					BIRTHDAYS OF SCIENTIFIC CELEBRITIES.
32	1	Su.	♈	♈ in ♈.	7 13	5 15	7 57	7 6	5 22	8 0	6 55	5 34	8 2	9 12	9 49	
33	2	M.	♈	♈ in ♈.	7 12	5 17	9 4	7 5	5 24	9 5	6 54	5 35	9 5	9 56	10 37	
34	3	Tu.	♈	Venus rises 5.59 M.	7 11	5 18	10 8	7 4	5 25	10 7	6 54	5 36	10 4	10 44	11 21	
35	4	W.	♈	♈ gr. Hel. Lat. S.; ♈ in ♈.	7 10	5 19	11 10	7 3	5 26	11 7	6 53	5 36	11 2	11 28	12 0	
36	5	Th.	♈	♈ in ♈.	7 9	5 20	Morn.	7 2	5 27	Morn.	6 52	5 37	11 58	12 0	12 14	
37	6	Fr.	♈	♈ 6th. Aldebaran s. 7.20 A.	7 8	5 22	0 10	7 1	5 28	0 6	6 51	5 38	Morn.	1 5	1 6	
38	7	Sa.	♈	♈ Capella s. 7.55 A.	7 7	5 23	1 7	7 0	5 29	1 1	6 50	5 39	0 52	2 4	2 7	
6. Sexagesima Sunday.				Day's Length:	roh. 19m.			roh. 31m.			roh. 51m.					BIRTHDAYS OF SCIENTIFIC CELEBRITIES.
39	8	Su.	♈	♈ in ♈.	7 5	5 24	2 2	6 59	5 30	1 56	6 49	5 40	1 44	3 8	3 16	
40	9	M.	♈	♈ in apogee.	7 4	5 26	2 55	6 58	5 32	2 48	6 49	5 41	2 34	4 9	4 23	
41	10	Tu.	♈	Mars sets 5.26 A.	7 3	5 27	3 44	6 57	5 33	3 36	6 48	5 42	3 23	5 3	5 22	
42	11	W.	♈	♈ in ♈.	7 1	5 28	4 29	6 56	5 34	4 22	6 47	5 43	4 9	5 49	6 9	
43	12	Th.	♈	♈ in aphelion.	7 0	5 30	5 11	6 55	5 35	5 5	6 46	5 44	4 53	6 29	6 49	
44	13	Fr.	♈	♈ 14th. ♈ in ♈.	6 58	5 31	5 50	6 53	5 36	5 45	6 45	5 45	5 35	7 4	7 26	
45	14	Sa.	♈	♈ 14th. ♈ in ♈.	6 57	5 32	Sets.	6 52	5 38	Sets.	6 44	5 45	Sets.	7 34	7 59	
7. Quinquagesima (Shrove Sunday).				Day's Length:	roh. 37m.			roh. 47m.			roh. 3m.					BIRTHDAYS OF SCIENTIFIC CELEBRITIES.
46	15	Su.	♈	Jupiter rises 5.51 A.	6 56	5 33	6 25	6 51	5 38	6 29	6 43	5 46	6 33	8 4	8 34	
47	16	M.	♈	♈ stationary.	6 55	5 35	7 27	6 50	5 39	7 29	6 42	5 47	7 31	8 38	9 5	
48	17	Tu.	♈	♈ in ♈.	6 53	5 36	8 30	6 48	5 41	8 30	6 41	5 48	8 29	9 10	9 39	
49	18	W.	♈	♈ in ♈.	6 52	5 37	9 34	6 47	5 42	9 32	6 40	5 49	9 28	9 45	10 18	
50	19	Th.	♈	Rigel s. 7.9 A.	6 50	5 38	10 40	6 46	5 43	10 37	6 39	5 50	10 30	10 24	11 4	
51	20	Fr.	♈	♈ in ♈.	6 49	5 40	11 46	6 44	5 44	11 41	6 38	5 51	11 32	11 9	11 55	
52	21	Sa.	♈	♈ 22d. Saturn sets 2.15 M.	6 47	5 41	Morn.	6 43	5 45	Morn.	6 37	5 51	Morn.	11 0	12 2	
8. First Sunday in Lent.				Day's Length:	roh. 56m.			roh. 4m.			roh. 16m.					BIRTHDAYS OF SCIENTIFIC CELEBRITIES.
53	22	Su.	♈	♈ in ♈.	6 46	5 42	0 52	6 42	5 46	0 46	6 36	5 52	0 35	0 55	1 8	
54	23	M.	♈	Uranus rises 7.52 A.	6 44	5 43	1 56	6 40	5 47	1 49	6 34	5 53	1 36	2 7	2 29	
55	24	Tu.	♈	Canopus s. 8.1 A.	6 43	5 45	2 56	6 39	5 48	2 48	6 33	5 54	2 35	3 24	3 54	
56	25	W.	♈	♈ in perigee.	6 41	5 46	3 51	6 38	5 49	3 44	6 32	5 55	3 31	4 36	5 8	
57	26	Th.	♈	Neptune sets 11.41 A.	6 40	5 47	4 41	6 36	5 50	4 35	6 31	5 56	4 24	5 38	6 12	
58	27	Fr.	♈	♈ in ♈.	6 38	5 48	5 25	6 35	5 51	5 21	6 30	5 56	5 12	6 33	7 4	
59	28	Sa.	♈	♈ 28th. ♈ in perihelion.	6 36	5 50	Rises.	6 33	5 52	Rises.	6 29	5 57	Rises.	7 22	7 53	
MOON'S PHASES. (Standard Time.)				EASTERN.		CENTRAL.		MOUNTAIN.		PACIFIC.		A BRIEF GUIDE TO THE DECADE.				
				d. h. m.		d. h. m.		d. h. m.		d. h. m.		Feb. 1, 1880, fell on Sunday.				
LAST QUARTER				6 5 37 A.		6 4 37 A.		6 3 37 A.		6 2 37 A.		Feb. 1, 1886, will fall on Monday.				
NEW MOON				14 9 22 A.		14 8 22 A.		14 7 22 A.		14 6 22 A.		Feb. 1, 1887, " " " Tuesday.				
FIRST QUARTER				22 5 31 M.		22 4 31 M.		22 3 31 M.		22 2 31 M.		Feb. 1, 1888, " " " Wednesday.				
FULL MOON				28 11 0 A.		28 10 0 A.		28 9 0 A.		28 8 0 A.		Feb. 1, 1889, " " " Friday.				
												Feb. 1, 1890, " " " Saturday.				

"And every plaine was pclothed faire
With newe greene, and maketh sinale floures
To springen here and there in fiel e and mede :
So deerp good and wholesome be the shouces."

CHAUCER.

APRIL, 1885.

"Lodged in sunny cleft,
Where the cold breezes come not, blooms alone
The little wind-flower, whose just opened eye
Is blue as the spring heaven it gazes at,
Startling the loiterer in the naked groves
With unexpected beauty."

BRVANT.

Mean time is used unless otherwise specified.				PLANETARY PHENOMENA.	LATITUDE OF BOSTON.			LATITUDE OF WASHINGTON.			LATITUDE OF CHARLESTON, S.C.			HIGH WATER, NEW YORK. (Standard Time.)		Fourth Month. 30 Days.	
Day of Year.	Day of Month.	Day of Week.	Moon's Constellation.		Sun Rises.	Sun Sets.	Moon Rises.	Sun Rises.	Sun Sets.	Moon Rises.	Sun Rises.	Sun Sets.	Moon Rises.	Morn.	Eve.	BIRTHDAYS OF SCIENTIFIC CELEBRITIES.	
91	1	W.	♈	Regulus s. 9.20 A.	5 42	6 26	8 40	5 44	6 24	8 36	5 47	6 20	8 28	9 8	9 29	1744. — J. B. Lamarck, French zoölogist. 1764. — E. F. Schlotheim, Ger. paleontologist. 1793. — Dionysius Lardner, Irish physicist. 1809. — Benjamin Peirce, Amer. mathematician. 1823. — Sir William Siemens, Eng. physicist.	
92	2	Th.	♈	Venus rises 5.33 M.	5 40	6 28	9 39	5 43	6 25	9 33	5 46	6 21	9 23	9 47	10 7		
93	3	Fr.	♈	Pollux s. 6.48 A.	5 38	6 29	10 35	5 41	6 26	10 28	5 45	6 22	10 16	10 26	10 45		
94	4	Sa.	♈	Denebola s. 10.49 A.	5 36	6 30	11 28	5 39	6 27	11 20	5 44	6 23	11 7	11 7	11 26		
14. Easter Sunday.				Day's Length:	12h. 56m.			12h. 50m.			12h. 41m.					1768. — Diedrich Karsten, Ger. mineralogist. 1727. — M. Adanson, French naturalist. 1732. — David Rittenhouse, Amer. astronomer. 1814. — C. J. Malmsten, Swedish mathematician. 1804. — O. L. Erdmann, German chemist.	
95	5	Su.	♈	Spica s. 0.24 M.	5 35	6 31	Morn.	5 38	6 28	Morn.	5 42	6 23	11 56	11 53	...		
96	6	M.	♈	♄ in apogee.	5 33	6 32	0 17	5 36	6 29	0 9	5 41	6 24	Morn.	0 12	0 47		
97	7	Tu.	♈	♄ 7th. ♄ gr. He' Lat. N.	5 31	6 33	1 1	5 35	6 30	0 54	5 40	6 25	0 41	1 3	1 49		
98	8	W.	♈	♄ gr. elong. E. 19' 26'.	5 30	6 34	1 41	5 33	6 31	1 35	5 38	6 25	1 23	1 58	2 53		
99	9	Th.	♈	Mars rises 5.10 M.	5 28	6 35	2 19	5 32	6 32	2 14	5 37	6 26	2 4	2 59	3 53		
100	10	Fr.	♈	Arcturus s. 0.56 M.	5 26	6 36	2 54	5 30	6 33	2 50	5 36	6 27	2 43	3 55	4 40		
101	11	Sa.	♈	Alphacca s. 2.11 M.	5 25	6 38	3 27	5 29	6 34	3 25	5 35	6 28	3 20	4 53	5 24		
15. Low Sunday.				Day's Length:	13h. 16m.			13h. 8m.			12h. 55m.						
102	12	Su.	♈	Jupiter sets 3.19 M.	5 23	6 39	3 59	5 27	6 35	3 58	5 33	6 28	3 56	5 48	6 7	1773. — Thomas Thomson, English chemist. 1743. — Thos. Jefferson, Am. statesman and nat. 1629. — C. Huyghens, Dutch physicist. 1772. — E. G. Saint-Hilaire, French zoölogist. 1800. — James C. Ross, Brit. Arctic navigator. 1794. — K. F. P. Martius, German botanist. 1822. — A. Petermann, German geographer. 1795. — C. G. Ehrenberg, German naturalist. 1824. — Jules Marcou, Swiss and Am. geologist. 1807. — L. Palmieri, Italian physicist. 1724. — Immanuel Kant, German philosopher. 1798. — Sir W. E. Logan, Canadian geologist.	
103	13	M.	♈	♄ ♄; ♄ in ♄.	5 21	6 40	4 31	5 26	6 36	4 32	5 32	6 29	4 32	6 22	6 49		
104	14	Tu.	♈	♄ 14th. ♄ ♄.	5 20	6 41	5 5	5 24	6 37	5 8	5 31	6 30	5 11	7 5	7 31		
105	15	W.	♈	♄ 15th. ♄ ♄.	5 18	6 42	Sets.	5 23	6 38	Sets.	5 30	6 30	Sets.	7 48	8 14		
106	16	Th.	♈	♄ ♄.	5 17	6 43	8 31	5 21	6 38	8 26	5 29	6 31	8 16	8 33	8 58		
107	17	Fr.	♈	♄ stationary.	5 15	6 44	9 40	5 20	6 39	9 33	5 27	6 32	9 21	9 20	9 44		
108	18	Sa.	♈	♄ ♄; ♄ in per gee.	5 14	6 45	10 45	5 19	6 40	10 37	5 26	6 32	10 24	10 12	10 34		
16. 2d Sunday after Easter.				Day's Length:	13h. 34m.			13h. 24m.			13h. 8m.						
109	19	Su.	♈	Saturn sets 10.43 A.	5 12	6 46	11 43	5 17	6 41	11 35	5 25	6 33	11 22	11 9	11 30	1825. — C. G. Ehrenberg, German naturalist. 1794. — Jules Marcou, Swiss and Am. geologist. 1807. — L. Palmieri, Italian physicist. 1724. — Immanuel Kant, German philosopher. 1798. — Sir W. E. Logan, Canadian geologist. 1819. — Otto W. Struve, Russian astronomer.	
110	20	M.	♈	Antares s. 2.28 M.	5 10	6 48	Morn.	5 16	6 42	Morn.	5 24	6 34	Morn.	...	0 15		
111	21	Tu.	♈	♄ 21st. ♄ station ary.	5 9	6 49	0 35	5 14	6 43	0 28	5 23	6 35	0 16	0 32	1 29		
112	22	W.	♈	Vega s. 4.31 M.	5 7	6 50	1 22	5 13	6 44	1 17	5 22	6 35	1 6	1 41	2 46		
113	23	Th.	♈	♄ ♄.	5 6	6 51	2 2	5 12	6 45	1 58	5 21	6 36	1 50	2 52	3 55		
114	24	Fr.	♈	Uranus sets 3.52 M.	5 4	6 52	2 38	5 10	6 46	2 36	5 20	6 37	2 31	3 59	4 52		
115	25	Sa.	♈	♄ ♄.	5 3	6 53	3 12	5 9	6 47	3 12	5 19	6 37	3 9	5 4	5 43		
17. 3d Sunday after Easter.				Day's Length:	13h. 53m.			13h. 40m.			13h. 21m.						
116	26	Su.	♈	♄ in ♄.	5 1	6 54	3 45	5 8	6 48	3 46	5 17	6 38	3 47	5 56	6 29	1774. — C. L. von Buch, German geologist. 1791. — S. F. B. Morse, American electrician. 1782. — William Darlington, American botanist. 1811. — J. W. Bailey, American microscopist. 1834. — Sir J. Lubbock, English naturalist.	
117	27	M.	♈	♄ ♄ inferior.	5 0	6 55	4 17	5 7	6 49	4 20	5 16	6 39	4 23	6 44	7 10		
118	28	Tu.	♈	♄ 28th. ♄ ♄.	4 59	6 56	4 48	5 5	6 50	4 53	5 15	6 40	4 59	7 26	7 48		
119	29	W.	♈	♄ 29th. Neptune: ets 7.46 A.	4 57	6 58	Rises.	5 4	6 51	Rises.	5 14	6 41	Rises.	8 2	8 28		
120	30	Th.	♈	♄ in ♄.	4 56	6 59	8 24	5 3	6 52	8 18	5 13	6 41	8 6	8 47	9 3		
MOON'S PHASES. (Standard Time.)				EASTERN.		CENTRAL.		MOUNTAIN.		PACIFIC.		A BRIEF GUIDE TO THE DECADE.					
				d.	h. m.	d.	h. m.	d.	h. m.	d.	h. m.	April 1, 1880, fell on Thursday.		April 1, 1886, will fall on Thursday.			
LAST QUARTER				7	9 42 M.	7	42 M.	7	7 42 M.	7	6 42 M.	" 1881, " " Friday.	" 1887, " " " Friday.	" 1887, " " " Friday.	" 1887, " " " Friday.	" 1887, " " " Friday.	" 1887, " " " Friday.
NEW MOON				15	0 52 M.	14	11 52 A.	14	10 52 A.	14	9 52 A.	" 1882, " " Saturday.	" 1888, " " " Sunday.	" 1888, " " " Sunday.	" 1888, " " " Sunday.	" 1888, " " " Sunday.	" 1888, " " " Sunday.
FIRST QUARTER				21	6 20 A.	21	5 20 A.	21	4 20 A.	21	3 20 A.	" 1883, " " Sunday.	" 1889, " " " Monday.	" 1889, " " " Monday.	" 1889, " " " Monday.	" 1889, " " " Monday.	" 1889, " " " Monday.
FULL MOON				29	1 14 M.	29	0 14 M.	28	11 14 A.	28	10 14 A.	" 1884, " " Tuesday.	" 1890, " " " Tuesday.	" 1890, " " " Tuesday.	" 1890, " " " Tuesday.	" 1890, " " " Tuesday.	" 1890, " " " Tuesday.

"A violet by a mossy stone
Half hidden from the eye!
Fair as a star, when only one
Is shining in the sky."

WORDSWORTH.

MAY, 1885.

"For half our May's so awfully like mayn't,
'Twould rile a Shaker or an evrige saint;
Though I own up I like our back'ard springs
Thet kind o' haggle with their greens an' things,
An' when you most give up 'thout more words
Toss the fields full o' blossoms, leaves, an' birds." LOWELL.

Mean time is used unless otherwise specified.				PLANETARY PHENOMENA.			LATITUDE OF BOSTON.			LATITUDE OF WASHINGTON.			LATITUDE OF CHARLESTON, S.C.			HIGH WATER, NEW YORK. (Standard Time.)		Fifth Month. 31 Days.	
Day of Year.	Day of Month.	Day of Week.	Moon's Constellation.				Sun Rises.	Sun Sets.	Moon Rises.	Sun Rises.	Sun Sets.	Moon Rises.	Sun Rises.	Sun Sets.	Moon Rises.	Morn.	Eve.	BIRTHDAYS OF SCIENTIFIC CELEBRITIES.	
H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.		
121	1	Fr.		Regulus s. 7.22 A.			4 54	7 0	9 19	5 2	6 53	9 12	5 12	6 42	8 59	9 23	9 37		
122	2	Sa.		Venus rises 5.6 M.			4 53	7 1	10 10	5 0	6 54	10 2	5 11	6 43	9 49	10 1	10 10		
18. 4th Sunday after Easter.				Day's Length:			14h. 10m.			13h. 56m.			13h. 33m.						
123	3	Su.	†	Denebola s. 8.55 A.			4 52	7 2	10 57	4 59	6 55	10 49	5 10	6 43	10 36	10 39	10 44	{ 1797. — H. K. W. Berghaus, Ger. geographer.	
124	4	M.	†	♀ ☽ superior; ☾ in apogee.			4 50	7 3	11 40	4 58	6 56	11 33	5 9	6 44	11 21	11 22	11 23	{ 1809. — L. G. de Koninck, Belg. paleontologist.	
125	5	Tu.	†	Spica s. 10.23 A.			4 49	7 4	Morn.	4 57	6 57	Morn.	5 9	6 45	Morn.	. . .	0 8	{ 1825. — Thomas H. Huxley, English naturalist.	
126	6	W.	†	Mars rises 4.15 M.			4 48	7 5	0 18	4 56	6 57	0 12	5 8	6 45	0 2	0 5	1 3	{ 1811. — J. W. Draper, American physicist.	
127	7	Th.	†	♂ 7th. Arcturus s. 11.6 A			4 47	7 6	0 53	4 55	6 58	0 49	5 7	6 46	0 40	0 50	1 57	{ 1832. — Isaac I. Hayes, American explorer.	
128	8	Fr.	†	Alphacca s. 0.25 M.			4 46	7 8	1 26	4 54	6 59	1 23	5 6	6 47	1 17	1 55	2 51	{ 1833. — F. P. W. Richthofen, German geologist.	
129	9	Sa.	†	Jupiter sets 1.33 M.			4 44	7 9	1 57	4 53	7 0	1 50	5 5	6 47	1 52	2 54	3 47	{ 1785. — James P. Espy. Amer. meteorologist.	
19. Rogation Sunday.				Day's Length:			14h. 27m.			14h. 9m.			13h. 44m.						
130	10	Su.	†	☽ in aphelion; ☾ in ☿.			4 43	7 10	2 28	4 52	7 1	2 28	5 4	6 48	2 27	3 51	4 40	{ 1773. — William Phillips, English geologist.	
131	11	M.	†	stationary; ☽ ♀ ♀.			4 42	7 11	3 1	4 51	7 2	3 3	5 3	6 49	3 5	4 47	5 26	{ 1788. — A. J. Fresnel, French physicist.	
132	12	Tu.	†	☽ ☿; ☽ ♀ ☿.			4 41	7 12	3 35	4 50	7 3	3 39	5 3	6 50	3 43	5 41	6 19	{ 1722. — Peter Camper, Dutch physiologist.	
133	13	W.	†	☽ ♀; ☽ ♀ ☿.			4 40	7 13	4 12	4 49	7 4	4 18	5 2	6 51	4 26	6 35	7 8	{ 1803. — J. J. Liebig, German chemist.	
134	14	Th.	†	♂ 14th. ☽ ☿; ☽ ♀ ☿.			4 39	7 14	Sets.	4 48	7 5	Sets.	5 1	6 51	Sets.	7 28	7 56	{ 1825. — Joseph Leidy, American biologist.	
135	15	Fr.	†	Saturn sets 9.13 A.			4 38	7 15	8 30	4 47	7 6	8 23	5 1	6 52	8 10	8 19	8 44	{ 1886. — G. D. Fahrenheit, German physicist.	
136	16	Sa.	†	☽ ♀ ☿; ☽ in perigee.			4 37	7 16	9 33	4 46	7 7	9 25	5 0	6 53	9 12	9 14	9 34	{ 1780. — J. J. Audubon, American ornithologist.	
20. Sunday after Ascension.				Day's Length:			14h. 41m.			14h. 23m.			13h. 54m.						
137	17	Su.	†	☽ ☿.			4 36	7 17	10 30	4 45	7 8	10 23	4 59	6 53	10 10	10 10	10 24	{ 1791. — Faujas de Saint-Fond, French geologist.	
138	18	M.	†	Antares s. 0.38 M.			4 35	7 18	11 20	4 44	7 8	11 14	4 59	6 54	11 3	11 10	11 19	{ 1778. — Andrew Ure, Scotch chemist.	
139	19	Tu.	†	Vega s. 2.44 M.			4 34	7 19	Morn.	4 44	7 9	11 59	4 58	6 55	11 50	. . .	0 15	{ 1815. — Gen. J. G. Barnard, American engineer.	
140	20	W.	†	☽ ☿. ☽ ♀ ☿.			4 33	7 20	0 3	4 43	7 10	Morn.	4 57	6 56	Morn.	0 17	1 24	{ 1819. — Sir Lyon Playfair, English chemist.	
141	21	Th.	†	☽ 21st. Uranus sets 2.5 M.			4 32	7 21	0 41	4 42	7 11	0 38	4 57	6 56	0 32	1 19	2 30	{ 1790. — J. Dumont d'Urville, French navigator.	
142	22	Fr.	†	☽ ☿ ☿.			4 32	7 22	1 16	4 41	7 12	1 15	4 56	6 57	1 12	2 29	3 33	{ 1707. — Carl von Linné, Swedish naturalist.	
143	23	Sa.	†	☽ in ☿.			4 31	7 23	1 49	4 41	7 13	1 50	4 56	6 58	1 49	3 36	4 30	{ 1793. — Edward Hitchcock, Amer. geologist.	
21. Pentecost (Whit Sunday).				Day's Length:			14h. 54m.			14h. 33m.			14h. 3m.						
144	24	Su.	†	☽ in ☿.			4 30	7 24	2 20	4 40	7 13	2 23	4 55	6 58	2 25	4 37	5 24	{ 1794. — William Whewell, English physicist.	
145	25	M.	†	☽ gr. elong. W. 24° 59'.			4 29	7 25	2 51	4 39	7 14	2 55	4 55	6 59	3 0	5 31	6 11	{ 1803. — Prince C. L. Bonaparte, Fr. ornithol.	
146	26	Tu.	†	Altair s. 3.29 M.			4 28	7 26	3 23	4 39	7 15	3 29	4 55	6 59	3 37	6 22	6 54	{ 1820. — W. Chauvenet, Amer. mathematician.	
147	27	W.	†	Spica s. 8.56 A.			4 28	7 26	3 59	4 38	7 16	4 6	4 54	7 0	4 17	7 8	7 34	{ 1807. — Louis Agassiz, Swiss and Am. naturalist.	
148	28	Th.	†	☽ 28th. Neptune rises 4.5 M.			4 27	7 27	Rises.	4 38	7 17	Rises.	4 54	7 1	Rises.	7 51	8 9	{ 1776. — L. Daubenton, French mineralogist.	
149	29	Fr.	†	☽ ♀ Regulus.			4 27	7 28	8 5	4 37	7 17	8 45	4 53	7 1	7 44	8 30	8 43	{ 1797. — K. F. Naumann, Ger. mineralogist.	
150	30	Sa.	†	☽ ☿ ☿.			4 26	7 29	8 53	4 37	7 18	8 45	4 53	7 2	8 32	9 7	9 12	{ 1817. — H. A. Hagen, Ger. and Am. entomol.	
22. Trinity Sunday.				Day's Length:			15h. 4m.			14h. 43m.			14h. 9m.						
151	31	Su.	†	☽ gr. Hel. Lat. S.; ☽ in apogee.			4 26	7 30	9 38	4 36	7 19	9 31	4 53	7 2	9 18	9 42	9 40		
MOON'S PHASES. (Standard Time.)				EASTERN.		CENTRAL.		MOUNTAIN.		PACIFIC.		A BRIEF GUIDE TO THE DECADE.							
				d. h. m.		d. h. m.		d. h. m.		d. h. m.		May 1, 1880, fell on Saturday.							
LAST QUARTER				7 3 43 M.		7 2 43 M.		7 1 43 M.		7 0 43 M.		" 1881, " " Sunday.							
NEW MOON				14 10 17 M.		14 9 17 M.		14 8 17 M.		14 7 17 M.		" 1882, " " Monday.							
FIRST QUARTER				21 0 45 M.		20 11 45 A.		20 10 45 A.		20 9 45 A.		" 1883, " " Tuesday.							
FULL MOON				28 3 31 A.		28 2 31 A.		28 1 31 A.		28 0 31 A.		" 1884, " " Thursday.							
												May 1, 1886, will fall on Saturday.							
												" 1887, " " " Sunday.							
												" 1888, " " " Tuesday.							
												" 1889, " " " Wednesday.							
												" 1890, " " " Thursday.							

"'Tis heaven alone is given away,
'Tis only God may be had for the asking,
No price is set on the lavish summer,
June may be had by the poorest comer."

LOWELL.

JUNE, 1885.

"The oriole should build and tell
His love-tale close beside my cell;
The idle butterfly
Should rest him there, and there be heard
The housewife bee and humming-bird." BRYANT.

Mean time is used unless otherwise specified.				PLANETARY PHENOMENA.	LATITUDE OF BOSTON.	LATITUDE OF WASHINGTON.	LATITUDE OF CHARLESTON, S.C.	HIGH WATER, NEW YORK. (Standard Time.)		Sixth Month.	30 Days.		
Day of Year.	Day of Month.	Day of Week.	Moon's Constellation.		Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Morn. H. M.	Eve. H. M.	BIRTHDAYS OF SCIENTIFIC CELEBRITIES.
152	1	M.	♏	Spica s. 8.36 A.	4 25	7 30	10 18	4 52	7 3	10 10	10 16	10 9	1726. — J. Hutton, Scotch geologist. 1787. — L. C. Prévost, French geologist. 1819. — J. C. Adams, English astronomer. 1436. — Regiomontanus, German astronomer.
153	2	Tu.	♏	Venus sets 7.54 A.	4 25	7 31	10 53	4 52	7 3	10 39	10 52	10 43	
154	3	W.	♏	Arcturus s. 9.20 A.	4 24	7 32	11 26	4 52	7 4	11 15	11 33	11 24	
155	4	Th	♏	Alphacca s. 10.35 A.	4 24	7 32	11 58	4 52	7 5	11 51	...	0 14	
156	5	Fr.	♏	♂ 5th. ♂ stationary; ♀ ♄ ♄.	4 24	7 33	Morn.	4 52	7 5	Morn.	0 8	1 4	
157	6	Sa.	♏	♄ in ♏.	4 23	7 34	0 29	4 51	7 5	0 26	0 58	2 2	
23. 1st Sunday after Trinity. Day's Length:					15h. 11m.		14h. 49m.		14h. 15m.				1821. — Sir Samuel W. Baker, Eng. traveller. 1706. — J. Dollond, English optician. 1790. — J. E. Teschemacher, Am. mineralogist. 1773. — Thomas Young, English physicist.
158	7	Su.	♏	♄ ♀.	4 23	7 34	1 0	4 51	7 6	1 1	1 55	3 1	
159	8	M.	♏	Mars rises 3.11 M.	4 23	7 35	1 31	4 51	7 6	1 37	2 57	4 0	
160	9	Tu.	♏	Antares s. 11.8 A.	4 23	7 36	2 5	4 51	7 7	2 16	4 2	4 59	
161	10	W.	♏	♄ ♄ ♄; ♄ ♄ ♄; ♄ ♄ ♄.	4 22	7 36	2 44	4 51	7 7	3 0	5 7	5 54	
162	11	Th.	♏	♄ ♄ ♄.	4 22	7 37	3 29	4 51	7 8	3 49	6 10	6 48	
163	12	Fr.	♏	♄ 12th. ♄ ♄ ♄.	4 22	7 37	Sets.	4 51	7 8	Sets.	7 10	7 40	
164	13	Sa.	♏	♄ ♄ ♄; ♄ in perigee. ♄.	4 22	7 38	8 17	4 51	7 8	7 56	8 9	8 32	
24. 2d Sunday after Trinity. Day's Length:					15h. 16m.		14h. 53m.		14h. 18m.				{ 1800. — Lord Rosse, Irish astronomer. 1821. — E. G. Squier, American archeologist. 1791. — Denison Olmstead, American physicist. 1781. — George Stephenson, English engineer. 1811. — Carlo Matteucci, Italian physicist.
165	14	Su.	♏	Jupiter sets 11.17 A.	4 22	7 38	9 11	4 51	7 9	8 53	9 7	9 22	
166	15	M.	♏	Vega s. 0.58 M.	4 22	7 38	10 0	4 51	7 9	9 45	10 3	10 12	
167	16	Tu.	♏	Altair s. 2.6 M.	4 22	7 39	10 42	4 51	7 10	10 31	11 0	11 4	
168	17	W.	♏	♄ ♄ ♄.	4 22	7 39	11 19	4 51	7 10	11 13	11 59	11 57	
169	18	Th.	♏	♄ ♄ ♄.	4 23	7 39	11 52	4 52	7 10	11 51	...	1 0	
170	19	Fr.	♏	♄ 19th. ♄ ♄ ♄; ♄ in ♏; ♄ ♄ ♄.	4 23	7 40	Morn.	4 52	7 11	Morn.	0 56	1 59	
171	20	Sa.	♏	♄ in ♏.	4 23	7 40	0 23	4 52	7 11	0 26	1 58	3 2	
25. 3d Sunday after Trinity. Day's Length:					15h. 17m.		14h. 55m.		14h. 19m.				{ 1646. — G. W. Leibnitz, German mathematician. 1781. — S. D. Poisson, French physicist. 1815. — J. J. Oppel, German physicist. 1777. — John Ross, British Arctic navigator. 1814. — Paul Daubrée, French geologist.
172	21	Su.	♏	♄ enters ♄; summer begins.	4 23	7 40	0 54	4 52	7 11	1 2	3 1	4 3	
173	22	M.	♏	Saturn rises 4.31 M.	4 23	7 40	1 26	4 52	7 11	1 39	4 4	5 0	
174	23	Tu.	♏	♄ ♄ ♄.	4 24	7 40	2 1	4 53	7 11	2 17	5 6	5 51	
175	24	W.	♏	♄ in perihelion.	4 24	7 40	2 38	4 53	7 11	2 58	6 2	6 35	
176	25	Th.	♏	Uranus sets 11.43 A.	4 24	7 40	3 18	4 53	7 11	3 40	6 52	7 17	
177	26	Fr.	♏	♄ in perihelion.	4 25	7 40	4 1	4 53	7 12	4 24	7 36	7 53	
178	27	Sa.	♏	♄ 27th. ♄ ♄ ♄ superior.	4 25	7 40	Rises.	4 54	7 12	Rises.	8 14	8 23	
26. 4th Sunday after Trinity. Day's Length:					15h. 15m.		14h. 52m.		14h. 18m.				{ 1812. — C. G. Page, American electrician. 1804. — C. U. Shepard, American mineralogist. 1818. — Angelo Secchi, Italian astronomer.
179	28	Su.	♏	♄ in apogee.	4 25	7 40	8 18	4 54	7 12	8 0	8 48	8 50	
180	29	M.	♏	Fomalhaut s. 4.21 M.	4 26	7 40	8 55	4 55	7 12	8 39	9 19	9 14	
181	30	Tu.	♏	Neptune rises 1.59 M.	4 26	7 40	9 29	4 55	7 12	9 17	9 49	9 41	
MOON'S PHASES. (Standard Time.)				EASTERN.	CENTRAL.	MOUNTAIN.	PACIFIC.	A BRIEF GUIDE TO THE DECADE.					
				d. h. m.	d. h. m.	d. h. m.	d. h. m.						
LAST QUARTER.				5 7 5 A.	5 6 5 A.	5 5 5 A.	5 4 5 A.	June 1, 1880, fell on Tuesday.					
NEW MOON.				12 5 42 A.	12 4 42 A.	12 3 42 A.	12 2 42 A.	" 1881, " " " Wednesday.					
FIRST QUARTER.				19 8 48 M.	19 7 48 M.	19 6 48 M.	19 5 48 M.	" 1882, " " " Thursday.					
FULL MOON.				27 6 18 M.	27 5 18 M.	27 4 18 M.	27 3 18 M.	" 1883, " " " Friday.					
								" 1884, " " " Saturday.					
								" 1885, " " " Sunday.					
								" 1886, " " " Monday.					
								" 1887, " " " Tuesday.					
								" 1888, " " " Wednesday.					
								" 1889, " " " Thursday.					
								" 1890, " " " Friday.					
								" 1891, " " " Saturday.					
								" 1892, " " " Sunday.					

BIRTHDAYS OF SCIENTIFIC CELEBRITIES.

1726. — J. Hutton, Scotch geologist.
1787. — L. C. Prévost, French geologist.
1819. — J. C. Adams, English astronomer.
1436. — Regiomontanus, German astronomer.

1821. — Sir Samuel W. Baker, Eng. traveller.

1706. — J. Dollond, English optician.
1790. — J. E. Teschemacher, Am. mineralogist.

1773. — Thomas Young, English physicist.

{ 1800. — Lord Rosse, Irish astronomer.
1821. — E. G. Squier, American archeologist.
1791. — Denison Olmstead, American physicist.
1781. — George Stephenson, English engineer.
1811. — Carlo Matteucci, Italian physicist.

{ 1646. — G. W. Leibnitz, German mathematician.
1781. — S. D. Poisson, French physicist.
1815. — J. J. Oppel, German physicist.
1777. — John Ross, British Arctic navigator.
1814. — Paul Daubrée, French geologist.

1806. — A. de Morgan, English mathematician.

{ 1812. — C. G. Page, American electrician.
1804. — C. U. Shepard, American mineralogist.
1818. — Angelo Secchi, Italian astronomer.

"There, through the long, long summer hours,
The golden light should lie,
And thick young herbs and groups of flowers
Stand in their beauty by."
BRYANT.

JULY, 1885.

"The crows flapped over by twos and threes,
In the pool drowns the cattle up to their knees,
The little birds sang as if it were
The one day of summer in all the year,
And the very leaves seemed to sing on the trees." LOWELL.

Mean time is used unless otherwise specified.				PLANETARY PHENOMENA.	LATITUDE OF BOSTON.			LATITUDE OF WASHINGTON.			LATITUDE OF CHARLESTON, S.C.			HIGH WATER, NEW YORK. (Standard Time.)		Seventh Month. 31 Days.	
Day of Year.	Day of Month.	Day of Week.	Moon's Constellation.		Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Morn. H. M.	Eve. H. M.	BIRTHDAYS OF SCIENTIFIC CELEBRITIES.	
182	1	W.	♊	♂ in ♋.	4 27	7 40	10 1	4 38	7 29	9 58	4 55	7 12	9 52	10 22	10 14	{ 1750. — Franz Huber, Swiss entomologist. 1803. — Edouard Constant Biot, Fr. astronomer. 1840. — Francis A. Walker, American publicist.	
183	2	Th.	♋	Venus sets 8.30 A.	4 27	7 40	10 31	4 39	7 29	10 30	4 56	7 12	10 26	10 56	10 49		
184	3	Fr.	♌	♂ in apogee; ♄ in ♊.	4 28	7 40	11 1	4 39	7 29	11 1	4 56	7 12	11 0	11 35	11 28		
185	4	Sa.	♍	♂ gr. Hel. Lat. N.	4 29	7 39	11 32	4 40	7 28	11 34	4 57	7 11	11 36	...	0 23		
27. 5th Sunday after Trinity. Day's Length:					15h. 10m.			14h. 48m.			14h. 14m.					{ 1817. — Karl Vogt, Swiss naturalist. 1820. — W. J. M. Rankine, Scotch engineer. 1766. — Alexander Wilson, Amer. ornithologist. 1831. — Daniel C. Gilman, American educator. 1809. — Robert W. Gibbs, American naturalist. 1809. — F. A. Quenstedt, German geologist. 1732. — J. J. de LaLande, French astronomer. 1795. — Samuel L. Dana, American chemist. 1811. — W. R. Grove, English physicist.	
186	5	Su.	♎	♂ 5th. Alhacca s. 8.33 A.	4 29	7 39	Morn.	4 40	7 28	Morn.	4 57	7 11	Morn.	0 15	1 18		
187	6	M.	♏	Antares s. 9.21 A.	4 29	7 39	0 4	4 41	7 28	0 8	4 58	7 11	0 12	1 10	2 19		
188	7	Tu.	♐	Mars rises 2.27 M.	4 30	7 38	0 39	4 41	7 28	0 45	4 58	7 11	0 53	2 15	3 25		
189	8	W.	♑	♄ ♄ ♄.	4 31	7 38	1 19	4 42	7 27	1 26	4 59	7 11	1 37	3 28	4 33		
190	9	Th.	♒	♄ ♄ ♄.	4 32	7 38	2 5	4 43	7 27	2 13	4 59	7 10	2 26	4 43	5 34		
191	10	Fr.	♓	♄ ♄ ♄.	4 33	7 37	2 59	4 43	7 26	3 8	4 59	7 10	3 22	5 54	6 32		
192	11	Sa.	♊	♄ in perigee.	4 33	7 37	4 2	4 44	7 26	4 11	5 0	7 10	4 25	6 58	7 27		
28. 6th Sunday after Trinity. Day's Length:					15h. 2m.			14h. 41m.			14h. 8m.					{ 1817. — Henry D. Thoreau, Amer. naturalist. 1800. — J. B. Dumas, French chemist. 1801. — Johannes Müller, German physiologist. 1746. — G. Piazzi, Italian astronomer. 1768. — Thaddeus M. Harris, Amer. naturalist. 1811. — Karl L. Littrow, Austrian astronomer.	
193	12	Su.	♋	♂ 11th, 12th. Jupiter sets 9.37 A.	4 34	7 36	Sets.	4 45	7 26	Sets.	5 1	7 9	Sets.	7 57	8 18		
194	13	M.	♌	♄ ♄ ♄; ♄ ♄ ♄.	4 35	7 36	8 35	4 45	7 25	8 31	5 1	7 9	8 22	8 54	9 7		
195	14	Tu.	♍	♄ ♄ ♄.	4 36	7 35	9 16	4 46	7 24	9 13	5 2	7 9	9 8	9 47	9 55		
196	15	W.	♎	Vega s. 10.56 A.	4 37	7 34	9 52	4 47	7 24	9 51	5 3	7 8	9 49	10 39	10 42		
197	16	Th.	♏	♄ ♄ ♄.	4 38	7 34	10 25	4 48	7 23	10 26	5 3	7 8	10 26	11 32	11 34		
198	17	Fr.	♐	♄ ♄ ♄; ♄ in ♋.	4 38	7 33	10 57	4 48	7 23	11 0	5 4	7 8	11 3	...	0 23		
199	18	Sa.	♑	♄ gr. Hel. Lat. N.	4 39	7 32	11 30	4 49	7 22	11 35	5 5	7 7	11 40	0 26	1 22		
29. 7th Sunday after Trinity. Day's Length:					14h. 52m.			14h. 32m.			14h. 2m.					{ 1806. — A. D. Bache, American geodesist. 1846. — Edward C. Pickering, Am. astronomer. 1810. — H. V. Regnault, French physicist. 1784. — F. W. Bessel, German astronomer. 1752. — M. A. Picet, Swiss physicist. 1737. — A. Dalrymple, English hydrographer. 1778. — Heinrich A. Vogel, German chemist.	
200	19	Su.	♒	♄ 18th. Saturn rises 3.0 M.	4 40	7 32	Morn.	4 50	7 22	Morn.	5 5	7 7	Morn.	1 23	2 24		
201	20	M.	♓	♄ ♄ ♄ Geminorum.	4 41	7 31	0 4	4 51	7 21	0 10	5 6	7 6	0 18	2 24	3 29		
202	21	Tu.	♊	Altair s. 11.45 A.	4 42	7 30	0 40	4 52	7 20	0 48	5 7	7 5	0 58	3 33	4 30		
203	22	W.	♋	Fomalhaut s. 2.50 M.	4 43	7 29	1 19	4 53	7 19	1 27	5 7	7 5	1 40	4 42	5 24		
204	23	Th.	♌	Markab. s. 2.54 M.	4 44	7 28	2 1	4 52	7 19	2 10	5 8	7 4	2 24	5 41	6 13		
205	24	Fr.	♍	Uranus sets 9.51 A.	4 45	7 27	2 46	4 54	7 18	2 55	5 8	7 3	3 9	6 33	6 48		
206	25	Sa.	♎	♄ in apogee.	4 46	7 26	3 34	4 55	7 17	3 43	5 9	7 3	3 57	7 16	7 29		
30. 8th Sunday after Trinity. Day's Length:					14h. 38m.			14h. 20m.			13h. 52m.					{ 1787. — T. F. L. Nees v. Esenbeck, Ger. botanist. 1667. — Johann Bernoulli, Swiss mathematician. 1787. — Thomas Say, American zoologist. 1801. — G. B. Airy, English astronomer. 1800. — Friedrich Wöhler, German chemist. 1829. — J. A. Meigs, American ethnologist.	
207	26	Su.	♏	♄ 26th. ♄ ♄ Regulus.	4 47	7 25	4 27	4 56	7 16	4 35	5 10	7 2	4 48	7 51	7 59		
208	27	M.	♐	♄ in ♋.	4 48	7 24	Rises.	4 57	7 15	4 35	5 10	7 2	Rises.	8 24	8 26		
209	28	Tu.	♑	Algenib s. 3.43 M.	4 49	7 23	8 5	4 57	7 14	8 2	5 11	7 1	7 55	8 53	8 49		
210	29	W.	♒	Polaris s. 4.48 M.	4 50	7 22	8 35	4 58	7 13	8 33	5 12	7 0	8 29	9 21	9 18		
211	30	Th.	♓	Neptune rises 11.59 A.	4 51	7 21	9 5	4 59	7 12	9 5	5 12	6 59	9 3	9 50	9 47		
212	31	Fr.	♊	♄ in ♋.	4 52	7 20	9 35	5 0	7 12	9 37	5 13	6 58	9 38	10 22	10 19		
MOON'S PHASES. (Standard Time.)				EASTERN.	CENTRAL.		MOUNTAIN.		PACIFIC.		A BRIEF GUIDE TO THE DECADE.						
				d. h. m.	d. h. m.		d. h. m.		d. h. m.		July 4, 1880, fell on Sunday.		July 4, 1886, will fall on Sunday.				
LAST QUARTER.				5 7 26 M.	5 6 26 M.		5 5 26 M.		5 4 26 M.		" 1881, " " Monday.		" 1887, " " " Monday.				
NEW MOON.				12 0 16 M.	11 11 16 A.		11 10 16 A.		11 9 16 A.		" 1882, " " Tuesday.		" 1888, " " " Wednesday.				
FIRST QUARTER.				18 7 20 A.	18 6 20 A.		18 5 20 A.		18 4 20 A.		" 1883, " " Wednesday.		" 1889, " " " Thursday.				
FULL MOON.				26 9 23 A.	26 8 23 A.		26 7 23 A.		26 6 23 A.		" 1884, " " Friday.		" 1890, " " " Friday.				

"The tender speckled moth here dancing seen,
The vaulting grasshopper of glossy green,
And all-prolific summer's sporting train,
Their little lives by various pow'rs sustain."

BLOOMFIELD.

AUGUST, 1885.

"The sky is a drinking-cup that was o'returned of old,
And it poureth forth in the eyes of men its wine of airy gold.
We drink of the wine all day, till the last drop is drained up,
And are lighted off to bed by the jewels in the cup."

R. H. STODDARD.

Mean time is used unless otherwise specified.				PLANETARY PHENOMENA.	LATITUDE OF BOSTON.			LATITUDE OF WASHINGTON.			LATITUDE OF CHARLESTON, S.C.			HIGH WATER, NEW YORK. (Standard Time.)		Eighth Month. 31 Days.			
Day of Year.	Day of Month.	Day of Week.	Moon's Constellation.		Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Morn. H. M.	Eve. H. M.	BIRTHDAYS OF SCIENTIFIC CELEBRITIES.			
213	1	Sa.	♋	Antares s. 7.40 A.	4 53	7 19	10 6	5 1	7 11	10 9	5 14	6 57	10 13	11 2	10 59	{ 1778. — John C. Warren, American anatomist. 1779. — Lorenz Oken, German naturalist. 1818. — Maria Mitchell, American astronomer. 1773. — Jeremiah Day, American mathematician. 1802. — N. H. Abel, Norwegian mathematician. 1766. — William H. Wollaston, Eng. physicist. 1727. — James Bowdoin, American physicist. 1799. — Benjamin Silliman, American chemist.			
31. 9th Sunday after Trinity.				Day's Length:	14h. 24m.			14h. 7m.			13h. 43m.			11 48	11 45				
214	2	Su.	♋	Venus sets 8.19 A.	4 54	7 18	10 39	5 2	7 9	10 44	5 14	6 57	10 51	11 48	11 45				
215	3	M.	♋	3d. Vega s. 9.42 A.	4 55	7 16	11 16	5 3	7 8	11 23	5 15	6 56	11 32	11 48	11 45				
216	4	Tu.	♋	♄ ♄; ♄ ♄ ♄.	4 56	7 15	11 58	5 4	7 7	Morn.	5 16	6 55	Morn.	11 48	11 45				
217	5	W.	♋	♄ ♄ ♄; ♄ ♄ ♄.	4 57	7 14	Morn.	5 5	7 6	0 6	5 16	6 54	0 18	11 49	11 46				
218	6	Th.	♋	♄ gr. elong. E. 27°23'; ♄ ♄ ♄.	4 58	7 13	0 47	5 5	7 5	0 56	5 17	6 53	1 9	11 49	11 46				
219	7	Fr.	♋	♄ in aphelion; ♄ ♄ ♄; ♄ ♄ ♄.	4 59	7 11	1 43	5 6	7 4	1 52	5 18	6 52	2 6	11 49	11 46				
220	8	Sa.	♋	♄ ♄ ♄.	5 0	7 10	2 46	5 7	7 3	2 55	5 19	6 52	3 8	11 49	11 46				
32. 10th Sunday after Trinity.				Day's Length:	14h. 8m.			13h. 54m.			13h. 32m.			6 47	7 10	{ 1822. — J. A. W. Moleschott, Dutch physiologist. 1779. — Joachim Barrande, Bohemian paleontol. 1814. — Jeffries Wyman, American physiologist. 1814. — A. J. Ångström, Swedish astronomer. 1819. — George G. Stokes, Irish physicist. 1777. — H. C. Oersted, Danish physicist.			
221	9	Su.	♋	♄ in perigee.	5 1	7 9	3 55	5 8	7 2	4 3	5 19	6 51	4 15	6 47	7 10				
222	10	M.	♋	♄ 10th. Mars rises 1.48 M.	5 2	7 7	4 55	5 9	7 0	5 25	5 20	6 50	5 25	6 48	7 10				
223	11	Tu.	♋	♄ ♄ ♄.	5 3	7 6	7 46	5 10	6 59	7 44	5 21	6 49	7 40	6 48	7 10				
224	12	W.	♋	♄ ♄ ♄; ♄ ♄ ♄.	5 4	7 4	8 22	5 11	6 58	8 22	5 21	6 48	8 21	6 48	7 10				
225	13	Th.	♋	♄ ♄ ♄; ♄ in ♄.	5 5	7 3	8 56	5 12	6 56	8 58	5 22	6 47	9 0	6 48	7 10				
226	14	Fr.	♋	Altair s. 10.10 A.	5 6	7 2	9 30	5 13	6 55	9 34	5 23	6 45	9 38	6 48	7 10				
227	15	Sa.	♋	Fomalhaut s. 1.16 M.	5 7	7 0	10 4	5 14	6 54	10 10	5 24	6 44	10 17	6 48	7 10				
33. 11th Sunday after Trinity.				Day's Length:	13h. 57m.			13h. 38m.			13h. 19m.			6 47	7 10			{ 1743. — A. L. Lavoisier, French chemist. 1821. — A. Cayley, English mathematician. 1699. — B. J. Jussieu, French botanist. 1646. — J. Flamsteed, English astronomer. 1793. — Elisha Mitchell, American naturalist. 1794. — Bernhard Studer, Swiss geologist. 1820. — John Tyndall, English physicist. 1647. — D. Papin, French physicist. 1796. — Baden Powell, English mathematician.	
228	16	Su.	♋	Jupiter sets 7.37 A.	5 8	6 59	10 39	5 15	6 53	10 46	5 24	6 43	10 56	6 48	7 10				
229	17	M.	♋	♄ 17th. Markab s. 1.16 M.	5 10	6 57	11 17	5 15	6 51	11 25	5 25	6 42	11 37	6 48	7 10				
230	18	Tu.	♋	♄ ♄ ♄.	5 11	6 56	11 58	5 16	6 50	Morn.	5 26	6 41	Morn.	6 48	7 10				
231	19	W.	♋	♄ ♄ ♄; ♄ ♄ ♄.	5 12	6 54	Morn.	5 17	6 49	0 7	5 26	6 40	0 20	6 48	7 10				
232	20	Th.	♋	♄ stationary.	5 13	6 53	0 42	5 18	6 47	0 51	5 27	6 39	1 5	6 48	7 10				
233	21	Fr.	♋	♄ in apogee.	5 14	6 51	1 30	5 19	6 46	1 39	5 27	6 38	1 53	6 48	7 10				
234	22	Sa.	♋	Saturn rises 1.2 M.	5 15	6 50	2 21	5 20	6 44	2 30	5 28	6 36	2 42	6 48	7 10				
34. 12th Sunday after Trinity.				Day's Length:	13h. 32m.			13h. 22m.			13h. 6m.			6 44	6 58	{ 1769. — George Cuvier, French naturalist. 1784. — Joseph E. Worcester, American geographer and philologist. 1749. — Wilhelm von Goethe, Ger. poet and nat. 1810. — O. M. Mitchel, Amer. astronomer. 1779. — J. J. Berzelius, Swedish chemist. 1809. — Oliver Wendell Holmes, Am. physiol. Oswald Heers, Swiss naturalist. 1821. — H. L. F. Helmholtz, German physicist.			
235	23	Su.	♋	Algenib s. 2.0 M.	5 16	6 48	3 15	5 21	6 43	3 23	5 29	6 35	3 35	6 44	6 58				
236	24	M.	♋	♄ ♄ ♄.	5 17	6 46	4 11	5 22	6 42	4 18	5 30	6 34	4 27	6 44	6 58				
237	25	Tu.	♋	♄ 25th. Uranus sets 7.47 A.	5 18	6 45	Rises.	5 23	6 40	Rises.	5 30	6 33	Rises.	6 44	6 58				
238	26	W.	♋	Polaris s. 2.58 M.	5 19	6 43	7 9	5 24	6 39	7 8	5 31	6 32	7 6	6 44	6 58				
239	27	Th.	♋	♄ ♄ ♄; ♄ gr. Hel. Lat. S.; ♄ in ♄.	5 20	6 41	7 39	5 25	6 38	7 40	5 31	6 30	7 40	6 44	6 58				
240	28	Fr.	♋	♄ stationary.	5 21	6 40	8 10	5 26	6 36	8 13	5 32	6 29	8 15	6 44	6 58				
241	29	Sa.	♋	Achernar s. 3.3 M.	5 22	6 38	8 43	5 26	6 34	8 47	5 33	6 28	8 53	6 44	6 58				
35. 13th Sunday after Trinity.				Day's Length:	13h. 14m.			13h. 6m.			12h. 54m.			6 44	6 58			{ 1769. — George Cuvier, French naturalist. 1784. — Joseph E. Worcester, American geographer and philologist. 1749. — Wilhelm von Goethe, Ger. poet and nat. 1810. — O. M. Mitchel, Amer. astronomer. 1779. — J. J. Berzelius, Swedish chemist. 1809. — Oliver Wendell Holmes, Am. physiol. Oswald Heers, Swiss naturalist. 1821. — H. L. F. Helmholtz, German physicist.	
242	30	Su.	♋	Neptune rises 9.58 A.	5 23	6 37	9 18	5 27	6 33	9 24	5 33	6 27	9 33	6 44	6 58				
243	31	M.	♋	♄ ♄ ♄.	5 24	6 35	9 57	5 28	6 31	10 4	5 34	6 25	10 15	6 44	6 58				
MOON'S PHASES. (Standard Time.)				EASTERN.		CENTRAL.		MOUNTAIN.		PACIFIC.		A BRIEF GUIDE TO THE DECADE.							
				d. h. m.		d. h. m.		d. h. m.		d. h. m.		Aug. 1, 1880, fell on Sunday.							
LAST QUARTER				3 4 56 A.		3 3 56 A.		3 2 56 A.		3 1 56 A.		" 1881, " " Monday.							
NEW MOON				10 7 14 M.		10 6 14 M.		10 5 14 M.		10 4 14 M.		" 1882, " " Tuesday.							
FIRST QUARTER				17 8 47 M.		17 7 47 M.		17 6 47 M.		17 5 47 M.		" 1883, " " Wednesday.							
FULL MOON				25 0 25 A.		25 11 25 M.		25 10 25 M.		25 9 25 M.		" 1884, " " Friday.							
												Aug. 1, 1886, will fall on Sunday.							
												" 1887, " " " Monday.							
												" 1888, " " " Wednesday.							
												" 1889, " " " Thursday.							
												" 1890, " " " Friday.							

"Earth's increase, foison plenty,
Barns and garner's never empty,
Vines with clustering bunches growing,
Plants with goodly burthen bowing;
Spring come to you at the farthest
In the very end of harvest!"
SHAKESPEARE.

SEPTEMBER, 1885.

"The wind-flower and the violet, they perished long ago,
And the brier-rose and the orchis died amid the summer glow;
But on the hill the golden-rod, and the aster in the wood,
And the yellow sunflower by the brook in autumn beauty stood."
BRYANT.

Mean time is used unless otherwise specified.				PLANETARY PHENOMENA.	LATITUDE OF BOSTON.			LATITUDE OF WASHINGTON.			LATITUDE OF CHARLESTON, S.C.			HIGH WATER, NEW YORK. (Standard Time.)		Ninth Month. 30 Days.	
Day of Year.	Day of Month.	Day of Week.	Moon's Constellation.		Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Morn. H. M.	Eve. H. M.	BIRTHDAYS OF SCIENTIFIC CELEBRITIES.	
244	1	Tu.	♈	♂ 1st. Hamel s. 3.18 M. ♂ 2d. ♀ ♀ inferior. ♂ ♀ ♀. ♂ ♀ ♀. Venus sets 7.41 A.	5 25	6 33	10 42	5 29	6 29	10 51	5 35	6 24	11 3	...	0 18	1806.—Stephen Alexander, Amer. astronomer.	
245	2	W.	♈		5 26	6 31	11 34	5 30	6 28	11 43	5 35	6 23	11 57	0 30	1 23	1814.—James J. Sylvester, Eng. mathematician.	
246	3	Th.	♈		5 27	6 30	Morn.	5 31	6 26	Morn.	5 36	6 21	Morn.	1 45	2 38	{ 1766.—J. Dalton, English chemist.	
247	4	Fr.	♈		5 29	6 28	0 32	5 32	6 25	0 41	5 37	6 20	0 55	3 10	3 54	{ 1826.—T. Sterry Hunt, Canadian chemist.	
248	5	Sa.	♈		5 30	6 26	1 36	5 33	6 23	1 45	5 37	6 19	1 57	4 29	5 2		
36. 14th Sunday after Trinity. Day's Length:					12h. 53m.			12h. 48m.			12h. 39m.						
249	6	Su.	♈	♂ in perigee. ♂ ♀ ♀. ♂ 8th. ♀ ♀ ♀; ♀ ♀ ♀. ♂ ♀ ♀; ♀ in ♀. ♂ ♀ ♀. 													

LOWELL.

*"Thou blossom, bright with autumn dew,
And colored with the heaven's own blue,
That openest when the quiet light
Succeeds the keen and frosty night ;
Thou waitest late, and com'st alone,
When woods are bare and birds have flown."* BRYANT.

OCTOBER, 1885.

Mean time is used unless otherwise specified.				PLANETARY PHENOMENA.	LATITUDE OF BOSTON.			LATITUDE OF WASHINGTON.			LATITUDE OF CHARLESTON, S.C.			HIGH WATER, NEW YORK. (Standard Time.)		Tenth Month. 31 Days.	BIRTHDAYS OF SCIENTIFIC CELEBRITIES.
Day of Year.	Day of Month.	Day of Week.	Moon's Constellation.		Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Morn. H. M.	Eve. H. M.		
274	1	Th.	☐	☿ 1st. ☐ ♄ ☐; ☐ ♀ ☐.	5 58	5 41	11 26	5 56	5 42	11 35	5 54	5 44	11 48	0 38	1 9	1814. — H. A. E. A. Faye, French astronomer.	
275	2	Fr.	☐	Venus sets 7.13 A.	5 59	5 39	Morn.	5 57	5 40	Morn.	5 55	5 43	Morn.	1 56	2 22		
276	3	Sa.	☐	☐ ☐ ☐; ☐ in perigee.	6 0	5 37	0 32	5 58	5 39	0 40	5 56	5 42	0 52	3 17	3 36		
40. 18th Sunday after Trinity.				Day's Length:	1rh. 35m.			1rh. 38m.			1rh. 44m.					{ 1732 — N. Maskelyne, English astronomer. 1769. — William Scoresby, English explorer. 1803. — H. W. Dove, German meteorologist. 1801. — A. A. de la Rive, Swiss physicist. 1731. — H. Cavendish, English physicist.	
277	4	Su.	☐	☐ ☐ ☐.	6 1	5 36	1 40	5 59	5 37	1 46	5 56	5 40	1 56	4 28	4 43		
278	5	M.	☐	Fomalhaut s. 9.52 A.	6 2	5 34	2 50	6 0	5 36	2 55	5 57	5 39	3 0	5 26	5 44		
279	6	Tu.	☐	☐ ☐ ☐.	6 3	5 32	4 0	6 1	5 34	4 3	5 58	5 38	4 5	6 15	6 35		
280	7	W.	☐	☐ 7th. ☐ ☐ ☐; ☐ ☐ ☐; ☐ in ☐.	6 4	5 31	5 8	6 2	5 33	5 9	5 59	5 36	5 8	7 7	7 23		
281	8	Th.	☐	☐ 8th. Mars rises 0.52 M.	6 5	5 29	Sets.	6 3	5 31	Sets.	6 0	5 35	Sets.	7 48	8 6		
282	9	Fr.	☐	Markab s. 9.44 A.	6 7	5 27	6 30	6 4	5 30	6 36	6 0	5 34	6 44	8 29	8 49	1801. — A. A. de la Rive, Swiss physicist. 1731. — H. Cavendish, English physicist.	
283	10	Sa.	☐	Algenib s. 10.48 A.	6 8	5 25	7 8	6 5	5 28	7 15	6 1	5 33	7 25	9 12	9 32		
41. 19th Sunday after Trinity.				Day's Length:	1rh. 15m.			1rh. 21m.			1rh. 29m.					{ 1792. — C. G. Gmelin, German chemist. 1802. — Hugh Miller, Scotch geologist. 1827. — J. P. Cooke, American chemist. 1788. — Sir Edward Sabine, Irish geographer. 1810. — J. A. F. Plateau, Belgian physicist. 1608. — Evangelista Torricelli, Italian physicist. 1803. — Robert Stephenson, English engineer. 1814. — Hanns Bruno Geinitz, German geologist.	
284	11	Su.	☐	☐ ☐ ☐.	6 9	5 24	7 47	6 6	5 27	7 55	6 2	5 31	8 7	9 53	10 15		
285	12	M.	☐	Jupiter rises 4.2 M.	6 10	5 22	8 29	6 7	5 25	8 38	6 2	5 30	8 51	10 34	11 0		
286	13	Tu.	☐	Polaris s. 11.45 A.	6 11	5 21	9 16	6 8	5 24	9 25	6 3	5 29	9 39	11 17	11 49		
287	14	W.	☐	Achernar s. 11.58 A.	6 13	5 19	10 6	6 9	5 22	10 15	6 4	5 28	10 28	12 0	3		
288	15	Th.	☐	☐ 15th. ☐ ☐ ☐ superior.	6 14	5 17	10 52	6 10	5 21	11 7	6 5	5 26	11 19	0 45	0 54		
289	16	Fr.	☐	☐ in aphelion; ☐ in apogee.	6 15	5 16	11 58	6 11	5 20	Morn.	6 5	5 25	Morn.	1 47	1 58		
290	17	Sa.	☐	Hamel s. 0.17 M.	6 16	5 14	Morn.	6 12	5 18	0 0	6 6	5 24	0 11	2 49	2 45		
42. 20th Sunday after Trinity				Day's Length:	1oh. 56m.			1rh. 4m.			1rh. 16m.					1632. — Sir Christopher Wren, English architect. 1799. — J. R. Forster, German voyager. { 1632. — A. v. Leeuwenhoek, Dutch microscopist. 1808. — Bernhard Cotta, German geologist.	
291	18	Su.	☐	Algol s. 1.13 M.	6 17	5 13	0 48	6 13	5 17	0 54	6 7	5 23	1 3	3 45	3 42		
292	19	M.	☐	Saturn rises 9.24 A.	6 18	5 11	1 46	6 14	5 15	1 51	6 8	5 22	1 57	4 30	4 37		
293	20	Tu.	☐	☐ stationary; ☐ in ☐.	6 19	5 10	2 46	6 15	5 14	2 48	6 8	5 21	2 52	5	5 12		5 21
294	21	W.	☐	☐ in perihelion; ☐ ☐ ☐ Virginis.	6 21	5 8	3 45	6 16	5 13	3 47	6 9	5 20	3 48	5	54		6 3
295	22	Th.	☐	Aldebaran s. 2.26 M.	6 22	5 7	4 49	6 17	5 11	4 49	6 10	5 19	4 47	6 33	6 44		
296	23	Fr.	☐	☐ 23d. ☐ in ☐.	6 23	5 5	5 53	6 18	5 10	5 51	6 11	5 18	5 46	7 12	7 27		
297	24	Sa.	☐	Uranus rises 4.12 M.	6 24	5 4	Rises.	6 19	5 9	Rises.	6 11	5 17	Rises.	7 53	8 10		
43. 21st Sunday after Trinity.				Day's Length:	1oh. 37m.			1oh. 47m.			1rh. 3m.					{ 1781 — Chester Dewey, American botanist. 1792. — Franklin Bache, American chemist. 1728. — Capt. Cook, English navigator. 1806. — Alphonse de Candolle, Swiss botanist. 1866. — E. Halley, English astronomer. 1831. — O. C. Marsh, American paleontologist. 1783. — K. W. G. Kastner, German chemist.	
298	25	Su.	☐	☐ ☐ ☐.	6 25	5 2	6 37	6 20	5 7	6 45	6 12	5 15	6 57	8 35	8 55		
299	26	M.	☐	Capella s. 2.49 M.	6 26	5 1	7 25	6 21	5 6	7 34	6 13	5 14	7 47	9 18	9 44		
300	27	Tu.	☐	Rigel s. 2.46 M.	6 28	5 0	8 20	6 22	5 5	8 29	6 14	5 13	8 43	10 5	10 38		
301	28	W.	☐	☐ ☐ ☐; ☐ in perigee.	6 29	4 58	9 21	6 24	5 4	9 30	6 15	5 12	9 43	10 56	11 39		
302	29	Th.	☐	Neptune rises 6.0 A.	6 30	4 57	10 25	6 25	5 3	10 33	6 16	5 12	10 45	11 53	12 1		
303	30	Fr.	☐	☐ 30th. Canopus s. 3.46 M.	6 32	4 55	11 31	6 26	5 1	11 38	6 16	5 11	11 48	0 48	0 56		
304	31	Sa.	☐	☐ ☐ ☐.	6 33	4 54	Morn.	6 27	5 0	Morn.	6 17	5 10	Morn.	2 3	2 5		
MOON'S PHASES. (Standard Time.)				EASTERN.	CENTRAL.	MOUNTAIN.	PACIFIC.	A BRIEF GUIDE TO THE DECADE.									
				d. h. m.	d. h. m.	d. h. m.	d. h. m.	Oct. 1, 1880, fell on Friday.									
LAST QUARTER				1 6 29 M.	1 5 29 M.	1 3 29 M.	1 3 29 M.	" 1881, " " Saturday. " 1887, " " " Saturday.									
NEW MOON				8 2 31 M.	8 1 31 M.	8 0 31 M.	7 11 31 A.	" 1882, " " Sunday. " 1888, " " " Monday.									
FIRST QUARTER				15 8 20 A.	15 7 20 A.	15 6 20 A.	15 5 20 A.	" 1883, " " Monday. " 1889, " " " Tuesday.									
FULL MOON				23 4 22 A.	23 3 22 A.	23 2 22 A.	23 1 22 A.	" 1884, " " Wednesday. " 1890, " " " Wednesday.									
LAST QUARTER				30 0 58 A.	30 11 58 M.	30 10 58 M.	30 9 58 M.										

"The sobered robin, hunger-silent now,
Seeks cedar-berries blue, his autumn cheer;
The squirrel, on the shingly shagbark's bough,
Now saws, now lists with downward eye and ear."

LOWELL.

NOVEMBER, 1885.

"On my cornice linger the ripe black grapes ungathered;
Children fill the groves with the echoes of their glee,
Gathering tawny chestnuts, and shouting when beside them
Drops the heavy fruit of the tall black-walnut tree."

BRYANT.

Mean time is used unless otherwise specified.				PLANETARY PHENOMENA.	LATITUDE OF BOSTON.			LATITUDE OF WASHINGTON.			LATITUDE OF CHARLESTON, S.C.			HIGH WATER, NEW YORK. (Standard Time.)		Eleventh Month. 30 Days.	
Day of Year.	Day of Month.	Day of Week.	Moon's Constellation.		Sun Rises.	Sun Sets.	Moon Rises.	Sun Rises.	Sun Sets.	Moon Rises.	Sun Rises.	Sun Sets.	Moon Rises.	Morn.	Eve.		
					H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.	BIRTHDAYS OF SCIENTIFIC CELEBRITIES.	
44. 22d Sunday after Trinity.				Day's Length:	roh. 18m.			roh. 31m.			roh. 51m.					{ 1810. — Gen. A. A. Humphreys, Am. engineer. 1815. — G. Boole, English mathematician. 1786. — E. F. Germar, German naturalist. 1744. — Johann Bernoulli, Swiss astronomer. 1798. — Karl Kreil, Austrian meteorologist. 1809. — R. H. Kohlrausch, German physicist. 1818. — E. H. du Bois-Reymond, Ger. physicist.	
305	1	Su.	♈	Sirius s. 3.57 M.	6 34	4 52	0 39	6 28	4 59	0 44	6 18	5 0	0 51	3 12	3 17		
306	2	M.	♈	♄ in apellon.	6 35	4 52	1 47	6 29	4 58	1 51	6 19	5 8	1 54	4 14	4 25		
307	3	Tu.	♈	♄ ♄ ♄; ♄ in ♈.	6 36	4 50	2 54	6 30	4 57	2 56	6 20	5 7	2 57	5 9	5 22		
308	4	W.	♈	Venus sets 7.16 A.	6 38	4 48	4 1	6 31	4 50	4 1	6 21	5 6	3 59	6 0	6 14		
309	5	Th.	♈	Fomalhaut s. 7.50 A.	6 39	4 48	5 6	6 32	4 55	5 4	6 22	5 6	4 59	6 47	7 2		
310	6	Fr.	♈	♄ 6th. Markab s. 7.53 A.	6 40	4 47	6 11	6 34	4 54	6 7	6 23	5 5	6 0	7 29	7 47		
311	7	Sa.	♈	♄ ♄ ♄.	6 42	4 46	Sets.	6 35	4 53	Sets.	6 24	5 4	Sets.	8 10	8 31		
45. 23d Sunday after Trinity.				Day's Length:	roh. 2m.			roh. 16m.			roh. 38m.					{ 1781. — G. A. A. Plana, Italian mathematician. 1748. — C. L. Berthollet, French physicist. 1805. — Charles Pickering, American naturalist. 1743. — C. P. Thunberg, Swedish naturalist. 1795. — Thaddeus W. Harris, Am. entomologist. 1842. — Lord Rayleigh, English physicist. 1797. — Sir Charles Lyell, English geologist.	
312	8	Su.	♈	♄ gr. Hel. Lat. S.	6 43	4 45	6 23	6 36	4 52	6 32	6 25	5 3	6 45	8 50	9 14		
313	9	M.	♈	Mars rises 0.15 M.	6 44	4 44	7 8	6 37	4 51	7 17	6 26	5 2	7 31	9 27	9 55		
314	10	Tu.	♈	♄ ♄ ♄.	6 45	4 42	7 56	6 38	4 50	8 5	6 26	5 1	8 19	10 4	10 37		
315	11	W.	♈	Algenib s. 8.42 A.	6 47	4 41	8 47	6 39	4 49	8 56	6 27	5 1	9 9	10 41	11 20		
316	12	Th.	♈	♄ in apogee.	6 48	4 40	9 40	6 40	4 48	9 48	6 28	5 0	10 0	11 18	...		
317	13	Fr.	♈	Polaris s. 9.43 A.	6 49	4 40	10 35	6 41	4 47	10 42	6 29	5 0	10 52	0 7	11 58*		
318	14	Sa.	♈	♄ 14th. Achernar s. 9.56 A.	6 51	4 39	11 31	6 42	4 47	11 37	6 30	4 59	11 44	0 58	0 44		
46. 24th Sunday after Trinity.				Day's Length:	gh. 46m.			roh. 2m.			roh. 28m.					{ 1738. — F. W. Herschel, English astronomer. 1793. — M. Chasles, French mathematician. 1717. — J. le R. d'Alembert, French geometer. 1790. — A. F. Moebius, German astronomer. 1810. — Asa Gray, American botanist. 1821. — F. F. E. Brünnow, Amer. astronomer 1832. — N. A. E. Nordenskiöld, Finnish traveller.	
319	15	Su.	♈	Jupiter rises 2.19 M.	6 52	4 38	Morn.	6 44	4 46	Morn.	6 31	4 59	0 Morn.	1 48	1 39		
320	16	M.	♈	♄ ♄ ♄; ♄ in ♈.	6 53	4 37	0 29	6 45	4 45	0 33	6 32	4 58	0 38	2 38	2 33		
321	17	Tu.	♈	Hamel s. 10.11 A.	6 54	4 36	1 29	6 46	4 45	1 31	6 33	4 58	1 34	3 32	3 27		
322	18	W.	♈	Algor s. 11.7 A.	6 55	4 35	2 31	6 47	4 44	2 32	6 34	4 57	2 31	4 23	4 22		
323	19	Th.	♈	Aldebaran s. 0.36 M.	6 57	4 35	3 35	6 48	4 43	3 34	6 35	4 57	3 30	5 12	5 17		
324	20	Fr.	♈	Saturn rises 7.14 A.	6 58	4 34	4 40	6 49	4 43	4 37	6 36	4 56	4 31	5 59	6 9		
325	21	Sa.	♈	♄ 22d. ♄ ♄ ♄.	6 59	4 33	5 47	6 50	4 42	5 42	6 36	4 56	5 34	6 47	7 2		
47. 25th Sunday after Trinity.				Day's Length:	gh. 33m.			gh. 51m.			roh. 19m.					{ 1819. — Joseph D. Whitney, American geologist. 1796. — A. von Ettingshausen, Ger. physicist. 1817. — Charles A. Wurtz, French chemist. 1701. — A. Celsius, Swedish physicist. 1734. — Johann A. Euler, Russ. mathematician.	
326	22	Su.	♈	Uranus rises 2.25 M.	7 0	4 33	Rises.	6 51	4 42	Rises.	6 37	4 56	Rises.	7 33	7 55		
327	23	M.	♈	♄ gr. Hel. Lat. S.	7 2	4 32	6 8	6 52	4 41	6 17	6 38	4 55	6 31	8 19	8 48		
328	24	Tu.	♈	♄ ♄ ♄; ♄ in perigee.	7 3	4 32	7 9	6 54	4 41	7 18	6 39	4 55	7 32	9 7	9 43		
329	25	W.	♈	Capella s. 0.51 M.	7 4	4 31	8 14	6 54	4 40	8 23	6 40	4 55	8 36	9 58	10 39		
330	26	Th.	♈	Rigel s. 0.48 M.	7 5	4 31	9 21	6 55	4 40	9 29	6 41	4 54	9 39	10 47	11 40		
331	27	Fr.	♈	Canopus s. 1.56 M.	7 6	4 30	10 30	6 56	4 39	10 36	6 42	4 54	10 44	11 42	...		
332	28	Sa.	♈	♄ 28th. Neptune sets 5.55 M.	7 7	4 30	11 39	6 57	4 39	11 43	6 42	4 54	11 48	0 45	0 39		
48. 1st Sunday in Advent.				Day's Length:	gh. 21m.			gh. 41m.			roh. 11m.					* Second morning tide.	
333	29	Su.	♈	♄ ♄ ♄.	7 8	4 29	Morn.	6 58	4 39	Morn.	6 43	4 54	Morn.	1 49	1 47		
334	30	M.	♈	♄ gr. el. E. 21° 21'; ♄ ♄ ♄; ♄ in ♈.	7 9	4 29	0 47	6 59	4 39	0 49	6 44	4 54	0 51	2 53	2 54		
MOON'S PHASES. (Standard Time.)				EASTERN.			CENTRAL.			MOUNTAIN.			PACIFIC.			A BRIEF GUIDE TO THE DECADE.	
				d. h. m.			d. h. m.			d. h. m.			d. h. m.				
NEW MOON				6 4 3 A.			6 3 3 A.			6 2 3 A.			6 1 3 A.			Nov. 1, 1880, fell on Monday.	Nov. 1, 1886, will fall on Monday
FIRST QUARTER				14 4 59 A.			14 3 59 A.			14 2 59 A.			14 1 59 A.			" 1881, " " " Tuesday.	" 1887, " " " Tuesday.
FULL MOON				22 4 39 M.			22 3 39 M.			22 2 39 M.			22 1 39 M.			" 1882, " " " Wednesday.	" 1888, " " " Thursday.
LAST QUARTER				28 8 57 A.			28 7 57 A.			28 6 57 A.			28 5 57 A.			" 1883, " " " Thursday.	" 1889, " " " Friday.
																" 1884, " " " Saturday.	" 1890, " " " Saturday.

"Within the hall are song and laughter,
The cheeks of Christmas grow red and jolly,
And sprouting is every corbel and rafter
With the lightsome green of ivy and holly."


LOWELL.

DECEMBER, 1885.

"The snow-bird twittered on the beachen bough,
And 'neath the hemlock, whose thick branches bent
Beneath its bright cold burden, and kept dry
A circle, on the earth, of withered leaves,
The partridge found a shelter. Through the snow
The rabbit sprang away."

BRYANT.

Mean time is used unless otherwise specified.				PLANETARY PHENOMENA.	LATITUDE OF BOSTON.			LATITUDE OF WASHINGTON.			LATITUDE OF CHARLESTON, S.C.			HIGH WATER, NEW YORK. (Standard Time.)		Twelfth Month. 31 Days.		
Day of Year.	Day of Month.	Day of Week.	Moon's Constellation.		Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Sun Rises. H. M.	Sun Sets. H. M.	Moon Rises. H. M.	Morn. H. M.	Eve. H. M.	BIRTHDAYS OF SCIENTIFIC CELEBRITIES.		
335	1	Tu.	♊	♂ ☾.	7 10	4 28	1 53	7 0	4 39	1 53	6 45	4 54	1 52	3 55	3 58	1838. — Cleveland Abbé, American meteorologist. 1818. — John L. LeConte, Amer. entomologist.		
336	2	W.	♊	Venus sets 7.55 A.	7 11	4 28	2 57	7 1	4 38	2 55	6 46	4 54	2 52	4 54	4 58			
337	3	Th.	♊	♂ ☽.	7 12	4 28	4 0	7 2	4 38	3 57	6 47	4 54	3 50	5 44	5 54			
338	4	Fr.	♊	Algenib s. 7.11 A.	7 13	4 28	5 1	7 3	4 38	4 50	6 47	4 54	4 47	6 32	6 47			
339	5	Sa.	♊	Polaris s. 8.17 A.	7 14	4 28	6 1	7 4	4 38	5 55	6 48	4 54	5 44	7 15	7 33			
49. 2d Sunday in Advent. Day's Length:					9h. 13m.			9h. 33m.			10h. 5m.					1778. — L. J. Gay-Lussac, French chemist. 1786. — J. G. Charpentier, Swiss geologist. 1804. — W. B. Rogers, American geologist. 1810. — Theodor Schwann, Belgian physiologist. 1781. — Sir David Brewster, Scotch chemist. 1731. — Erasmus Darwin, English physicist.		
340	6	Su.	♊	♂ 6th. Achernar s. 8.29 A.	7 15	4 28	Sets.	7 5	4 38	Sets.	6 49	4 54	Sets.	7 56	8 18			
341	7	M.	♊	♂ ☽ ☽.	7 16	4 28	5 48	7 6	4 38	5 57	6 50	4 54	6 11	8 33	8 59			
342	8	Tu.	♊	♂ gr. el. E. 47° 19'; ☽ ♄ ♀ Virginis.	7 17	4 28	6 38	7 7	4 38	6 47	6 51	4 54	7 1	9 5	9 37			
343	9	W.	♊	♂ stationary.	7 18	4 28	7 31	7 8	4 38	7 40	6 52	4 54	7 52	9 38	10 14			
344	10	Th.	♊	♂ ☽ ☽; ☽ in apogee.	7 19	4 28	8 26	7 8	4 38	8 34	6 52	4 55	8 45	10 7	10 49			
345	11	Fr.	♊	Mars rises 11.20 A.	7 20	4 28	9 21	7 9	4 39	9 27	6 53	4 55	9 36	10 36	11 26			
346	12	Sa.	♊	♂ in ☽.	7 21	4 28	10 18	7 10	4 39	10 23	6 54	4 55	10 29	11 12	11 56*	1743. — Sir Jos. Banks, English naturalist. 1816. — Ernst Werner Siemens, Eng. electrician. 1546. — Tycho Brahe, Danish astronomer. 1834. — Charles A. Young, American astronomer. 1493. — Paracelsus, Swiss chemist. 1778. — Sir Humphry Davy, English chemist. 1797. — Joseph Henry, American physicist. 1714. — John Winthrop, Am. math. and astron. 1787. — O. von Kotzebue, Russian navigator. * Second morning tide. 1805. — T. Graham, Scotch chemist. 1790. — J. F. Champollion, French Egyptologist 1792. — Charles Babbage, Eng. mathematician. 1818. — J. P. Joule, English physicist. 1813. — Joseph Lovering, American physicist. 1756. — B. G. Lacépède, French naturalist.		
50. 3d Sunday in Advent. Day's Length:					9h. 7m.			9h. 28m.			10h. 1m.							
347	13	Su.	♊	♂ Algor s. 9.29 A.	7 21	4 28	11 16	7 11	4 39	11 19	6 54	4 55	11 23	0 4	11 56*			
348	14	M.	♊	♂ 1st. ☽ in ☽.	7 22	4 29	Morn.	7 11	4 39	Morn.	6 55	4 55	Morn.	0 48	0 37			
349	15	Tu.	♊	Jupiter rises 0.42 M.	7 23	4 29	0 16	7 12	4 40	0 17	6 56	4 56	0 18	1 40	1 28			
350	16	W.	♊	♂ Aldebaran s. 10.46 A.	7 23	4 29	1 16	7 13	4 40	1 16	6 56	4 56	1 14	2 37	2 26			
351	17	Th.	♊	♂ in perihelion.	7 24	4 29	2 18	7 14	4 40	2 16	6 57	4 57	2 11	3 35	3 29			
352	18	Fr.	♊	♂ ☽ ☽ inferior.	7 25	4 30	3 24	7 14	4 41	3 20	6 57	4 57	3 13	4 33	4 37			
353	19	Sa.	♊	♂ ☽ ☽.	7 26	4 30	4 31	7 15	4 41	4 25	6 58	4 58	4 16	5 30	5 41			
51. 4th Sunday in Advent. Day's Length:					9h. 5m.			9h. 27m.			10h. 0m.							
354	20	Su.	♊	Saturn rises 5.6 A.	7 26	4 31	5 39	7 15	4 42	5 31	6 58	4 58	5 21	6 24	6 43			
355	21	M.	♊	♂ 21st. ☽ enters ♏; winter begins; ☽ in perigee. [♏; ☽ ♀ ☽.	7 26	4 31	Rises.	7 15	4 42	Rises.	6 59	4 59	5 21	7 17	7 42			
356	22	Tu.	♊	♂ Capella s. 10.57 A.	7 27	4 32	5 54	7 16	4 43	6 3	6 59	4 59	6 17	8 6	8 38			
357	23	W.	♊	♂ Uranus rises 0.25 M.	7 27	4 32	7 13	7 16	4 43	7 11	7 0	5 0	7 23	8 56	9 34			
358	24	Th.	♊	♂ Rigel s. 10.50 A.	7 28	4 33	8 14	7 17	4 44	8 21	7 0	5 0	8 30	9 45	10 29			
359	25	Fr.	♊	♂ ☽ ☽.	7 28	4 34	9 26	7 17	4 44	9 31	7 1	5 1	9 37	10 34	11 26			
360	26	Sa.	♊	♂ ☽ ☽.	7 29	4 34	10 36	7 18	4 45	10 39	7 1	5 1	10 42	11 25	11 56*			
52. Sunday after Christmas. Day's Length:					9h. 6m.			9h. 28m.			10h. 0m.					1571. — J. Kepler, German astronomer. 1822. — Louis Pasteur, French physiologist. 1818. — C. R. Fresenius, German chemist. 1796. — J. C. Poggendorff, German physicist. 1784. — Major S. H. Long, American explorer. 1796. — John E. Holbrook, American zoologist.		
361	27	Su.	♊	♂ ☽ ☽; ☽ gr. H.L.N.; ☽ in ☽.	7 29	4 35	11 44	7 18	4 46	11 45	7 2	5 2	11 45	0 23	0 22			
362	28	M.	♊	♂ 28th. ☽ ☽ ☽.	7 29	4 36	Morn.	7 18	4 46	Morn.	7 2	5 3	Morn.	1 21	1 21			
363	29	Tu.	♊	♂ stationary.	7 29	4 36	0 49	7 19	4 47	0 48	7 2	5 4	0 45	2 26	2 24			
364	30	W.	♊	♂ perigee.	7 30	4 37	1 53	7 19	4 48	1 50	7 3	5 4	1 45	3 30	3 29			
365	31	Th.	♊	♂ Neptune sets 3.41 M.	7 30	4 38	2 55	7 19	4 49	2 51	7 3	5 5	2 43	4 32	4 37			
MOON'S PHASES. (Standard Time.)				EASTERN.	CENTRAL.		MOUNTAIN.		PACIFIC.		A BRIEF GUIDE TO THE DECADE.							
				d. h. m.	d. h. m.	d. h. m.	d. h. m.	d. h. m.	d. h. m.	d. h. m.	Dec. 1, 1880, fell on Wednesday.		Dec. 1, 1886, will fall on Wednesday.					
NEW MOON				6 8 16 M.	6 7 16 M.	6 6 16 M.	6 6 16 M.	6 5 16 M.	6 5 16 M.	6 5 16 M.	1881, " " " Thursday.		1887, " " " Thursday.					
FIRST QUARTER				14 1 22 A.	14 0 22 A.	14 0 22 A.	14 1 22 M.	14 10 22 M.	14 10 22 M.	14 10 22 M.	1882, " " " Friday.		1888, " " " Saturday.					
FULL MOON				21 3 58 A.	21 2 58 A.	21 1 58 A.	21 1 58 A.	21 0 58 A.	21 0 58 A.	21 0 58 A.	1883, " " " Saturday.		1889, " " " Sunday.					
LAST QUARTER				28 7 22 M.	28 6 22 M.	28 5 22 M.	28 5 22 M.	28 4 22 M.	28 4 22 M.	28 4 22 M.	1884, " " " Monday.		1890, " " " Monday.					



MAP SHOWING THE
DIVISIONS OF THE SIGNAL SERVICE.
OF STANDARD TIME
AND THE MEAN ANNUAL ISOTHERMS.

INDEX TO VOLUME IV.

*** Names of contributors are printed in small capitals.

- Abbe, C., on atmospheric electricity and earth-currents, 314.
- ABBOTT, C. C. Color-sense in fishes, *ill.* 336; hibernation of the lower vertebrates, *ill.* 36.
- Abbott, C. C., on hermit toad, 72; Naturalist's rambles about home, reviewed, 380; *Scaphiopus solitarius*, 262.
- ABBOTT, Edward. Swarming insects, *ill.* 79.
- Aboriginal American languages, 522.
- Academic distinctions to Americans, 47, 78.
- Acadian basin in American geology, 258.
- Acids, complex inorganic, 254.
- Adams, F., on apatitbringer in Canada, 258.
- Adams, J. C., on moon's latitude, 294; Newton's theory of atmospheric refraction, 295; obliquity of ecliptic, 295.
- Adirondacks, mammals of, 445.
- Aeronautics, discovery in, 464.
- Afghanistan, oil-bearing strata in, 266.
- Africa, archeology of, 438; expedition to, 449; languages of, 310.
- African race in United States, 222.
- AGASSIZ, Alexander. Phosphorescence in the deep sea, 270.
- Agassiz association, 487.
- Agricultural chemists, association of, 312; convention of, 30; experiment-stations, scope of, 508; work of, 333; station, New-York, 519; statistics, 575.
- Ainos, graves of, 503.
- Air, navigation of, *ill.* 531; velocity of, 253.
- Alabama, cretaceous phosphates in, 78; weather-signals, 464.
- Alaska coast-pilot, *ill.* 561; new river in, 539.
- Albatross, winter expedition of, 481.
- Alcohols, production of, 30.
- Alden, G. I., on training for mechanical engineers, 323.
- Algerian coal, 267.
- Algave and Boulard's Electric light, reviewed, 463.
- Algonquin legends, 499.
- Allen, A. H., on valence, 321.
- Allen, J. A., on faunal areas, 375.
- Almanacs, history of, *ill.* 492.
- Almucantar, 293.
- Alps, flora of, 475.
- Altitudes, dictionary of, 481.
- Aluminium, soldering, 332.
- Amazon, pororóco of, *ill.* 488.
- America, geological maps of, 382; psychological research in, 359, 369.
- American anthropology, aspects of, 217; problems of, 545; appliances for deep-sea investigation, *ill.* 146, 224, 400; association for the advancement of science, endowment of research by, 221; meeting of, 1886, in London, 298; meeting of, in Philadelphia, 2, 189, 192, 229; addresses to, 229; botanical club of, 358; chemical section, 76, 107; circular, 107; committee reports of, 357; delegates from foreign societies to, 140; economic science and statistics section, 121; eminent visitors to, 139; mechanical science section, 187; reports of proceedings of, 291, 320, 339; success of, 269; members of, 141; officers of, for 1885, 298; organization of, 221; coaster's nautical almanac for 1884, reviewed, 20; contributions to memorials of European scientific men, 483; explorations, 110; geological railway-guide, 396; historical association, 75, 301, 312; initiative in methods of deep-sea dredging, 54; institutions, history of, 173; languages, 522; classification of, 317; natural history, 536; naturalist, rambles of an, 380; oriental society, 443; ornithologists' union, 374; pearls, 368, 470; permanent railway, 288; public health association, 440; science, discrediting, 303; scientific work, credit to, 301; society of civil engineers, meeting of, at Buffalo, 11; students, interests of, 141; tribes, 396.
- Americans, foreign academic distinctions to, 78.
- Amla, serrated appendages of throat of, 511.
- Amphibian brain, 340, 343.
- Anaesthetic, new, 468; new administration of, 411.
- Andesite from New Bogosloff volcano, 524.
- Andree's Metallurgy of primitive nations, reviewed, 21.
- ANDREWS, Horace. The prime meridian, 368.
- Animal intelligence, 16.
- Animals, marine, recognition of time by, 429; mental evolution in, 16.
- Annelid jaws, fossil, 263.
- Anthracite-burning locomotive, 290.
- Anthrax virus, virulence of cultivated, 276.
- Anthropological discoveries in Canada, 318; section of British association, 46.
- Anthropology, American, 545; aspects of, 217.
- Antiquities from Cyprus, 364.
- Apatitbringer in Canada, 258.
- Apes, anthropoid, 339.
- Apprenticeship question, 347.
- Archean rocks, 259.
- Archeology, African, 438; prehistoric, 469.
- Archibald, D., on Krakatoa committee, 253; on velocity of air, 253.
- Arctic expeditions, 409; exploration, 77, 93; literature, 366.
- Arizona, topographical maps of, 188.
- ARMSBY, H. P. Special manures for particular crops, 57.
- Art in shell, 26.
- Artesian borings, 268.
- Arthur, J. C., on nature of gumming, 359.
- Asiatic exploration, 323.
- Asserson, P. C., on Tereido navalis, 12.
- Association of official agricultural chemists of the United States, 312.
- Associations, comparative study of British and American, 271.
- Asteroid, new, 382; ring, 292.
- Astronomy, pending problems in, 192.
- Atkinson, E., on rate of wages, 283.
- Atlantic currents, 561; Ocean, level of, 326.
- Atmosphere, obscurity of, 94.
- Atmospheric electricity, 164.
- Atomic weights, 523.
- Atwater, W. O., on assimilation of nitrogen by plants, 322; chemistry of fish, 321; nutrients in foods, 347.
- Auchincloss, W. S., on balancing-machine, 293.
- Auroras, artificial, 465.
- Australasian association for the advancement of science, 522.
- Authorship, recognition of, in publications of signal-service, 467.
- Automatic sprinkler system, 291.
- Axes, 344.
- BABBITT, Franc E. North-eastern and north-western Indian implements, 33; some implements of the Minnesota Ojibwas, *ill.* 527.
- Babirusa tusks from Indian grave, 34.
- Bacterium, comma-shaped, 92.
- Bad seeing, 94.
- Bailey, on Acadian basin in American geology, 258.
- Baird, S. F., bibliography of, 45.
- Baker, B., on Forth Bridge, 287.
- Balancing-machine, 293.
- BALDWIN, Henry. Abnormal form of *Trillium grandiflorum*, 352.
- Baldwin's Orchids of New England, reviewed, 498.
- Balloon ascensions, *map*, 299.
- Baltimore, map of vicinity of, 518.
- Barnes, C. R., on fibro-vascular bundles in *Pinus sylvestris*, 358.
- Barnett, J. D., on anthracite-burning locomotive, 290.
- Barrande, memorial tablet to, *ill.* 139.
- Bartlett, J. H., on steam-heating, 290.
- Bassalian fauna, 223.
- Bassnett's True theory of the sun, reviewed, 478.
- BATCHELDER, J. M. The lamprey as a builder, 469.
- Bate, C. S., on distribution of Crustacea, 260.
- Beal, W. J., on torsion of leaves, 340.
- Beatricea, 341.
- Bell, A. G., on deaf-mutes, 346; possible method of communication between ships at sea, 296.
- BELL, A. Melville. Book-postage in the United States, 351.
- BELL, Louis. Temperature of the spheroidal state, 5.
- BENNETT, W. Z. A wider use for scientific libraries, 368.
- Bentham, George, *portrait*, 352.
- Bergen's Development theory, reviewed, 311.
- Bering Sea, new volcano of, *map*, 432.
- Berlin academy of sciences, 465.
- Bessey, C. E., on *Desmodium sessilifolium*, 358.
- Beyer, H. G., on Lingula, 343; oxygenated and unoxxygenated blood, 339.
- Bianchi, unfavorable reports from, 366.
- Biographical work in scientific fields, 31.
- Bibliography of meteorology, 449; of physical and historical writings, 450.
- Biological problems, 339.
- Bird's Higher education in Germany and England, 502.
- Bird-collection of U. S. national museum, 496.
- Birds, coming of, 571; migration of, 374; nomenclature of, 265; North-American, 86.
- Bismarck family, 425.
- BLAKE, W. P. The Carson-City ichnolites, *ill.* 273.
- BLANFORD, W. T. The correlation of geological formations, 208.
- Blood, oxygenated and unoxxygenated, 339.
- Blooming-time for flowers, 573.
- Bogosloff volcano, 138; andesite from, 524.
- Bolton, H. C. See Julien, A., and Bolton, H. C.
- Book notices, minor, 311, 463, 520.
- Borneo, natives of, 332.
- BORUM, C. The zero meridian of longitude, 32.
- Botanical club of American association, 358.
- Botanists, value of time of, 301.
- Bot-flies in a turtle, 511.

- Bottomly, J. T., on loss of heat by radiation, 250.
 Boulard. See Alglave and Boulard.
 Bourdillon's Report of the census of Bengal, 1881, reviewed, 557.
 Bourne, S., on interdependence of portions of British empire, 286.
 BRAMWELL, Sir F. J. On the relation of mechanical science to other sciences, 215.
 BRANNER, J. C. The pororóca, or bore, of the Amazon, *ill.* 488.
 Brashear, J. A., on production of optical surfaces, 323.
 Brass-plating, 465.
 Brazilian port, 268.
 Brewster, W., on ptarmigan, 375.
 BRINTON, D. G. Indian languages in South America, 159.
 Brinton, D. G., on aboriginal American languages, 522; North-African archeology, 438.
 British association for the advancement of science, distinctive features of, 203; honorary membership of, 155; meeting of, at Montreal, addresses at, 203; anthropological section, 46; appropriations by, 263; aspects of, 157; delegates to, 188; effect of, on Canadian science, 221; eminent men at, 139, 186; geological section, 73; Lord Rayleigh's address before, 179; prominent mathematicians at, 121; report of proceedings of, 248, 279, 316; visit of, to America, 160; Empire, interdependence of portions of, 286; in North America and Australia, 285; statistics of, 214.
 Britton, N. L., on New-Jersey flora, 358.
 Brook, G., jun., on teleostean eggs, 340.
 BROOKS, W. K. A new law of organic evolution, 532; the recognition, by marine animals, of the hour of the day, 429.
 BUCHANAN, A. H. Time without instruments, *ill.* 51.
 Buckland's Record of Ellen Watson, reviewed, 380.
 Building-stone collection of U. S. national museum, 505.
 Bureau of physical standards, 314; of scientific information, 108.
 BURGESS, Edward. A wider use of scientific libraries, 396.
 Burton's A B C of modern photography, reviewed, 464.
 Business depression, cause of, 348.
 Butterflies' wings, preparation of, for albums, 26.
 Butter-making, scientific, 407.
 C., H. S. Wiedemann's Electricity, reviewed, 87.
 Calendar, floral, 574; Science, 1885, 584.
 Caloric power of sun's rays, 30.
 Camera, vertical, in photography, 5.
 Canada, anthropological discoveries in, 318; earthquakes in, 569; geological and natural-history survey of, 362; light-house system, 290.
 Canadian finances, 285; Pacific railway, 289; science, stimulus to, 221.
 Canal, Corinth, 268; routes between Atlantic and Pacific, *map*, 434.
 Cañons, formation of, 99.
 Carbon filaments, elasticity of, 410.
 Carbonic acid, solid, density of, 322.
 CARHART, H. S. Edison's three-wire system of distribution, 524.
 CARPENTER, P. H. The bassalian fauna; *Pentacrinus asteriscus*, 223; the initiation of deep-sea dredging, 222.
 CARPENTER, W. Lant. Education at the international health exhibition, 353.
 Carpenter, W. L., and Stewart, B., on connection of sun-spots with terrestrial phenomena, 253.
 Carpmæl, on new induction inclinometer, 253.
 Carr's Mounds of the Mississippi valley, reviewed, 151.
 Carson-City ichnolites, *ill.* 273.
 Casey's revision of the Stenini, 561.
 Caste in India in 1881, 557.
 Catagenesis, 240.
 Caucasian petroleum, 365.
 Census of Bengal, 1881, report of, reviewed, 557; of India, 280; report of United States, 1880, reviewed, 119; seventh volume of, reviewed, 421; eighth volume of, reviewed, 461.
 Cerebellum, 341.
 Chadwick, E., on preparation for cholera, 299.
 Challenger, exploring voyage of, reviewed, *ill.* 116, 176.
 Chamberlin, T. C., on glacier, 154.
 Chandler, S. C., jun., on almucantar, 293; colors of variable stars, 293.
 Channing, E., on settlers of North-American colonies, 313; town and county government, 329.
 Chaumont, de, on cholera disinfectants, 299.
 Cheepach, 448.
 Chemical affinity, 234; analyses, 500; changes in relation to micro-organisms, 257; elements, report to American association of committee on indexes of literature of, 320; section of American association, 76, 107; text-books, 500.
 Chemistry, elements of, 500; of fish, 321; importance of, in biology and medicine, 454; inorganic, 500; lessons in, 500; progress of, since 1848, 206; of roller-milling, 320.
 Chemists, association of, 312.
 Chemung group, 327.
 Chesapeake zoölogical laboratory, 122, 423.
 Chester, F. D., on Delaware geological survey, 325.
 Chickering, J. W., jun., and Gordon, J. C., on deaf-mute instruction, 347.
 Child-life among the Omahas, 343.
 Chile, aborigines of, 423.
 Chippewa Indians, bird nomenclature of, 265.
 Chlamydoselachus, 340.
 Chlorine gas, solubility of, 256.
 Cholera, 144; bacillus, 554; disinfectants, 299; preparation for, 299.
 Christie, on the Greenwich observatory, 61.
 Christmas greeting, 563.
 Chronological cycles, 1885, 577.
 Chronology of Japan, 508.
 Clark, E. W., on exploration of the Kowak River, *ill.* 551.
 Clark's Indian sign-language, reviewed, 556.
 Clarke, F. W., on valence, 321; Elements of chemistry, reviewed, 500.
 CLAYPOLE, E. W. Fish-remains in the North-American Silurian rocks, 34; fish-remains in North-American rocks, 270.
 Claypole, E. W., on fish-remains in Silurian rocks, 326; section across Pennsylvania, 258; transition of beds, 327.
 Climates of two hemispheres, 282.
 Clocks of precision, 121.
 Clock-time and sun-time, *ill.* 578.
 Coal in Algeria, 267; German, 300.
 Coal-field, Langrin, 504; Pennsylvania, 522; measures of Kentucky, 325; mine, photographs of interior of, 223.
 Coast-pilot of Alaska, *ill.* 561; signals, improvements in, 290.
 Cold-wave flags, 382, 559.
 Collections, care of, in museums, 539.
 College mathematics, 230.
 Collier's Sorghum, reviewed, 479.
 Collimator, new, 74.
 Colonies, American, government of, 329; settlers of, 313.
 Colony, oldest, in America, 283.
 Color of the eye, change in, 452, 511.
 Colorado, rocks of, 521.
 Colors of stars, 291; of variable stars, 293.
 Color-sense in fishes, *ill.* 336.
 Combustion of mixtures of carbon monoxide, hydrogen and oxygen, 254.
 Comet, new, 92; new periodical, 381; Wolf, 332.
 Comma, use of, in scientific writing, 1.
 Commercial relations of United States, 348.
 Communication between ships at sea, 296.
 Compass, magnetic, 250.
 Congress as affecting scientific interests, 507; laws of, nullified by executive departments, 302.
 Conocephalus dissimilis, 448.
 Conocoryphean, primitive, 301.
 Contributors, word to, 270.
 Cook, A. J. Ergot nectar, 512.
 Cook, G. H., on geological survey of New Jersey, 326.
 Cooke's Bird nomenclature of the Chippewa Indians, 265.
 Co-operation an element in development of science, 411; in scientific work, 125.
 CORE, E. D. Catagenesis, or creation by retrograde metamorphosis of energy, 240.
 Cope, E. D., on affinities of saurians, 340; phylogeny of Mammalia, 339.
 Cornell university summer school of entomology, 111.
 Correlation of geological formations, 208.
 Corthell, E. L., on South Pass jetties, 13.
 Cotterill's Applied mechanics, reviewed, 406.
 Coues's Key to North-American birds, reviewed, 86.
 Crabs, strength of muscles of, *ill.* 521.
 Craigie, P. G., on supply of meat, 286.
 Crane, T. M., on mediæval history, 313.
 Credit of United States, 347.
 Creek Indians, migration legend of, 499.
 Cretaceous phosphates in Alabama, 78.
 Crichton-Browne, on over-pressure in schools, 497.
 Croes, J. J. R., on water-rates, 13.
 Crystalline rocks, 327; of north-west, 238; schists, 327; specimens illustrating origin of, 511.
 Crystallization, effect of, on sediment, *ill.* 484.
 Culture periods, 345.
 Cuneiform inscriptions, 443.
 Currents, Atlantic, 561; North-Atlantic, *ill.* 415.
 Curtis, J. S., on Ruby-hill mines, 459.
 Curtis's Effect of wind-currents on rainfall, 409.
 Cushing, F. H., on art among the Zuñis, 319.
 Cus's Languages of Africa, reviewed, 310.
 Cyclone, use of word, 468.
 Cyclones, 381; study of, 363.
 Cyprus, antiquities from, 364.
 Cystophora cristata, hood of, *ill.* 514.
 DALL, W. H. Classification of the Mollusca, 143, 351; a Mussulman propaganda, 457; a remarkable new type of mollusks, 50.
 Dall, W. H., on glaciers, 154; labrets, 345.
 Dallinger, on chemical changes in relation to micro-organisms, 257.
 DANA, C. L. A scientific study of lawn-tennis, 473.
 Dana, J. D., on synclinal in Taconic range, 259.
 Danish international polar station, *ill.* 476.
 Davis, on Conocephalus dissimilis, 448.
 DAVIS, W. M. Drumlins, *ill.* 418; light in the deep sea, 94; temperature and its changes in the United States, *ill.* 569; tornadoes, and how to escape them, *ill.* 572.
 Davis, W. M., on geographical classification, 328.
 Dawkins, W. Boyd, on connection of North America with Greenland, 283; range of Eskimo, 316.
 Dawson. See Tolmie and Dawson.
 Deaf-mute instruction, 347.
 Deaf-mutes, race of, 346.
 Death, 342, 398.
 Deaths, recent, 76, 123, 331, 409, 503.
 Debts of nations, 285.
 Deep-sea dredging, initiation of, 222; methods of, 54; investigation, appliances for, *ill.* 146, 224, 400; life, physiology of, 209; light in, 8, 94; phosphorescence in, 270.
 Deflection of streams, 28.
 Delaware estuary, 329, 368; geological survey, 325.

- De Morgan memorial medal, 123.
Desmodium sessilifolium, 358.
Development theory, 311.
Dewar, J., on chemical changes in relation to micro-organisms, 257; constitution of elements, 225; density of solid carbonic acid, 322; radiation, 250; storage-batteries, 392; valence, 321. See also Liveing and Dewar.
Diller, J. S., on Krakatoa dust, 71; Oregon rocks, 71; Unalaska sands, 44; volcanic sand, 154.
Dinosaurian reptiles, 261.
Disinfection by gas, 503.
Dissociation, 256.
Distribution of Crustacea, 260; three-wire system of, *ill.* 477, 524.
Dixon, H. B., on incomplete combustion of mixtures of carbon monoxide, hydrogen and oxygen, 254.
Dobell, on destruction of germs, 299.
Dobson, G. E., on the geographical distribution of animals, 261.
Douglass, A. E., on Florida mounds, 344.
Douglass, J., on coast-signals, 290.
Douglass, W. A., on savings institutions, 284.
Dredges, *ill.* 146.
Dredging, deep-sea, 54, *ill.* 146, 222.
Drift, remains of, 73.
Drumlins, *ill.* 418.
Dudley, P. H., on track-inspection car, 348; wood-sections, 45.
DUDLEY, W. L. Effect of crystallization on sediment, *ill.* 484.
Dising, on organic evolution, 532.
Dumas, bust of, 481.
Dun, W. A., on Ohio floods, 44.
Dury, C., on Micropterus, 263.
Dutton, C. E., on glaciers, 154.
Duveyrier, H., on Mussulman propaganda, 457.
Dwarf race of men, 410.
Dyke, trap, 328.
Dynamo-electric machines, 314; recent progress in, 520; government of, 298.
Earth, face of, *ill.* 535; and sun-spots, *ill.* 564; currents, 314.
Earthquake of Aug. 10, 140, 144, 158; of Sept. 19, 332; of 1881, in India, 27; observation in United States, 520; systematic, 352, 368; Ohio, 302; phenomena, observation of, 354.
Earthquakes in the United States and Canada, 569; measurement of, *ill.* 516.
Earthworm, gigantic, 426.
EATON, John. Scientific methods and scientific knowledge in common affairs, 246.
Echinoderms, 261; dredged by the *Talisman*, *ill.* 102.
Eclipses, 1885, *charts*, 578.
Ecliptic, obliquity of, 295.
Economic science and statistics section of American association, 121.
EDDY, H. T. College mathematics, 230; radiant heat, *ill.* 3.
Edison lamp, radiant matter in, 374.
Edison's three-wire system of distribution, *ill.* 477, 524.
Education and the masses, 53; in geography, 281; higher, in Germany, 502; industrial, 537; at international health exhibition, 333; technical, 425; workshop in, 395.
Educational convention, 112; methods in laboratory practice, 322.
Egg-cocoons of *Lycosa*, 24.
Eissler's Modern high explosives, reviewed, 278.
Electric candle, 267; isolation, 350; light, 463; circuits, *ill.* 123; economy of, 324; incandescent, for vessels, 561; tramway, Portrush, 324.
Electrical commission, national, in Philadelphia, 140; members of, 107; conference, 313, 367, 383; questions for, 219; Paris, 126; exhibition, Philadelphia, 78, 122, 356; testing establishments, 224; transmission of energy, 315.
Electricians, national conference of, 127.
Electricity, 19, 87, 232; atmospheric, 164, 314; discharge of, 252; generation of, by water-power, 12; international exhibition of, 464.
Electrolysis of glass, 464.
Electromotive forces in voltaic cell, 251.
Elementary schools and manual training, 523.
Elements, constitution of, 255.
Elliott, E. B., on credit of United States, 347.
Emblematic mounds, 343.
Embryology, some facts in, 49.
Emigration, Irish, 285.
Emmons, S. F., on glacier, 154.
Endowment of research, 221.
Energy, transmission of, 315.
Engineers, training for, 323.
Engraving-tool, *ill.* 105.
Entomology, summer school of, 111.
Eozoon canadense, 327.
Equatorial condé, *ill.* 101.
Ergot nectar, 512.
Erie Canal, enlargement of, 13.
Errors, magnitude of, 293.
Eskimo of Point Barrow, 319; range of, 316.
Ethnography, Fuegian, 27; Punjab, 360, 537.
Ethnologic publications, 15.
Euclid as a text-book of geometry, 442.
Europeans, form of face in, 522.
Eurypteridae, discovery of, 327.
Evaporation, 256.
Evolution, law of organic, 532.
Ewing's earthquake measurement, *ill.* 516.
Exchange, media of, 285.
Exhibition of goldsmiths' work, 188.
Experiment-stations, agricultural, 508.
Explorations, American, 110; south-western, 366.
Explosive agents, 13; modern high, 278.
Expositions, advantages of, 348.
Eye, change in color of, 452, 511.
Eyes, blue, gradual disappearance of, 367.
F., L. S. A possible danger to mariners, 413.
Face, form of, 522.
Factory acts, 286.
Fallacies, 152.
Farmers, hints to, *ill.* 576.
FARNSWORTH, P. J. Forgotten conclusions of science, 469; too big to swallow, 53.
FARQUHAR, Henry. Verification of predictions, 540.
Fasting pig, 335.
Faunal areas, 375.
Faunas, ancient, 326.
Fermentation, changes produced by, in milk, 405; without combined nitrogen, 322.
FERREL, W. The gyration of a vibrating pendulum, 53.
Festivals of the church, fixed and movable, of 1885, 577.
Fibro-vascular bundles, 358.
FIELDE, Adele M. The meng-leng, 159.
FILHOL, H. The echinoderms dredged by the *Talisman*, *ill.* 102; the lower forms of life dredged by the *Talisman*, *ill.* 171.
Firedamp, detection of, 425.
Fish, chemistry of, 321; culture, 348; remains, 159; in Silurian rocks, 34, 270, 326; swallowing a turtle, 53.
Fisheries exhibition catalogue, 142.
Fishery board, Scottish, 478.
Fishes, color-sense in, *ill.* 336; tail of, 341.
Fiske's Destiny of man, reviewed, 408.
Fiske's Electricity, reviewed, 19.
Fletcher, Alice C., on child-life among the Omahas, 343; lands in severity to Indians, 347; pipes of friendship, 345.
FLEXNER, S. Crystallization of glucose in honey, 32.
Flies walking on glass, *ill.* 219.
Floods, Ohio, 44.
Flora, fossil, 340; of high Alps, 475; of New Jersey, 358; of North America, 308.
Floral calendar, 574.
Florida mounds, 344.
Flower, W. H., on size of teeth as race character, 538.
Flowers, blooming-time for, 573.
Fly, liver of, 72.
Flying-machine, *ill.* 330, 482.
Fog-horn, new, 155.
FOI, H. The changes which fermentation produces in milk, 405.
Folk-lore, Indian, 499.
Foods, nutrients in, 347.
Foraminifera from Gulf of Mexico, 24.
Forbes, G., on velocity of light, 254.
Forecasts, weather, 568.
Forest-trees, Russian, 155.
Forth Bridge, 287.
Fossil flora of globe, 340.
Foster's Monthly reference-lists, 450.
Foxwell, H. S., on rate of wages, 284.
France, lightning-strokes in, 264; wine-production in, 264.
Francis, J. B., on efficiency of turbine water-wheel, 12.
Frankland, E., on chemical changes in relation to micro-organisms, 257.
Frazer's Geology of south-eastern Pennsylvania, reviewed, 447.
Freezing, shaft-sinking by, 443.
French association for the advancement of science, 121; flying-machine, *ill.* 482; scientific missions, 505.
Fresh-water faunas, 260.
Fuegian ethnography, 27.
G. Tornado predictions, 126.
G., A. George Bentham, *portrait*, 352.
Gaffky. See Koch, R., Gaffky, and Loeffler.
GAGE, S. H. The inventor of the vertical camera in photography, 5.
Galvanometer of twenty wires, 252.
Gannett's Dictionary of altitudes, 481.
GARMAN, S. The oldest living type of vertebrates, 484.
Garman, S., on *Chlamydoselachus*, 340.
Gas, disinfection by, 503; evaporation of, 425.
Gases, absorption of, by steel, 331.
Gatschet's Migration legend of the Creek Indians, reviewed, 499.
Geographical classification, 328; discovery, recent, 211; distribution of animals, 261; work, Russian, 503.
Geography of the Baltic Sea, 450; education in, 281; of Europe, 124; medical, 220; of Palestine, 328; Ptolemy's, 331.
Geological and natural-history survey of Canada, 362; formations, correlation of, 208; maps of America, 382; railway-guide, 396; section of British association, 73.
Geology of Europe, 124; of south-eastern Pennsylvania, 447; of Susquehanna-river region, reviewed, 120.
Geometry, Euclid as a text-book of, 442.
German and Austrian alpenverein, 409; coal, 300; engineers' society, 331; expedition to Cape Town, 156; schools, over work in, 136.
Germany, higher education in, 502.
Germinating plants, rotation experiments on, *ill.* 51.
Germs, 440; destruction of, 299.
Ghosts, investigation of, 525.
Giants' Causeway, 324.
Gibbs, W., on complex inorganic acids, 246; constitution of elements, 255; electromotive forces in voltaic cell, 251.
Gilbert, G. K., on deflection of streams, 28.
Gilbert. See Lawes, J., and Gilbert.
Gill, D., on parallax of fixed stars, 75.
GILL, T. Classification of the Mollusca, 334; the eggs of Ornithorhynchus, 452; the oldest living type of vertebrates, 524.
Gipin, on Nova-Scotian coal-field, 258.
Giraud, news from, 264.
Glacial action, 258; period in New Zealand, 426; pot-hole, *ill.* 560; submergence, depth of, 160.
Glacier, what is a, 154.
Glaisher, J., on Palestine exploration fund 281.
Glucose, crystallization of, 32.
Gneiss, Vermont, 327.

- Goldsmiths' work, exhibition of, 188.
 GOODE, G. Brown. The exploring voyage of the Challenger, reviewed, *ill.* 116, 176.
 Goode's bibliography of Professor Baird, 45.
 Goodwin and Marshall, on solubility of chlorine gas, 256.
 Gordon, J. C. See Chickering, J. W., jun., and Gordon, J. C.
 Gordon's expedition to Hudson Strait, 108.
 Gore, J. H., on U. S. coast and geodetic survey, 293.
 Government catalogue of fisheries exhibition, 142; scientific appointments by, 109; support of irrigation, 158; town and county, 329.
 Graves of Ainos, 503.
 Gray, Asa, Flora of North America, 155; on mode of exposing pollen in sunflower, 358; North-American vegetation, 261; Synoptical flora of North America, reviewed, 308.
 Greely party, rescue of, 77, *map*, 88; relief squadron, 122.
 GREENE, C. E. Shaft-sinking by freezing, 443.
 Greene's Lessons in chemistry, reviewed, 500.
 Greenwich observatory, 61.
 Growth, 342.
 Guadalupe, shells of, 366.
 Gulf of Mexico, level of, 326.
 Gumming, nature of, 359.
 Gun, machine, 449; question, 12.
 GURNEY, Edmund. Psychological research, 509.
 Gypsum deposits, 325.
 Gyration of vibrating pendulum, 53.
 Gyrostatic working-model of magnetic compass, 250.
 HAGEN, H. A. Lawsuits against grubs and grasshoppers, 168.
 Hague, A., on Yellowstone national park, 22.
 Hale, H., on wampum, 320.
 Haliburton, R. G., on oldest colony in America, 283; Vinland, 283.
 Hall, A., on motion of Hyperion, 155.
 HALL, E. H. The Hall effect, 351.
 Hall, E. H., on Hall phenomenon, 297.
 Hall, J., on discovery of Eurypteridae, 327; relations of Chemung and Waverley groups, 327.
 Hallauer, Octave, *portrait*, 306.
 Hampson, T., on apprenticeship question and industrial schools, 347.
 Handieraft, 537.
 Hands, instruction in use of, 452.
 Hange, L. J., on vegetable remains of drift, 73.
 Harkness, W., on doubtful observations, 292; storage-batteries, 386.
 Harrington, M. W., on asteroid ring, 292.
 Hartt, C. F., tablet in honor of, 25.
 Harvard college meridian circle, 293; physiological laboratory, *ill.* 128.
 Hawshaw, J. C., on Severn tunnel railway, 288.
 HAYNES, H. W. The stone age in prehistoric archeology, 469.
 Health association, public, 440; exhibition, international, 353, 410; national board of, 427.
 Heap's Report on the International exhibition of electricity, reviewed, 464.
 Heat, 39; loss of, by radiation, 250.
 Heavens, new maps of, *maps*, 580.
 Heer, O., on flora of high Alps, 475.
 Heilprin, A., on foraminifera, 24; tertiary geology and paleontology of the United States, 562.
 Helmholtz's popular scientific addresses, 481.
 Hematite in Pennsylvania, 25.
 Henry's library, 480.
 Herrick, C. L., on Protozoa, 73.
 Herschel, Sir William, memorial window of, 410.
 Hibernation of lower vertebrates, *ill.* 36.
 Hilfiker's diameter of sun, 267.
 HILGARD, E. W. The steep slopes of the western loess, 302.
 Hilgard, J. E., on relative level of Gulf of Mexico and Atlantic Ocean, 326.
 Hirschfelder, C. A., on anthropological discoveries in Canada, 318.
 Historical association, 75, 301, 312.
 Hitchcock, C. H., on Vermont gneiss, 327.
 Hoadley, J. C., on driven wells, 324; steam-engine practice in the United States, 323.
 Hochstetter, Ferdinand von, *portrait*, 470.
 HOLDEN, E. S. Eye-pieces of the meridian circle at Washburn observatory, 396.
 Holder, J. B., on house-sparrow, 375.
 HOLMES, W. H. Burial-masks of the ancient Peruvians, *ill.* 10.
 Holmes's Art in shell, 26.
 Honey, glucose in, 32.
 Honorary degrees, value of, 3.
 Hood of hooded seal, *ill.* 514.
 Hornblende, occurrence of, 43.
 Hôtel des Neuchâtelois, *ill.* 360.
 Hoy, P. H., on stone axes, 344.
 HUBBARD, G. G. Canal routes between the Atlantic and the Pacific, *map*, 434.
 Hudson's Cause of seasickness, 424.
 Hudson's Strait, *map* of, 220; meteorological stations, 108.
 Human skull from Podbaba, 318.
 Hunt, A. R., on influence of wave-currents on fauna, 75.
 Hunt, T. S., on Taconic question, 27.
 Hurlbert, J. B., on climates, 282; on storms, 282.
 Huron-Iroquois, 318.
 Hyades, on Fuegian ethnography, 27.
 HYATT, A. The primitive Conocoryphean, 351.
 Hyatt, A., on Beatricea, 341; larval theory of origin of tissue, 341.
 Hydrographic basins of Quebec, 283.
 Hydrophobia, experiments with virus of, 122.
 Hygienic congress, 74; institute, 410.
 Hygrometry, new departure in, 137.
 Hyperion, motion of, 155.
 Ibbetson's Outlines of Punjâb ethnography, reviewed, 360, 557.
 Iceland, volcanic island off, 506.
 Ichnolites, Carson-City, *ill.* 273.
 Igloo, implements of, *ill.* 81.
 Illinois state natural-history society, 123.
 Immersion apparatus, 342.
 Implements of Ojibwas, *ill.* 527.
 Incandescent lighting for naval vessels, 561.
 Inclinator, new, 253.
 India, caste in, 557; census of, 280; ink, manufacture of, 505.
 Indian ethnology, 499; folk-lore, 499; grave, Babirusa tusks from, 34; implements, 33; languages, 122, 138; in South America, 159; sign-language, 556.
 Indiana mounds, 344.
 Individuality, 398.
 Industrial education, 537; schools, 347.
 Infectious diseases, 144.
 Ink, India, 505.
 Inuit, Netschilluk, *ill.* 543.
 Insect crust, dynamics of, 341.
 Insects, light emitted by, 505; skins of, 341; swarming, *ill.* 79, 111; of the year, 565.
 Intelligence, animal, 16.
 International association, 269, 329; co-operation in scientific work, 125; electrical congress, 31; exhibition at Antwerp, 1886, 426; of electricity, 464; geological congress, 156; health exhibition, 353; hygienic congress, 74; medical congress, 75; polar expeditions, 367; polar stations, *map*, 370, *ill.* 476; scientific association, 80, 106; congress, 140.
 Invilliers, E. V. d', on hematite in Pennsylvania, 25.
 Irish emigration, 285.
 Iroquois customs and languages, 319; grammar, 412, 486; pronouns, 344, 351; words, 346.
 Irrigation in Missouri and Yellowstone valleys, 166; in the west, 158.
 Irving, R. D., on crystalline rocks, 327; occurrence of hornblende, 43.
 Jablochkoff electric candle, 267.
 Jacobson, J. A., expedition of, 76.
 Jagnaux's Chemical analyses, reviewed, 500.
 James. See Lesquereux and James.
 James, U. P., on fossil annelid jaws, 263.
 Jamin, on new departure in hygrometry, 137.
 Janssen's report of solar eclipse of May 6, 1883, 263.
 Japan, antiquated chronology of, 508; weather service, 521.
 Japanese lacquering, 505.
 Jelly-fish, phosphorescence of, 155.
 Jetties, South Pass, 13.
 Jewell, T. F., on storage-batteries, 393.
 Jewels, crown, of France, *ill.* 299.
 Jews, races of, 319.
 Johns Hopkins university studies in historical and political science, 502; reviewed, 173; Thomson's lectures at, 349; zoological laboratory, 122.
 JOHNSON, A. B. North-Atlantic currents, *ill.* 415.
 Johnson, J. B., on river physics, 325.
 Johnston, H. H., on the exploration of Kilimanjaro, 45.
 Jouffroy, statue of, *ill.* 300.
 Joy, D., on valve gear, 290.
 Julien, A. A., on Eozoon canadense, 327; immersion apparatus, 342.
 Julien, A. A., and Bolton, H. C., on musical sands, 329.
 Jupiter, red spot on, 448.
 K., A., journey of, in China, 280.
 K., D. H. Metallic circuits in cables, 52.
 Kafristan, 404.
 Keith, N. S., on storage-batteries, 386.
 KENNEDY, W. S. What's in a name, 33.
 Kennedy's Wonders and curiosities of the railway, reviewed, 520.
 Kent, W., on irregularities in railroad-building, 348.
 Kilimanjaro, exploration of, 45.
 Kinetic theory of matter, *ill.* 204.
 Kingsley, J. S., on development of Limulus, 341.
 Kirkwood, D., on temporary stars, 291.
 Koch, R., Gaffky, and Loeffler's Anthrax bacillus, reviewed, 276.
 Koch's investigations, value of, 48; reply to his critics, 554; work on tuberculosis, 59.
 Kolbe's Inorganic chemistry, reviewed, 500.
 Kongo, expedition to, 124.
 Korean curios, *ill.* 172, 270; customs, 345.
 Kowak River, 539; exploration of, *ill.* 551.
 Koyle, C. H., on storage-batteries, 387.
 Krakatoa, 135; committee, 253; dust, 71.
 Krishna's journey in China, 280.
 KUNZ, G. F. American pearls, 368; Korean curios, *ill.* 172.
 Kunz, G. F., on gem-engraving, *ill.* 105.
 Laboratory practice, educational methods in, 322.
 Labrets, 345.
 Lacquering, Japanese, 505.
 Laffamme, A., on hydrographic basins of Quebec, 283.
 La Flèche, on Omaha pipes of friendship, 345.
 Lamprey as a builder, 469.
 Lands in severalty to Indians, 347.
 LANGLEY, J. W. Chemical affinity, 234.
 Langley, J. W., on valence, 321.
 Langley, S. P., on temperature of moon's surface, 396.
 Langrin coal-field, 504.
 Language, Indian, 122; Indian sign, 556.
 Languages, African, 310; American, 317, 522; Indian, 159.
 LANKESTER, E. Ray. Classification of the Mollusca, 143.
 Lapland and the Lapps, 366.
 Larval theory of origin of tissue, 341.
 Lavallée, Alphonse, 10.
 Law, marriage, 471; of organic evolution, 532; primitive, 436.
 Lawes, J., and Gilbert, on composition of soils, 257.

- Lawn-tennis, 473.
 Lawsuits against grasshoppers, 168.
 Least squares, method of, 39.
 Leaves, torsion of, 340.
 Leavitt, E. D., jun., on pumping-machinery 289.
 Leblanc, monument to, 504.
 LeConte, John. Points on lightning-rods, 413.
 Leeds, A. R., on composition of human milk, 322.
 LEFROY, Sir J. H. Recent geographical discovery, 211.
 Lehman, A. E., on new protractor, 24.
 Lehmann, J., on crystalline schists, 327; origin of the crystalline schists, 511.
 Leipzig university, 156.
 Leland's Algonquin legends of New England, reviewed, 499.
 Lendenfeld, on glacial period in New Zealand, 426.
 Lesley, Prof. J. P., *portrait*, 190.
 Lesquereux and James's Mosses of North America, reviewed, 446.
 Lewis, H. C., on trap-dyke, 328.
 Librarians, conference of, 505.
 Libraries, scientific, 335, 368, 396, 413.
 Lick observatory, completion of, 482.
 Life, painless extinction of, 366; saving by use of salt solution, 449.
 Light, 444; in deep sea, 8, 94; emitted by insects, 505; seen under water, 421; standard of, 126; velocity of, 254.
 Lighthouse system in Canada, 290.
 Lighthouses, illuminants for, 449.
 Lightning protection, 316; rods, points on, 223, 413; strokes in France, 264.
 Limulus, development of, 341.
 Lindström's Silurian mollusks, 562.
 Lingula, 343.
 Living, on constitution of elements, 255.
 Living and Dewar, on spectral lines of metals, 254.
 Liversedge, on Monotremata, 261.
 Local names in France, 265.
 Lockwood, T. D., on long-distance telephony, 315.
 Lockyer on use of photography in astronomy, 29.
 Locomotive, anthracite-burning, 290.
 Lodge, on electromagnetic forces in voltaic cell, 251.
 Loeffler. See Koch, R., Gaffky, and Loeffler.
 Loess, western, steep slopes of, 302.
 Löwl's Valley formation, 365.
 Lubricants, theory of, 249.
 Lubrication, report of British association on, 291.
 LURTON, N. T. Sky-glows, 486.
 Lycosa, egg-cocoons of, 24.
 Lynch's Scientific butter-making, reviewed, 407.
 LYON, D. G. Semitic notes, 378.
 Lyon, D. G., on cuneiform inscriptions of Asia, 443.
 Macloskie, G., on dynamics of insect crust, 341.
 McCook, H. C., on egg-cocoons of *Lycosa*, 24; habits of spider, 23; Tenants of an old farm, reviewed, 536.
 McCURDY, T. F. Change in the color of the eye, 452.
 MACFARLANE, James. American geological railway-guide, 396; the formation of canons and precipices, 99.
 McGee, W. J., on glacier, 154.
 McGill university, degrees conferred by, 263.
 Mackerel sky, formation of, 253.
 McLennan, J., on Canadian finances 285.
 MacLeod's Dierkunde, reviewed, 311.
 Macnair's journey into Kafiristan, 404.
 Magnetism, influence of, on discharge of electricity, 252.
 Maimon's collection of orient antiquities 378.
 Mammals of Adirondacks, 445; phylogeny of artiodactyle, 359.
 Mammoth, discovery of remains of, 46.
 Man and mastodon, 112; future of, 408; in the tertiary, 244.
 Manchester, science in, 555.
 Manilius, translation of, 266.
 MANN, B. P. A wider use for scientific libraries, 413.
 Manual training in elementary schools, 523.
 Manures, 57.
 Map of Hudson's Strait, 220; vicinity of Baltimore, 518.
 Marcourt, A. de, on commercial relations of United States, 348.
 MARCOU, Jules. The earthquake of Aug. 10, 144.
 Marcou's Mapoteca geologica Americana, 382.
 Mariners, danger to, 413.
 Marjan, H., on local names, 265.
 Marriage laws of aborigines, 319; in savagery, 471.
 Marsh, O. C., on dinosaurian reptiles, 261.
 Marshall. See Goodwin and Marshall.
 Marshall, A. M., on echinoderms, 261.
 Martin, on media of exchange, 285.
 Martin, J. B., on future of United States, 347.
 Martin, Lillie J., on mitegall, 339.
 Masks, burial, of Peruvians, *ill.* 10.
 Massachusetts topographical map, 3.
 Mastodon, 112.
 Mathematics, college, 230.
 Meat, supply of, 286.
 Mechanical engineers, training for, 323; science, relation of, to other sciences, 215; section of American association, 2, 187.
 Mechanics, applied, 406.
 Medals of Royal society, 561.
 Mediaeval history, 313.
 Medical congress at Copenhagen, 75, 300; geography, 220.
 Medina's Aborigines of Chile, reviewed, 423.
 Medulla oblongata, 341.
 MEEHAN, J. T. Minerals near Philadelphia, 368.
 Meehan, T., on opposite leaves in *Salix nigra*, 24.
 Meldola, on jelly-fish, 155.
 Meng-leng, 159.
 Mental evolution in animals, 16.
 Merchantmen, defence of, 505.
 Meridian circle, Harvard college, 293; conference, 376, 406, 421; work of, 414; of longitude, zero, 32.
 Meridians of longitude in South America, 561.
 MERRIAM, C. Hart. The coming of the robin and other early birds, 571; the hood of the hooded seal, *Cystophora cristata*, *ill.* 514; the star-nosed mole amphibious, 429.
 Merriam, C. H., on bird-migration, 374; Mammals of the Adirondacks, reviewed, 445.
 MERRILL, G. P. Hornblende andesite from the new Bogosloff volcano, 524.
 Merriman, M., on doubtful observations, 292; Method of least squares, reviewed, 39.
 Metallic circuits in cables, 52.
 Metallurgy of primitive nations, 21.
 Metals, diffusion of, 253; spectral lines of, 254.
 Meteor, fall of, near Odessa, 188.
 Meteoric research, medal for, 49.
 Meteorological observatory, 92; society, New-England, 30, 424.
 Meteorology, bibliography of, 449.
 Metre, relation of yard to, 296.
 Metric system, use of, 30; value of, 537.
 Metz's Modern palmistry, reviewed, 558.
 Mexican railway, 12.
 Micaria limniculæ, 23.
 Michæles, O. E., on heavy-guns, 12.
 Michelson, on velocity of light, 254.
 Micro-organisms, value of investigations on, 48.
 Micropteris dolemieu, 263; nigricans, 263.
 Microscope for class-room demonstration, *ill.* 540.
 Microscopical journals, new, 365; science, 244; structure of rocks, 505; technique, 350.
 Milk, composition of, 322; effect of fermentation on, 405.
 Minerals near Philadelphia, 368.
 Minnesota Ojibwas, implements of, *ill.* 527.
 MINOR, C. S. Death and individuality, 398; the organization of an international scientific association, 80.
 Minot, C. S., on biological problems, 339; growth and death, 342; skin of insects, 341.
 Mitchell, H., on Delaware estuary, 329.
 Mitegall, 339.
 Mole, star-nosed, amphibious, 429.
 Molecular dynamics, 437; volumes, 256.
 Mollusca, classification of, 143, 334, 351; new type of, 50.
 Monotremata, 261.
 Montigny on scintillation of stars, 267.
 Monuments, American contributions to, 483.
 Moon's latitude, 294; surface, temperature of, 396.
 MORSE, E. S. Korean curios, 270; man in the tertiary, 244.
 Morse, E. S., on Korean customs, 345.
 MOSELEY, H. N. The physiology of deep-sea life, 209.
 Moseley, H. N., on *Utricularia vulgaris*, 262.
 Mosses of North America, 446.
 Mounds, emblematic, 343; Florida, 344; Indiana, 344; Ohio, 151, 317.
 Mount Koraima, 280.
 Mount St. Augustin, volcanic outburst on, 538.
 Muir, W. K., on single-track railways, 288.
 Muirhead, H., on mackerel sky, 253.
 Mullall, M. G., on debts of nations, 285.
 MUNROE, C. E. Recent observations on explosive agents, 13.
 Munroe, C. E., on petroleum oils, 321.
 Muscles of crabs, strength of, *ill.* 521.
 Muskrat with round tail, 34.
 Mussulman propaganda, 457.
 Mythology of Wintuns, 345.
 Names and occupations, correspondence between, 33.
 Naples zoological station, American table at, 74.
 National academy of sciences and government, relations of, 428; October meeting of, 396; papers read before, 408; board of health, 427; conference of electricians, 127; pride, 349.
 Natural history, American, 536; textbooks, 395.
 Naturalist, rambles of, 380.
 Nautical almanac for 1884, 20.
 Naval war college, 424.
 Nebulae, 294.
 NELSON, E. T. The Ohio earthquake, 302; swarming insects, 111; a viviparous pumpkin, 470.
 Netschilluk Innuit, *ill.* 543.
 Neubauer, A., on races of Jews, 319.
 NEWCOMB, S. Can ghosts be investigated, 525; psychic force, 372; psychical research, 509.
 Newcomb, S., on value of obliquity of ecliptic, 295.
 New England, Algonquin legends of, 499; meteorological society, 30, 424; orchids 498.
 New-Jersey flora, 358; geological survey, 326.
 Newport, old stone mill at, *ill.* 512.
 Newton's theory of atmospheric refraction, 295.
 New-York agricultural station, annual report of, reviewed, 519; gypsum deposits, 325; state survey, termination of, 2.
 New Zealand, glacial period in, 426.
 Niagara water-power as generator of electricity, 12.
 Nicaragua route, 328.
 Nicol, W. W. J., on theory of solution, 256.
 Nile, navigation of, *map*, 456.
 Nipher, F. E., on electrical transmission of energy, 315.
 Nitrogen, assimilation of, by plants, 322.
 Noctuidæ, structural modifications of, 44.

- Nomenclature, development of, 109; trinomial, 123.
- Nordenskiöld's book of his explorations, 366.
- North America, birds of, 86; connection of, with Greenland, 283; mosses of, 446; races of, 345; synoptical flora of, 308; vegetation of, 261.
- North-Atlantic currents, *ill.* 415.
- North pole, prize offered for nearest approach to, 124.
- North-west, late news from, 474.
- Nova-Scotian coal-field, 258.
- Novaia Zemlia, result of meteorological station in, 188.
- Noyes, I. P., on weather map, 300.
- Nutrients in foods, 347.
- Observations, adjustment of, 520; doubtful, 292.
- Observatories, private, 266.
- Observatory, catacthonic, 266; Greenwich, 61; Paris, 29; Pic du Midi, 30.
- Ohio agricultural experiment-station, report of, for 1883, reviewed, 279; earthquake, 302; of Sept. 19, 332; mounds, 317; origin of, 151; Wesleyan university, fifth report of museum of, 30.
- Oil, effect of, on water, 424, 506, 560; mineral, 504.
- Oil-bearing strata, 266.
- Ojibwas, implements of, *ill.* 527.
- Omahas, child-life among, 343; friendship pipes, 345.
- Orchids, New-England, 498.
- Oregon rocks, 71.
- Oreodon, osteology of, 342.
- Oriental society, American, 443.
- Ornithological collections in United States, 375.
- Ornithologists' union, 374.
- Ornithorynchus, eggs of, 452.
- Orton, E., on distribution of petroleum in Ohio, 325; Kentucky coal-measures, 325.
- Osborn, H. F., on amphibian brain, 340, 343.
- Ounalaska, schooner, 364.
- Overwork in schools, 136, 268, 497.
- Oxygen, liquefying, 266.
- Palestine exploration fund, 281; geography of, 328; museum and library, 426.
- Palmistry, 558.
- Parallax of stars, 123; fixed stars, 75.
- Paris observatory, 29.
- Parker, H. W., on discovery of mammoth, 46.
- Pasteur's experiments on hydrophobia, 122.
- PAUL, H. M. Edison's three-wire system of distribution, *ill.* 477; the equatorial coudé, *ill.* 101; Krakatoa, 135; measuring earthquakes, *ill.* 516; a proposed new departure in hygrometry, 137; radiant matter in an Edison lamp, 374.
- Paul, H. M., on doubtful observations, 292.
- Peabody museum of archaeology, 110, 121.
- Pearls, American, 368, 470.
- Peet, S. D., on emblematic mounds, 343.
- PETER, C. S. The numerical measure of the success of predictions, 453; the old stone mill at Newport, *ill.* 512.
- Pendulum, gyration of, 53.
- Pennsylvania coal-fields, 522; geology of, 447; section across, 258.
- Pentacrinus asteriscus, 223.
- Periodicals, duties on, 269.
- Perry, on solar surface, 294.
- Personal items, 424; names, development of, 109.
- Peruvians, burial-masks of, *ill.* 10.
- Petals, evolution of, *ill.* 52.
- Petroleum, Caucasian, 365; danger from, 503; distribution of, 325; oils, 321; in Sicily, 364; wells, *ill.* 364.
- Philadelphia academy of natural sciences, 438; bureau of scientific information of, 108; electrical conference in, 383; minerals near, 368.
- Philosophical instruments, 451.
- Phonograph, new, *ill.* 124.
- Phosphates, cretaceous, 78.
- Phosphorescence, 270; of jelly-fish, 155.
- Photographic drop-shutters, speed of, 454.
- Photographs, instantaneous, 265.
- Photography, A B C of modern, 464; color in, 29.
- Photometric tables, 311.
- Photometry of sun and moon, 523.
- Phylloxera, destruction of eggs of, 466; Silesia, 481.
- Physical standards, bureau of, 314.
- Physics, recent progress in, 179.
- Physiological laboratory, Harvard, *ill.* 128.
- Physiology of deep-sea life, 209.
- Pic du Midi observatory, 30.
- PICKERING, E. C. Systematic earthquake observation, 352.
- Pickering, E. C., on colors of stars, 291; stellar magnitudes, 292.
- PICKERING, W. H. Measurement of the speed of photographic drop-shutters, *ill.* 454.
- Pilot-chart for July, 92; November, 465.
- Pim, Bedford, on Nicaragua route, 328.
- Pinus sylvestris, fibro-vascular bundles in, 358.
- Pipes of friendship, 345.
- Planets, dimensions of, *ill.* 582.
- Plating, brass, 465.
- Playfair, Lyon, on constitution of elements, 255.
- PLUMB, C. S. Increase in growth of young robins, 159.
- Poetsch, F. H., on shaft-sinking by freezing, 443.
- Point Barrow, explorations at, 282.
- Polar expeditions, 367; sea, open, 302, 485; stations, international, *ill.* 476, map 370.
- Pollen, exposure of, 358.
- Pororoca of Amazon, *ill.* 488.
- PORTER, A. B. Points on lightning-rods, 223.
- Portuguese lost colony, 34.
- Postage in United States, 351; rates of, 580; reduction of, 449.
- Postal transmission of dried plants, 359.
- Post-office savings banks, 284.
- POWELL, J. W. Certain principles of primitive law, 436; marriage law in savagery, 471.
- Powell, J. W., on classification of American languages, 317; culture-periods, 345; marriage laws of aborigines, 319; mythology of Wintuns, 345.
- Precipices, formation of, 99.
- Predictions, measure of success of, 453; verification of, 540.
- Preece, W. H., on economy of electric light, 324; storage-batteries, 315, 383; telegraphing without cable, 297; telephoning through cable, 252.
- Prehistoric archeology, 469; fishing in America, 381.
- Prime meridian, 349, 368.
- Primitive law, principles of, 436; nations, metallurgy of, 21.
- Prizes of Berlin academy of sciences, 465; of Royal society of New South Wales, 410.
- Professions, learned, and the public, 348.
- Pronouns, Iroquois, 344.
- Propylite question, 111.
- Protozoa, 73.
- Protractor, new, 24.
- Prussian hygienic institute, 410.
- Pseudo-science, 478.
- Pseudo-scientists, 467.
- Psychic force, 372.
- Psychical research, 509; proceedings of English society or, *ill.* 40; in America, 359, 369.
- Parmigan, 375.
- Ptolemy's geography, 331; bibliography of, 122.
- Publishing houses, duties of, 467.
- Pumice, floating, 331.
- Pumping-machinery in America, 289.
- Punjab ethnography, 360, 557; inhabitants of, 360.
- PUTNAM, F. W. Man and the mastodon, 112.
- Putnam, F. W., on Indiana mounds, 344; Ohio mounds, 317.
- Putnam River, exploration of, 496.
- Quarantine, proper, 441.
- Quebec, hydrographic basins of, 283.
- Race-character, teeth as, 538.
- Radiant heat, *ill.* 3; matter in an Edison amp, 374.
- Radiation, 250.
- Rae's Contemporary socialism, reviewed, 534.
- Rags, separation of, 464.
- Railway-building, 348; Canadian Pacific, 289; guide, geological, 396; permanent, 288; Severn tunnel, 288; signals, 356; single-track, 288; wonders and curiosities of, 520.
- Rainfall, effect of wind-currents on, 409; law of maximum, 409; statistics, 267.
- Ramsay, W., on molecular volumes, 256; valence, 321.
- Ramsay, W., and Young, S., on evaporation and dissociation, 256; vapor tensions, 250.
- Ranyard, on instantaneous photographs, 265.
- RATHBUN, R. American appliances for deep-sea investigation, *ill.* 146, 224, 400; the American initiative in methods of deep-sea dredging, 54.
- Rau's Prehistoric fishing, 381.
- Rauch, on quarantine, 441.
- Ravenstein, E. G., on African maps, 280; teaching geography, 281.
- RAY, P. H. An open polar sea, 302.
- Ray, P. H., on Eskimo, 319; explorations at Point Barrow, 282.
- RAYLEIGH, Lord. Recent progress in physics, 179.
- Rayleigh, Lord, *portrait*, 161.
- Rayleigh, Lord, on galvanometer of twenty wires, 252.
- Refraction, atmospheric, 295.
- Remsen, I., on educational methods in laboratory practice, 322; valence, 321.
- Repagination, 94.
- Research, endowment of, 221.
- Revoll's explorations, 268.
- Reynolds, O., on second law of thermodynamics, 250; theory of lubricants, 249.
- Rhodes, B., on generation of electricity by water-power, 12.
- Rhyssa not lignivorous, 486.
- Richardson, C., on chemistry of roller-milling, 320.
- RIDGWAY, Robert. The bird-collection of the U. S. national museum, 496.
- RILEY, C. V. Change in the color of the eye, 511; the insects of the year, 565; Rhyssa not lignivorous, 486.
- Riley's visit to Europe, 365.
- River physics, 325.
- ROARK, R. N. American pearls, 470.
- Roberts, C., on diffusion of metals, 253.
- ROBERTS, I. P. A few pertinent hints to farmers, *ill.* 576; important agricultural statistics, 575.
- Robin, coming of, 571.
- Robins, increase in growth of, 159.
- Rocks of Colorado and Russia, comparison of, 521; crystalline, 238; microscopic structure of, 505; from Oregon, 71.
- ROCKWOOD, C. G., jun. Earthquakes in the United States and Canada, 569; systematic earthquake observation, 368.
- Rogers, W. A., on doubtful observations, 292; Harvard college meridian circle, 293; magnitude of errors, 293; production of screws, 323; relation of yard to metre, 296.
- Roller-milling, chemistry of, 320.
- Romanes' Animal intelligence, reviewed, 16; Mental evolution in animals, reviewed, 16.
- ROSCOE, H. E. Progress of chemistry since 1848, 206.
- Roscoe, Professor, knighted, 156.
- Rosse, Earl of, on polishing specula, 253.
- Rotation, terrestrial, 28.
- ROWLAND, H. A. Address before Electrical conference, 313.

- Rowland, H. A., on dynamo-electric machine, 314; lightning protection, 316.
 Royal academy of Turin, centenary of, 538.
 Royal society of London's medals, 561.
 Rubber-tree, 465.
 Ruby-hill mines, 459.
 Russell, I. C., on glacier, 154.
 Russian arctic expeditions, 409; geographical works, 268, 503; hypsometric chart, 156; observatories, 266; rocks, 521; telescope, 25; topography, 188.
 RYDER, J. A. The use and spelling of terms, and some facts in embryology, 49.
 Ryder, J. A., on tail of osseous fishes, 341.
 S., C. S. Alphonse Lavallée, 10.
 S., E. F. A fasting pig, 335.
Salix nigra, opposite leaves in, 24.
 SALMON, D. E. Discrediting American science, 303.
 Salmon-supply, regulation of, 26.
 Salt solution, use of, in saving life, 449.
 Samarkand, discovery of ruins near, 465.
 Samoa, 378.
 Sands, musical, 329.
 Sarasin, E., on transparency of water, 421.
 Saunders, T., on Asiatic exploration, 328; censuses of India, 280; Dominion survey, 282; geography of Palestine, 328; Krishna's journey, 280.
 Saurians, affinities of, 340.
 Savagery, marriage law in, 471.
 Savings banks, 284.
 Scaphiopus solitarius, 72, 262.
 School of application for navy officers, 108.
 Schools, over-pressure in, 136, 268, 497.
 Schuster, A., on connection of sun-spots with terrestrial phenomena, 252.
 SCHWATKA, Frederick. The implements of the igloo, *ill.* 81; the Netschilluk Inuit, *ill.* 543.
 Schwatka's map of Hudson's Strait, *map*, 220.
 Science calendar, 1885, 584; development of, 411; forgotten conclusions of, 469; in Manchester, 555; mission of, 236.
 Scientific appointments, 109; assemblies, conduct of, 451; interests and congress, 507; methods in common affairs, 240; missions, French, 505; research, funds for, 125; societies, libraries of, 335; wider use for, 363, 396, 413; study of lawn-tennis, 473; use of word, 412; work, co-operation in, 125.
 Selater, P. L., on ornithological collections in United States, 375.
 Scott, W. B., on osteology of Oreadon, 442.
 Scottish fishery board, researches of, 373; mineral oil, 504.
 Screws, production of, 323.
 Scudder's History of United States, 450.
 Searle, A., on zodiacal light, 28.
 Seasickness, 424.
 Seasons, 1885, 577.
 Secondary batteries, 264.
 Seismology in old lands and new, 508.
 Sella, Quintino, *portrait*, 541.
 Semitic notes, 378; study in America, 367.
 Severn tunnel railway, 288.
 Sewer ventilation, 366.
 Shaft-sinking by freezing, 443.
 Sherburne's translation of Manilius, 266.
 Shorthand-writing, 266.
 Shuster, on influence of magnetism on discharge of electricity, 252.
 Sicily, discovery of petroleum in, 364.
 Sidgewick's Fallacies, reviewed, 152.
 Siemens, Sir Charles William, memorial to, 155.
 Silliman, B., on valence, 321.
 Silurian mollusks, 562; scorpion, 562.
 Skin of insects, 341.
 Sky-glows, 486.
 SLICHTER, C. S. Rotation experiments on germinating plants, *ill.* 51.
 Smiley, C. W., on fish-culture, 348.
 SMITH, Erminnie A. Iroquois grammar, 486; Iroquois pronouns, 351.
 Smith, Erminnie A., on Iroquois pronouns, 344; Iroquois languages, 319; Iroquois words, 346.
 SMITH, Eugene A. Cretaceous phosphates in Alabama, 78.
 Smith, F. J., on secondary batteries, 264.
 Smith, J. B., on structural modifications of Noctuidæ, 44.
 Smith, J. Lawrence, medal, 49.
 Smith, L. A., on advantages of expositions, 348.
 Smith, V., on Canadian Pacific railway, 280.
 Smith, W., on lighthouse system in Canada, 290.
 Smith's Centenary of science in Manchester, reviewed, 555.
 Snyder, on bureau of physical standards, 314.
 Social science congress at Birmingham, 92, 410.
 Socialism, contemporary, 534.
 Society meetings, 582.
 Society for psychical research, proceedings of, vol. I., reviewed, *ill.* 40; of red cross, experiments of, 366.
 Soils, composition of, 257.
 Solar eclipse of May 6, 1883, 263; surface, 294; system, map of, 583.
 Sollas, W. J., on fresh-water faunas, 260.
 Solution, phenomena of, 256; theory of, 256.
 Sorghum, value of, 479.
 Sound, production of, 298.
 South America, Indian languages of, 138, 159; meridians of longitude in, 561.
 Sparrow, 375.
 Specialization in scientific study, 35.
 Spectral lines of metals, 254.
 Specula, polishing, 253.
 Spheroidal state, temperature of, 5.
 Spider, burrowing, *ill.* 114; habits of, 23.
 Springer, on fermentation, 322; torsion scales, 320.
 Squall, singular, 480.
 SQUIER, G. H. Depth of the glacial submergence on the upper Mississippi, 160.
 Standard of light, 126; time, 581; timetable, 581.
 Stars, colors of, 291; variable, 293; distribution of fixed, 425; morning and evening, 1885, 577; scintillation of, 267; temporary, 291.
 Statistics, agricultural, 575; of British empire, 214.
 Steam-engine practice, 323; theory of, 289.
 Steamer, fast, 382.
 Steam-heating, 290.
 Stejneger, L., on ptarmigan, 375.
 Stellar magnitudes, 292.
 Stenini, revision of, 561.
 Sternberg, G. H., on disease-germs, 440; tuberculosis, 342.
 Stewart, B. See Carpenter, W. L., and Stewart, B.
 Stewart, J. C., on post-office savings banks, 284.
 Stirling, A., on economy of electric light, 324.
 Stockwell, J. N., on moon's latitude, 294.
 STOKES, A. C. A burrowing spider, *ill.* 114.
 Stokes, A. C., on liver of fly, 72; Tarantula arenicola, 262.
 Stone age in prehistoric archeology, 469.
 STONE, Charles P. The navigation of the Nile, *map*, 456.
 Stone, O., on doubtful observations, 292; Leander McCormick observatory of the University of Virginia, 294.
 Stone mill at Newport, *ill.* 512.
 Stoney, G. J., on new collimator, 74.
 Storage-batteries, 315; before the Electrical conference, 367, 383.
 Storms, peculiar, 282.
 Stove, perfect-combustion, 331.
 Submarine telegraphy, limitations of, *ill.* 438.
 Sudan, 530.
 Suess's Face of the earth, reviewed, *ill.* 535.
 Sugar in milk, method of estimating, 322.
 SULLIVAN, J. A. The Delaware estuary, 368.
 Summer school of entomology, 111.
 Sun, angular diameter of, 267; theory of, 478; and planets, comparative dimensions of, *ill.* 582.
 Sundry civil bill, 1, 47.
 Sunflower, exposure of pollen in, 358.
 Sun-spots, 453, *ill.* 460, 564; connection of, with terrestrial phenomena, 252.
 Sun-time and clock-time, *ill.* 578.
 Surfaces, production of optical, 323.
 Survey, Canada, 282.
 Susquehanna-river region, geology of, 120.
 Swarming insects, *ill.* 79, 111.
 Sweet, E., on Erie Canal, 13.
 Swift, L., on nebulae, 294.
 Symbols, astronomical, 578.
 SYMONDS, W. S. Fish-remains in North-American Silurian rocks, 159.
 Synclinal in Taconic range, 259.
 Tacchini's studies of rainfall, 267.
 Taconic question, 27.
 Tait's Heat, reviewed, 39; Light, reviewed, 444.
 Talisman, echinoderms dredged by, *ill.* 102; lower forms of life dredged by, *ill.* 171.
 Tangles, *ill.* 224.
 Tanis, discovery at, 266.
 Tarantula arenicola, 262.
 Taylor, R. W. C., on factory acts, 286.
 Teachers, improvement of, 142.
 Tea-insects, 426; plant, cultivation of, 365.
 Technical education, advancement of, 425; workshop in, 395.
 Teeth, size of, as race-character, 538.
 Telegraphing without cable, 297.
 Telegraphy, limitations of submarine, *ill.* 438.
 Teleostean eggs, 340.
 Telephoning through cable, 252; long-distance, 315.
 Telescope, Russian, 25.
 Temperature of atmosphere, 266; in the United States, *ill.* 569.
 TEMPLE, Sir Richard. The general statistics of the British empire, 214.
 Tenants of an old farm, 536.
 Tereido navalis, 12.
 Terms, use and spelling of, 49.
 Tertiaries of eastern United States, 562.
 Tertiary man, 244.
 Testing establishments, 224.
 Thompson, Mrs., gift of, to science, 269.
 Thompson, Elihu, on storage-batteries, 390.
 Thompson, S. P., on dynamo-electric machine, 315; government of dynamo-machines, 298; Recent progress in dynamo-electric machines, reviewed, 520.
 THOMPSON, W. G. The microscope for class-room demonstration, *ill.* 540.
 THOMPSON, Sir W., Steps toward a kinetic theory of matter, *ill.* 204.
 Thomson, Sir William, *portrait*, 430.
 Thomson, Sir W., address of, before British association, 249; on electromotive forces in voltaic cell, 251; gyrostatic working-model of magnetic compass, 250; Hall phenomenon, 297; lectures at Johns Hopkins university, 298, 349, 437; molecular dynamics, 437; stenographic notes of, 502.
 Thomson's exploration of Kilimanjaro, *map*, 46, 279.
 Thunder-storms, 97.
 Thurn, E. F. im, on Mount Roraima, 281.
 THURSTON, R. H. The mission of science, 236; the work of Octave Hallauer, *portrait*, 306.
 Thurston, R. H., on theory of steam-engine, 289.
 Tide-table, 577.
 Tilden, W. A., on phenomena of solution, 256.
 Time, standard, 581; sun, *ill.* 578; without instruments, *ill.* 51.
 TISSANDIER, G. Navigation of the air, *ill.* 531.
 Tissue, origin of, 341.
 TODD, D. P. Sun-spots, 453.
 Tolmie and Dawson's vocabularies of Indian dialects, 122.
 Topographical maps of Arizona, 188; of Massachusetts, 3.
 Topography of Russia, 188.

- Tornado predictions, 126.
 Tornadoes, 381; and how to escape them, *ill.* 572.
 Torpedo-boat, 410.
 Torsion of leaves, 340; scales, 320.
 Touche, de la, on Langrin coal-field, 504.
 Track-inspection car, 348.
 Traill, W. A., on Giants' Causeway and Portrush electric tramway, 324.
 Transition of beds, 327.
 Trawls, *ill.* 224.
 Treasury department and philosophical instruments, 451; rulings, 302, 427; in regard to periodicals, 141, 269.
 TRELEASE, W. Blooming-time for flowers, 573.
 Trillium grandiflorum, abnormal form of, 352.
 Tromholt's work on Lapland, 366.
 TROWBRIDGE, J. Atmospheric electricity, 164; thunder-storms, 97; what is electricity, 232.
 Trowbridge, J., on telegraphing without cable, 297.
 TRUE, F. W. Babirusa tusks from an Indian grave in British Columbia, 34; bot-flies in a turtle, 511; a muskrat with a round tail, 34; photographs of the interior of a coal-mine, 223.
 Tuberculosis, 59, 342.
 Tuke, J. A., on Irish emigration, 285.
 Tunnel, ancient, 464.
 Turbine water-wheel, 12.
 Turner's Samoa, reviewed, 378.
 TYLOR, E. B. How the problems of American anthropology present themselves to the English mind, 545; some American aspects of anthropology, 217.
 Tylor, E. B., on American tribes, 396; North-American races, 345.
 Unalashka sands, 44.
 Underground wires, 350.
 United States, African race in, 222; census report of 1880, reviewed, 119; seventh volume of, reviewed, 421; eighth volume of, reviewed, 461; coast and geodetic survey, geodetic work of, 298; commercial relations of, 348; credit of, 347; earthquakes in, 569; future of, 347; geological survey, annual report of, reviewed, *ill.* 62; bulletin No. 5, 481; topographical sheets of, 188; hydrographic office, report of, 502; work of, 483; national museum, additions to, 505; bird-collection of, 496; building-stone, collection of, 505; postage in, 351; resources of, 421; Scudder's history of, 450; signal-service papers, 266, 467; systematic earthquake observation in, 520; temperature in, *ill.* 569; tertiaries of, 562.
 University, ideal, 95; of Virginia, Leander McCormick observatory of, 294.
 Upton, Winslow. Weather forecasts, 568.
 Utricularia vulgaris, 262.
 Valence, 321.
 Valley formation, 365.
 Valve gear, 290.
 Van Dyck, F. C., on storage-batteries, 389.
 Vapor tensions, 250.
 Vashchenko-Zakharchenko's Elements of Euclid, 442.
 Vegetable remains of drift, 73.
 Vegetation, North-American, 261.
 Veins, arrangement of, 410.
 Ventilation of cargoes, 426; sewer, 366.
 Venus, reduction of French photographs of transit of, 424.
 Vermont gneiss, 327.
 VERRILL, A. E. Evidences of the existence of light at great depths in the sea, 8.
 Vertebrates, hibernation of, *ill.* 36; oldest living type of, 484, 524.
 Vidal's Photometric tables, reviewed, 311.
 Vinland, 283.
 Vivarez, H., on limitations of submarine telegraphy, *ill.* 439.
 Viviparous pumpkin, 470.
 Volcanic island off Iceland, 506; outburst of Mount St. Augustin, 538; sand, 154.
 Volcano, Bogosloff, *map*, 432; andesite from, 524.
 W., S. The mosses of North America, 446.
 WADE, J. M. Perforations in wool fibre, 52.
 WADSWORTH, M. E. Some United-States geologists, and the propylite question, 111.
 Wady el Arabah, 75.
 Wages, rate of, 283.
 Wagner, P., on special manures for particular crops, 57.
 WALDO, Leonard. The earthquake of Aug. 10, 144.
 Walker, F. A., on industrial education and handicraft, 537.
 Wampum, 320.
 WARD, L. F. Irrigation in the upper Missouri and Yellowstone valleys, 166.
 Ward, L. F., on fossil flora of globe, 340.
 Warren, C., on learned professions and the public, 348.
 Washburn observatory, eye-pieces of meridian circle at, 396.
 Water of steam-boilers, superheated, 424; transparency of, 421; rates, 13.
 Watson, Ellen, life of, 380.
 Wave-currents, influence of, on fauna, 75; ship, 382.
 Waverley group, 327.
 Wead, on production of sound, 298.
 Weather forecasts, 568; *map*, 300; review, monthly, 480; service in Japan, 521; signals of Alabama, 464.
 WEEP, C. M. The evolution of petals, *ill.* 52.
 Weed, W. H., on geyser eruption, 22.
 Wellington, A. M., on Mexican railway, 12.
 Wells, driven, 324.
 WENDELL, O. C. New maps of the heavens, *maps*, 580.
 Weser hills, mineral wealth of, 365.
 Westgarth, W., on British empire in North America and Australia, 285.
 Whirlwinds at sea, 562.
 Wiedemann's Electricity, reviewed, 87.
 Wilder, B. G., on anthropoid apes, 339; cerebellum and oblongata, 341.
 Wiley, H. W., on optical methods of estimating sugar in milk, 322.
 WILLIAMS, G. H. Specimens illustrating Lehmann's Origin of the crystalline schists, 511.
 Williams, G. H., on apatitbringer, 258; Lehmann's crystalline schists, 327.
 Williams, H. S., on ancient faunas, 326.
 Williams, S. G., on New-York gypsum deposits, 325.
 Wilson, D., on human skull from Podbaba, 318; Huron Iroquois, 318.
 Wilson, Sir Erasmus, death of, 332.
 Wilson, J. H., on American permanent railway, 288.
 WINCHELL, N. H. The crystalline rocks of the north-west, 238.
 Wind-currents, effect of, on rainfall, 409.
 Wine-production in France, 264.
 WINLOCK, W. C. The long-continued bad seeing, 94.
 Winsor, J., on Ptolemy's geography, 331.
 Wintuns, mythology of, 345.
 WOEFKOP, A. An open polar sea, 485.
 Wolf comet, 381.
 Wolfe expedition to Chaldaea, 378.
 Wood-sections, study of, 45.
 Woodbury, C. J. H., on automatic sprinkler system, 291.
 Wool fibre, perforations in, 52.
 Working-girls, condition of, in Boston, 450.
 Workshop in technical education, 395.
 WORMLEY, T. G. Microscopic science, 244.
 Wright, C. D., on condition of working-girls in Boston, 450.
 WRIGHT, R. Ramsay. On the function of the serrated appendages of the throat of Amia, 511.
 Wright's Adjustment of observations, reviewed, 520.
 Wurtz, Charles Adolph, *portrait*, 6; Pictet's acquaintance with, 74.
 Yard, relation of metre to, 296.
 Yellowstone national park survey, 22.
 YOUNG, C. A. Pending problems in astronomy, 192; sun-spots and the earth, *ill.* 564.
 Young, S. See Ramsay, and Young, S.
 Zabriskie, J. L., on Appendicularia entomophila, 25.
 ZIWERT, A. Euclid as a text-book of geometry, 442.
 Zodiacal light, 28.
 Zonites cellaria, discovered in Oregon, 538.
 Zoological researches of Scottish fishery board, 478.
 Zuñis, art among, 319; customs of, 448.

ERRATA.

- | | |
|---|---|
| Page 29, col. 2, line 36, for 'Bouvain' read 'Louvain.' | Page 390, col. 2, 16th line. Remarks wrongly attributed to Professor James Dewar: the correct name not known. |
| " 35, " 1, 9th line from bottom, for 'animalculae' read 'animalcula.' | " 393, " 2, 29th line, for 'Prof. George F. Barker' read 'Lieut. Commander T. F. Jewell.' |
| " 41, " 1, line 26, for 'from chance' read 'pure chance.' | " 397, " 2, last line, for 'May' read 'April.' |
| " 162, " 2, 10th line from bottom, for 'angular' read 'abrupt.' | " 427, " 1, line 8, for 'prescribing' read 'proscribing.' |
| " 281, " 2, line 24, for 'school boards' read 'board schools.' | " 484, " 2, line 36, for 'Water of crystallization' read 'Effect of crystallization on sediment.' |
| " 285, " 1, line 18, for '\$68,500' read '\$342,500.' | " 498, " 2, line 34, for 'Kjellberg' read 'Kjellberg.' |
| " 301, " 1, 16th line from bottom, for 'the' read 'his.' | |
| " 366, " 1, in last note, for 'Trombolt' read 'Tromholt.' | |

CONTENTS OF VOLUME IV.

SPECIAL ARTICLES.

	PAGE		PAGE
Abbott, C. C. The color-sense in fishes. <i>Ill.</i>	336	How far a light may be seen under water	421
Hibernation of the lower vertebrates. <i>Ill.</i>	36	Hubbard, G. G. Canal routes between the Atlantic and	
Agassiz association	487	the Pacific. <i>Map</i>	434
American association for the advancement of science. Pro-		Importance of chemistry in biology and medicine	454
ceedings of the section of mathematics and astronomy,		Indian languages of South America	138
291; of physics, 296; of chemistry, 320; of mechanical		International polar stations. <i>Map</i>	370
science, 322; of geology and geography, 325; of biology,		Johnson, A. B. North-Atlantic currents. <i>Ill.</i>	415
339; of histology and microscopy, 342; of anthropology,		Kafiristan	404
343; of economic science and statistics	346	Koch's work upon tuberculosis, and the present condition	
American association meeting in Philadelphia	189	of the question	59
American historical association	312	Kunz, G. F. Korean curios. <i>Ill.</i>	172
American oriental society	443	Langley, J. W. Chemical affinity. Address to the	
American ornithologists' union	374	American association	234
American public health association	440	Late news from the north-west	474
Armsby, H. P. Special manures for particular crops	57	Lefroy, Sir J. H. Recent geographical discovery. Ad-	
Association of official agricultural chemists of the United		dress to the British association	211
States	312	Lesley, J. Peter. <i>Portrait</i>	190
Babbitt, Franc E. Some implements of the Minnesota		Limitations of submarine telegraphy. <i>Ill.</i>	438
Ojibwas <i>Ill.</i>	527	Lyon, D. G. Semitic notes	378
Blake, W. P. The Carson-City ichnolites. <i>Ill.</i>	273	Macfarlane, James. The formation of cañons and	
Blanford, W. T. The correlation of geological forma-		precipices	99
tions. Address to the British association	208	Madison educational convention	112
Botanical club of the American association	358	Map of the solar system. <i>Ill.</i>	583
Bramwell, Sir F. J. The relation of mechanical science		Meridian conference	376, 406, 421
to other sciences. Address to the British association	215	Merriam, C. H. The coming of the robin and other	
Branner, J. C. The pororoca, or bore, of the Amazon.		early birds	571
<i>Ill.</i>	488	The 'hood' of the hooded seal, <i>Cystophora cristata</i> . <i>Ill.</i>	514
British association for the advancement of science. Pro-		Minot, C. S. Death and individuality	398
ceedings of the section of mathematical and physical		The organization of an international scientific association,	
science, 248; of chemical science, 254; of geology, 257;		Morning and evening stars, 1885	577
of biology, 260; of geography, 279; of economic science		Morse, E. S. Man in the tertiaries. Address to the	
and statistics, 283; of mechanical science, 287; of an-		American association	244
thropology	316	Moseley, H. N. The physiology of deep-sea life. Ad-	
British association, some distinctive features of the	203	dress to the British association	209
Brooks, W. K. A new law of organic evolution	532	Munroe, C. E. Recent observations on explosive agents,	
Carpenter, W. L. Education at the International health		National conference of electricians	127
exhibition	353	New Bogosloff volcano	138
Cholera bacillus. Koch's reply to his critics	554	New maps of the heavens. <i>Maps</i>	580
Christmas greeting	563	New volcano of the Bering Sea. <i>Ill.</i>	432
Civil engineers, meeting of, at Buffalo	11	Newcomb, Simon. Can ghosts be investigated?	
Committee reports of the American association	357	Psychic force	372
Comparative study of the two associations	271	North-African archeology	438
Cope, E. D. Catagenesis, or creation by retrograde		Notices of ethnologic publications	15
metamorphosis of energy. Address to the American		October meeting of the National academy of sciences	396
association	240	Over-pressure in schools	497
Dall, W. H. A Mussulman propaganda	457	Overwork in German schools	136
Dana, C. L. A scientific study of lawn-tennis	473	Paul, H. M. Edison's three-wire system of distribution.	
Danish international polar station. <i>Ill.</i>	476	<i>Ill.</i>	477
Davis, W. M. Drumlins. <i>Ill.</i>	418	The equatorial coudé. <i>Ill.</i>	101
Temperature and its changes in the United States. <i>Ill.</i>	569	Krakatoa	135
Tornadoes, and how to escape them. <i>Ill.</i>	572	Measuring earthquakes. <i>Ill.</i>	516
Eaton, John. Scientific methods and scientific knowl-		A proposed new departure in hygrometry	137
edge in common affairs	246	Radiant matter in an Edison lamp	374
Eclipses, 1885. <i>Ill.</i>	578	Peirce, C. S. The 'old stone mill' at Newport. <i>Ill.</i>	512
Eddy, H. T. College mathematics. Address to the		Philadelphia meeting of the American association	229
American association	230	Powell, J. W. Certain principles of primitive law	436
Electrical conference, notes on the	313	Marriage law in savagery	471
Electrical testing establishments	224	Psychical research in America	359, 369
Epidemic cholera and infectious diseases	144	Railway-signals at the electrical exhibition	356
Excursion map of the vicinity of Baltimore	518	Rathbun, R. American appliances for deep-sea inves-	
Exploration of the Kowak River. <i>Ill.</i>	551	tigation. — The dredges. <i>Ill.</i>	146
Exploration of Putnam [Kowak] River, Alaska	496	The same. — Trawls and tangles. <i>Ill.</i>	225
Filhol, H. The echinoderms dredged by the <i>Talisman</i> . <i>Ill.</i>	102	The same. — Miscellaneous. <i>Ill.</i>	400
The lower forms of life dredged by the <i>Talisman</i> . <i>Ill.</i>	171	The American initiative in deep-sea dredging	54
Flora of the high Alps	475	Rayleigh, Lord. Recent progress in physics. Address	
Fol, H. The changes which fermentation produces in		to the British association	179
milk	405	Rayleigh, Lord, president of the British association. <i>Por-</i>	
G., A. George Bentham. <i>Portrait</i>	352	trait	161
Greene, C. B. Shaft-sinking by freezing	443	Ridgway, Robert. The bird-collection in the U. S.	
Greenwich observatory	61	national museum	496
Hagen, H. A. Lawsuits against grubs and grasshoppers,		Riley, C. V. The insects of the year	565
Harvard physiological laboratory. <i>Ill.</i>	128	Roberts, I. P. Important agricultural statistics	575
Higher education and the masses	53	A few pertinent hints to farmers. <i>Ill.</i>	576
History of almanacs. <i>Ill.</i>	492	Rockwood, C. G., jun. Earthquakes in the United	
Hochstetter, Ferdinand von. <i>Portrait</i>	470	States and Canada	569
Holmes, W. H. Burial-masks of the ancient Peruvians.		Roscoe, H. E. Progress of chemistry since 1848. Ad-	
<i>Ill.</i>	10	dress to the British association	206
Hôtel des Neuchâtelais, and what became of it. <i>Ill.</i>	360	Ruby-hill mines, Eureka, Nev.	459

	PAGE		PAGE
S., C. S. Alphonse Lavallée	10	Trowbridge, John. What is electricity? Address to the American association	232
Schwatka, F. The implements of the igloo. <i>Ill.</i>	81	Two large sun-spots. <i>Ill.</i>	460
The Netschilluk Inuit. <i>Ill.</i>	543	Taylor, E. B. How the problems of American anthropology present themselves to the English mind	545
Science calendar, 1885	584	Some American aspects of anthropology. Address to the British association	217
Sella, Quintino. <i>Portrait.</i>	541	University, an ideal, from an English point of view	95
Specialization in scientific study	35	Upton, Winslow. Weather forecasts	568
Standard time-table	581	Verrill, A. E. Evidences of the existence of light at great depths in the sea	8
Stokes, A. C. A burrowing spider. <i>Ill.</i>	114	Visit of the British association	160
Stone, C. P. Navigation of the Nile. <i>Map.</i>	456	Ward, L. F. Irrigation in the upper Missouri and Yellowstone valleys	166
Sudan, the	530	Wider use for the libraries of scientific societies	335
Sun and the planets, their comparative dimensions. <i>Ill.</i>	582	Winchell, N. H. The crystalline rocks of the northwest. Address to the American association	238
Sun-time and clock-time. <i>Ill.</i>	578	Work of the meridian conference	414
Temple, Sir Richard. The general statistics of the British empire. Address to the British association	214	Wormley, T. G. Microscopic science. Address to the American association	244
Thomson, Sir William. Steps toward a kinetic theory of matter. Address to the British association. <i>Ill.</i>	204	Wurtz, Charles Adolph. <i>Portrait.</i>	6
Thomson, Sir William. <i>Portrait.</i>	430	Young, C. A. Pending problems in astronomy. Address to the American association	192
Thomson's, Sir William, Baltimore lectures	437	Sun-spots and the earth. <i>Ill.</i>	564
Thurston, R. H. The mission of science. Address to the American association	236	Ziwet, A. Euclid as a text-book of geometry	442
The work of Octave Hallauer. <i>Portrait.</i>	306	Zoological researches of the Scottish fishery board	478
Tide-table	577		
Tissandier, G. Navigation of the air. <i>Ill.</i>	531		
Trelease, William. Blooming-times for flowers	573		
Trowbridge, John. Atmospheric electricity	164		
Thunder-storms.	97		

BOOK REVIEWS.

	PAGE		PAGE
Aborigines of Chile	423	Mammals of the Adirondacks	445
Algive and Boulard's Electric light	463	Man's future.	408
American coaster's nautical almanac	20	Mental evolution in animals	16
Bergen's Development theory	311	Merriman's Method of least squares	39
Burton's A B C of photography	464	Metallurgy of primitive nations	21
Caste in India in 1881	557	Minor book notices	311, 463, 520
Census report of 1880	119	Mosses of North America. By <i>S. W.</i>	446
Clarke's Elements of chemistry	500	New-England orchids	498
Contemporary socialism	534	New volume of the tenth census	461
Cotterill's Applied mechanics	406	New-York agricultural station	519
Coues's Key to North-American birds	86	Ohio agricultural experiment-station	279
Eissler's Modern high explosives	278	Origin of the Ohio mounds	151
Exploring voyage of the Challenger. <i>Ill.</i> By <i>G. Brown</i>	116, 176	Palimistry	558
<i>Goode</i>	535	Popular work on American natural history	536
Face of the earth. <i>Ill.</i>	19	Pseudo-science	478
Fiske's Electricity	362	Recent chemical text-books	500
Geological and natural-history survey of Canada	447	Resources of the United States	421
Geology of south-eastern Pennsylvania	120	Science in Manchester	555
Geology of the Susquehanna-river region	500	Scientific butter-making	407
Greene's Lessons in chemistry	464	Sidgwick on fallacies	152
Heap's Report on the Paris electrical exhibition of 1881	173	Society for psychical research. <i>Ill.</i>	40
History of American institutions	380	Synoptical flora of North America	300
Home rambles of an American naturalist	499	Tait's Heat	39
Indian folk-lore and ethnology	556	Tait's Light	444
Indian sign-language	360	Thompson's Dynamo-electric machines	520
Inhabitants of the Punjab	500	Turner's Samoa	378
Jagnaux's Chemical analysis	520	U. S. geological survey. <i>Ill.</i>	62
Kennedy's Wonders of the railway	500	Value of sorghum	479
Kolbe's Inorganic chemistry	310	Vidal's Photometric tables	311
Languages of Africa. By <i>H. H.</i>	380	Virulence of cultivated anthrax virus	276
Life of Ellen Watson	311	Wiedemann's Electricity. By <i>H. S. C.</i>	87
MacLeod's Elementary zoölogy	423	Wright's Adjustment of observations	520

INTELLIGENCE FROM AMERICAN SCIENTIFIC STATIONS.

Johns Hopkins university, 72.

U. S. bureau of ethnology, 22.

U. S. geological survey, 22, 43, 71, 184.

RECENT PROCEEDINGS OF SCIENTIFIC SOCIETIES.

Academy of natural sciences, Philadelphia, 23, 154, 185.
 Brooklyn entomological society, 44.
 Cincinnati society of natural history, 44, 263.
 Engineers' club, Philadelphia, 24.
 Minnesota academy of natural sciences, 73.

New-York academy of sciences, 105.
 New-York microscopical club, 25.
 Philosophical society, Washington, 154, 186.
 Torrey botanical club, New York, 45.
 Trenton natural-history society, 72, 262.

[Subsequent proceedings of some of the above societies are given in the advertising pages, Oct. 31 and later.]

COMMENT AND CRITICISM, 1, 31, 47, 77, 93, 109, 125, 141, 157, 221, 269, 301, 333, 349, 367, 395, 411, 427, 451, 467, 483, 507, 523
 LETTERS TO THE EDITOR, 3, 32, 49, 78, 94, 111, 126, 143, 159, 222, 270, 302, 334, 351, 368, 396, 412, 429, 452, 469, 484, 509, 524.
 NOTES AND NEWS, 25, 45, 73, 88, 106, 121, 139, 155, 186, 219, 263, 297, 329, 363, 381, 408, 423, 448, 464, 480, 502, 520, 537.
 SCIENCE SUPPLEMENT, 383.

LIST OF ILLUSTRATIONS.

	PAGE		PAGE
Adelaide peninsula, map showing position of, relative to Hudson Bay	opposite 545	Mask, Peruvian burial	11
Aeroplane, experiment with, at Chalais-Meudon, 481; invented by Victor Tatin	482	Mesogonistius chaetodon	338
Africa, map of Joseph Thomson's explorations in eastern	46	Microscope for class-room demonstration	541
Air, simple experiment for showing pressure of	265	Mill, old stone, at Newport	513
Almanack, Bickerstaff's Boston, titlepage of	495	Moraine of the second glacial period, general map of the terminal	68
Amazon River, map of mouth of, 489; sketch on the Ilha dos Porquinhos in, showing the uprooted trees, 490; section of a falling bank on, 490; shore of, washed by the pororóca	491	Muscles, apparatus for measuring strength of	521
Aurora, artificial	466	Netschilluk Inuit (5 figs.) 543, 544; map showing distribution of, about Adelaide peninsula	545
Balloon, map of voyage, Aug. 7, 1884, in, 299; Renard and Krebs, 330; map of voyage in, Aug. 9, 1884, 331; map of Tissandier's voyage, Nov. 9, 1884, in	532	Nicaragua canal, maps of	opposite 434
Barrande tablet	139	Ocean, bottom of, at a depth of 1,500 metres, 104; bottom of, at a depth of 1,200 metres, 170; thermometric curves and corresponding depths of the, 172; bed, profile of the, traversed by the Talisman	172
Bentham, George, portrait and signature of	353	Ojibwa net-float, 528; rat-arrow, 529; weights	528
Blake, deck of the, ready for dredging	402	Paleozoic rocks in Belgium, restoration of a distorted region of	536
Bogosloff Island and Hague volcano	433	Petals, the evolution of	52
Buoy, iron nun, 415; Courtenay's whistling, 416; Pintsch gas, 416; chart of stray, in the North Atlantic	417	Phonograph, novel form of	124
Calendar, church, of the fourteenth century, 493; stone, Mexican	494	Photographic drop-shutter, speed of	454
Challenger, the dredging and sounding apparatus on board the, 117; the relative positions of the ship, the messenger-weights, the toggle, and the dredge at different stages of paying-out from	177	Plants, rotation experiments on germinating (7 figs.)	51, 52
Chelydra serpentina	37	Polar station, Danish international, at Godthaab, Greenland	476
Circumpolar stations, chart of international	opposite 370	Porcupine, dredging arrangements at the stern of the British ship	148
Cream-tester	576	Pot-hole found in a Pennsylvania coal-mine	560
Crystallization sediments (2 figs.)	484, 485	Rana sylvatica	38
Cystophora cristata (5 figs.)	514, 515	Rayleigh, Lord, portrait of	163
Diamond, the largest known	299	Reservoir Butte, showing terraces of the Bonneville shoreline	opposite 47
Dredge, Otho Frederick Müller, 146; the naturalist's deep-sea, 146; the Challenger, 149; first form of the Blake, 149; Verrill rake, 150; Chester rake, 150; Benedict rake, 151; ropes, comparative size of	401	Seal, hooded (5 figs.)	514, 515
Dredging, Sigbee's accumulator for deep-sea	403	Selawik Lake, entrance to	553
Drumlins (10 figs.)	418, 419, 420	Selected illustrations from contemporary foreign journals: diving-chamber for submarine exploration; Pic du Midi, meteorological and chemical laboratory on (2 views); halo seen at Paris, March 25, 1884; vertical solar ray seen at Paris, March 20, 1884; leaf-butterfly,—in No. 80	542
Earthquake measurements (4 figs.)	516, 517, 518	Sella, Quintino, portrait of	542
Eclipse, map of solar, of March 16, 1885, 579; of Sept. 8, 1885	579	Sieve, Verrill's cradle	404
Electric-light circuits (2 figs.), 123, 124; showing use of storage-batteries in, 388; multiple-wire systems	477	Solar system, chart of	583
Equatorial coude at the Paris observatory	102	Spider towers, burrowing (3 figs.)	115
Fish-Hawk, hoisting and reeling engine of the U. S. fish-commission steamer, 147; forward deck of the	147	Sudan and the Nile, map of	opposite 456
Fly's foot (3 figs.)	219	Sun, view of, prepared by the Harvard college observatory, opposite 563; spot as seen June 30, 1883, 564; spot as seen July 25, 1883, 565; and planets, relative size of, 582; dial, novel form of, 51; spots, two large (4 figs.), 460, 461	228
Gem-engraving, the White dental-engine applicable to	106	Tangles, Verrill's form of	439
Globigerina and Orbulina	171	Telegraph cables, raising of (4 figs.)	439
Grand Cañon, diagram showing erosion of, 64; at the foot of the Torowep	opposite 68	Temperature curves, showing the daily and annual ranges for various places in the United States	570
Greely's party, map showing points visited by	90	Thermodynamics, diagram illustrating possible exception to second law of	431
Hallauer, Octave, portrait and signature of	307	Thomson, Sir William, portrait of	205
Heavens, map of the	opposite 580	Thomson's kinetic theory of matter (2 figs.)	41, 42
Hochstetter, Ferdinand von, portrait and signature of	471	Thought-transference, diagrams (5 figs.)	576
Hôtel des Neuchâtelois	360	Time, diagram showing comparison of mean with solar, at the several seasons of the year, 580; outline-map, with dials showing standard railway	opposite 576
Hudson Strait, map of the north-western shores of	220	Tornado, June 17, 1882, effect of, at Grinnell, Io.	573
Hyla versicolor	38	Tornadoes of Feb. 19, 1883, map of the tracks of	572
Igloo, implements of the (12 figs.)	82, 83, 84, 85	Tracks of fossil elephant, 274; resembling the imprint of human feet, 274; cross-section of impression of, 275; bird	275
Indian chopping-stone	529	Trap, Sigbee's gravitating	228
Insects, swarming	79	Trawl, the beam, 225; the Blake, 226; wings, 227; safety-hooks for attaching beam, to the drag-rope	403
Jouffroy, Marquis Claude de, statue of	300	Umbral limit	387
Kasa-an Bay, Cape Grindall, E. $\frac{3}{4}$ N. 12 miles	561	United States, map showing the divisions of the signal-service, of standard time, and the mean annual isotherms in the	596
Korean curios (4 figs.)	173	Well, spouting oil	64
Kowak River, ice-cliffs on	551	Wurtz, Charles Adolph, portrait and signature of	
Laboratory, Harvard physiological, general plan of, 128; half-story of, 129; interior of, 130; interrupter-case in, 131; respiration apparatus in	132		
Lahontan lake-beds in Humboldt valley	65		
Lesley, J. P., portrait and signature of	191		
Mamrang Pass, overturned fold in the	535		